

GENERAL CATALOG

1917



ST. LOUIS SASH
AND DOOR WORKS
ST. LOUIS U.S.A.




Digitized by

The Association for Preservation Technology International

For the

Building Technology Heritage Library

<http://archive.org/details/buildingtechnologyheritagelibrary>



ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

General Catalog 1917

INCLUDING

Official Sash and Door
Price List

Adopted January 28, 1914

Effective April 1, 1914



St. Louis Sash and
Door Works

ST. LOUIS, U. S. A.

Wholesale Manufacturers of

HIGH-GRADE MILLWORK

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.


OUR ST. LOUIS PLANT



Covering ONE Entire City Block: Broadway, Destrehan to Angelrodt Streets.
To reach our plant from hotel, retail or wholesale district, take any north bound Broadway car direct to our door, 3500 North—fifteen minutes' ride.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

OUR ROCK ISLAND PLANT



Noted for its enormous capacity; has won an extensive reputation for the manufacture
of high-grade millwork.

INTRODUCTION



Our Stock is very complete; our facilities are the very best. We are therefore prepared to make immediate shipment of the everyday requirements. We would appreciate a trial order, which we feel confident will readily merit a continuance of same.

Our Stock Goods Factory is located at Rock Island, Illinois, covering over twelve acres, in which is installed the most modern of equipment, electrically driven. Our goods are of high, uniform quality and of the very best workmanship that human ingenuity can produce.

Our various specialties as herein illustrated, cover, for the most exacting customer, a wide range of selection.

We have endeavored to only give space to such items as are readily, almost daily, called for, of those handling Millwork in the usual accepted sense of the word.

We are also in the best of position to promptly execute special work, of whatever character same may be—giving same the minutest attention, satisfying in every particular. The opportunity to be of assistance, in carrying out any perplexing problem in the millwork line, is just as welcome as the most simple.

We are always at your service. Service is a by-word with us.

There is no order too large for our capacity nor too small for our careful attention.

ORDER BY NUMBER ONLY

We assume, unless otherwise specified, that the numbers of designs in orders and lists for estimate sent us, refer to designs in this Catalog.

All work once cut and in process of manufacture cannot be changed or cancelled, except at expense of purchaser.

When writing about an order always give the date, your order number, if any, and if possible, our order number. This insures immediate reply.

When shipment arrives, check same over carefully with invoice and if you discover any shortage or error, advise us immediately.

Our responsibility ceases when goods are delivered to transportation company and their receipt in good order for same is secured. Consignee should always examine all shipments before receipting for same to the delivery company, and if any damage is noted, secure Agent's endorsement of the extent of damage on face of freight bill. Acceptance of damaged goods in any other way will release the carrier and leave consignee without recourse.

DO NOT CUT THIS BOOK

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

DIRECTIONS FOR ORDERING

**Time, Annoyance and Expense Can Be Saved by
Noting and Following Closely the
Suggestions Below**

We will understand all orders and inquiries as calling for REGULAR WESTERN STYLES and SIZES as described in this catalog, unless specifically ordered otherwise, or unless covered by standing instructions to the contrary.

BE EXPLICIT in ordering. Do not assume that we know what you want.

Always give WIDTH first, length or height second, then thickness.

Always use inches to designate glass sizes, and feet and inches for openings or outside measurements.

Sash and Window

The term "Sash" indicates only one piece to fill opening.

The term "Window" indicates two pieces (upper and lower sash).

State size of glass, number of lights, opening (unless regular stock) and thickness. State whether open or glazed, and if glazed whether of single or double strength.

If a window whether check or plain rail.

If segment or circle head give number of style desired (see page 39) and radius of circle or segment if not regular. When not otherwise specified we will understand for Circle Head Style Fig. 223 with a radius one-half the width of the sash less the width of the stile, and for Segment Head Fig. 225 with a radius the width of the sash less the width of the stile.

When an odd sash or window is ordered always give both glass size and number of lights and outside opening, and if possible send sketch.

If glass sizes only are given we will understand that regular stock widths of stiles, rails and bars are required.

NOTE—All windows and sash are understood to be glazed unless specifically ordered open. All glazed windows are primed or oiled one coat unless otherwise ordered.

Doors

In the absence of fuller instructions we will consider an order or inquiry for doors to call for the Standard Four-Panel O. G. Door No. 1 quality.

State width, height and thickness, number of panels and arrangement of same and quality.

If moulded state whether flush or raised mould one or two sides.

State style of sticking unless O. G. is desired.

If oil finish state whether machine smoothed or hand smoothed is desired.

If odd send sketch or detail.

Odd doors will be made with regular stock widths of stiles, rails, muntins and panels unless specifically ordered otherwise.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

GLOSSARY OF TRADE TERMS

The definitions below give the meaning of various terms used in this book or in quotations affecting articles described as established by general usage.

IN GENERAL

Measurements

Outside Opening—The measurement of any given article from outside to outside. The frame opening always should be given in feet and inches.

Between Glass—The difference between the outside opening and the total glass measurement of a given window or sash.

Face Measure—The measurement of any part of an article exclusive of any solid mould or rabbet.

Finished Size—The measurement of any given part on an article over all or including the solid mould or rabbet.

Ripping Size—The size of stock necessary to produce any given finished size. Usually $\frac{1}{4}$ inch over finished size up to 5 inch cuts and $\frac{1}{2}$ inch over above.

Moulding

Solid Mould or Solid Stuck—A mould which is worked on the article itself.

Applied Mould—A separate mould applied or attached to any part of an article.

Flush Mould—An applied moulding which finishes flush with or below the face or surface of the stiles or rails of the article.

Raised Mould—An applied moulding which partly covers or which extends above the face or surface of the stiles or rails of the article.

Mullion

An upright or vertical bar, usually wider than the ordinary bar, dividing the glass in a sash, or a wide upright bar dividing two sash in a frame. Applied also to single blinds made to represent pairs.

Muntin

Applies to any short or light bars—either vertical or horizontal—in a sash or in a door between panels not extending the full width or length of the article.

Odd Work

This term applies to any article which is not listed under listed sizes, or for which a list must be formed by the application of any of the Foot Notes or Rules for Extras—unless these specifically state to the contrary.

Rail

The cross or horizontal pieces of the framework of a sash or door.

Stiles

The upright or vertical outside pieces of a sash or door.

Stock Quantity

Ten or more of any given article of one kind, size and quality.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

GLOSSARY OF TRADE TERMS—Continued

Sticking (See Solid Mould)

O. G.—A solid mould which is a combination of a cove and a quarter round with no fillet between. The standard sticking for doors, sash and blinds.

Cove and Bead—A solid mould which is a combination of a cove and quarter round with a small fillet between.

Bead and Cove—A solid mould which is a combination of a quarter round and cove with a small fillet between and on each side.

Ovolo—A solid mould which is a quarter round with a small fillet on each side.

P. G.—A solid mould which is a long bevel with a small fillet on each side.

APPLYING TO SASH OR WINDOWS

Sash

A sash indicates a single piece to fill a given opening.

Window

A window indicates two pieces—one upper, one lower—to fill an opening arranged to slide vertically.

Casement

Applies to a sash or pair of sash made to be hung on hinges to swing.

Cottage

Cottage Window—A window in which the meeting rails are placed above the center of the opening.

Cottage Sash—A sash made to correspond to a cottage window.

French Window

A pair of sash made to be hung on hinges like a pair of doors—a long pair of casement sash.

Factory Sash or Windows

Sash or windows divided into small lights for factory use—The term implies an inferior quality of material for paint, permitting the use of reasonable defects of any nature not weakening the sash.

Full Bound

This term indicates that the sash so described shall have a similar amount of wood in stiles and tops and bottom rails, usually described as “same rail all around.”

Meeting Rails

The rails of a window which meet when the window is hung and closed.

Plain Rail—Meeting rails of the same thickness as the rest of the window.

Check Rails—Meeting rails sufficiently thicker than the window to fill the opening between the top and bottom sash made by the check strip or parting strip in the frame. They are usually beveled.

Lugs or Horns

An extension of the stiles of a window beyond the meeting rails. They are usually moulded on the inside of the stile with an O. G. Mould—(O. G. Lugs).

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

APPLYING TO SASH OR WINDOWS (Continued)

Bungalow or Queen Anne

Windows or sash divided into small lights.

Suspended Lights

A term applied to a light within a sash, formed by straight bars, any one of which must be attached to the free end or to the beveled joint of other bars or munts.

APPLYING TO DOORS

Astragal

Mould—For Folding Doors—A strip of moulding the length of the door of any desired pattern to be applied to one of a pair of folding doors so as to form a rabbet.

Single—For Folding Doors—A strip the length of the doors with a cross-section usually similar to a letter "T"—used to form a rabbet.

Double—For Sliding Doors—A pair of strips the length of the doors—rabbeted to receive the doors on the back and moulded or grooved reciprocally on the face to make a tight joint.

Joint—For Sliding Doors—A moulding or groove worked reciprocally on the meeting edges of each of a pair of doors to make a tight joint.

Banded Doors

Doors with a thin band or strip—usually moulded—on the outside edge of the face of each stile and top and bottom rail—Also called friction strips.

Chamfered Doors

Doors with the corner of the stiles or rails beveled at an angle of about 45 degrees.

Stop Chamfer—A chamfer stopped or ended short of the length of the piece chamfered.

Doweled Doors

Doors put together with dowels instead of tenons.

Dutch Doors

A door made to be cut horizontally through the lock rail so that the upper part can be opened independently of the lower part.

Four-Panel Door

Unless specifically otherwise stated is understood to mean the standard listed four-panel door No. 200.

Five-Panel Door

Unless specifically otherwise stated is understood to mean the standard listed five-panel lock rail panel door No. 201.

Panels

Bevel raised panels are standard.

Graduated Panels

Doors with cross panels of a different width usually graduated from a wide lower panel to a narrow top panel.

Lock Rail

The center rail of a standard four-panel door.

Panel—The horizontal panel of a standard five-panel or similar door.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

APPLYING TO DOORS (Continued)

Tenons

Through Tenoned—A door made with tenons on the end of the rails mortised or tenoned through and showing on the outside of the stile.

Blind Tenoned or Mortised—A door made with the tenons on the ends of the rails mortised into but extending only part way through the stile.

APPLYING TO TERMS AND DISCOUNTS

Car Lots

Quantities of millwork sold at one time for shipment at one time which aggregate the minimum weight allowed by the published railroad tariff for the given destination—usually 24,000 pounds.

Local or Way Freights

Terms applied to sales or shipments which for any reason take less than car lot rates of freight.

Cash Discount

A discount allowed for payment of an invoice within a specified time from date of invoice. It does not apply to any freight or other allowance, which should always be deducted before cash discount is taken.

F. O. B., or Free on Board

This term indicates that the quotation or sale is made for goods on the cars at seller's shipping point without charge for loading or handling.

Freight Allowed

Signifies that the seller will allow the purchaser, on presentation of paid freight bill, to deduct from settlement the full amount of freight paid on any given shipment from shipping point to destination. It does not guarantee the safe delivery of goods.

Freight Equalized

Signifies that the seller will allow the purchaser, on presentation of paid freight bill, to deduct from the settlement an amount equal to the excess—if any—of the amount paid for freight over the sum which the buyer would have had to pay on a similar shipment from the point equalized with. It does not guarantee safe delivery of goods.

Openings

Quotations are frequently made at a specified discount for a given number of openings. In this connection an opening is understood to mean:

One Door or two Cupboard Doors. One Window. Two Sash.

Stock Goods or Stock Items

Terms frequently used in quotations to indicate such listed sizes as are regularly carried in stock by the party quoting. Must not be confused with "listed sizes" which may be "stock sizes" in one locality and not in another.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

OFFICIAL GRADES

WHITE PINE DOORS AND SASH

Adopted by the Wholesale Sash, Door and Blind Manufacturers' Association of the Northwest

Doors

AAA. Oil Finish Doors—Material for AAA Oil Finish Doors must be Clear, no white sap admitted. Workmanship must be good.

AA. Oil Finish Doors—Material for AA Oil Finish Doors must be Clear, with the exception that white sap will be admitted, not to exceed twenty-five (25) per cent of the face of any one piece. Workmanship must be good.

No. 1 Quality—Material in No. 1 doors must be Clear, with the exception that water stains and small pin knots not exceeding one-fourth ($\frac{1}{4}$) inch in diameter may be admitted. No piece to contain more than two (2) such defects and no door more than five (5) such defects on each side; white sap not considered a defect. Workmanship must be good.

No. 2 Quality—Material in No. 2 Doors may contain knots not to exceed one (1) inch in diameter, and blue sap showing on both sides not to exceed fifty (50) per cent in any one piece of the door and gum spots showing on one (1) side of a piece only and other slight defects shall not exceed ten (10) in number on each side and each white pine stile, bottom and lock rail must contain at least one (1) and not to exceed three (3) such defects, plugs admitted and not regarded as a defect. Slight defects in workmanship admitted.

No. 3 Quality—Material for No. 3 Doors may contain all stained sap and small worm holes and fine shake; also knots not exceeding one and three-fourths ($1\frac{3}{4}$) inches in diameter. Twenty (20) defects may be allowed on each side; also slight defects in workmanship. Each piece of white pine in a No. 3 Door must contain a defect. Not more than six (6) defects allowed in any one piece.

No. 4 Quality—No. 4 Doors are regarded as a cull door and must contain large coarse knots and may contain rot, worm holes, shake and other serious defects.

A Standard Door may be through tenon, blind tenon or doweled.

Windows

Check Rail Windows may contain two (2) knots three-eighths ($\frac{3}{8}$) inch in diameter or one red knot five-eighths ($\frac{5}{8}$) inch in diameter in each piece of a window. White sap and not over twenty-five (25) per cent blue sap may be admitted in any one window. Workmanship must be good.

Plain Rail Windows and Sash may contain blue sap and small knots.

Woods Admissible

Woods other than Michigan, Wisconsin and Minnesota or Western Pine shall be admitted in Doors and Windows.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.



LISTED SIZES OF TWO LIGHT CHECK RAIL WINDOWS

1 3/8 INCHES THICK



Size of Glass	Price Open	Price Glazed S. S.	Price Glazed D. S.	Size of Opening	Weight Open	Weight Gl. S. S.	Weight Gl. D. S.
12x16	\$1.16	\$2.75	1- 4x3- 2	5 1/2	10	..
12x18	1.19	2.90	1- 4x3- 6	5 1/2	10	..
12x20	1.21	3.00	1- 4x3-10	6	11	..
12x22	1.29	3.20	1- 4x4- 2	6	12	..
12x24	1.32	3.45	1- 4x4- 6	6 1/2	13	..
12x26	1.40	3.65	1- 4x4-10	7	13	..
12x28	1.44	3.80	1- 4x5- 2	7	13	..
12x30	1.54	4.15	1- 4x5- 6	8	14	..
12x32	1.59	4.30	1- 4x5-10	8	15	..
14x16	1.19	2.90	1- 6x3- 2	5 1/2	11	..
14x18	1.22	3.00	1- 6x3- 6	6	11 1/2	..
14x20	1.24	3.20	1- 6x3-10	6 1/2	12	..
14x22	1.32	3.40	1- 6x4- 2	7	12	..
14x24	1.35	3.70	1- 6x4- 6	8	13	..
14x26	1.44	3.90	1- 6x4-10	8	14	..
14x28	1.48	4.20	1- 6x5- 2	9	16	..
14x30	1.56	4.45	1- 6x5- 6	10	17	..
14x32	1.61	4.65	1- 6x5-10	10	18	..
16x16	1.24	3.10	\$3.75	1- 8x3- 2	6	10	12
16x18	1.26	3.25	3.95	1- 8x3- 6	6	11	13
16x20	1.29	3.35	4.15	1- 8x3-10	7	12	14
16x22	1.39	3.75	4.70	1- 8x4- 2	7	13	15
16x24	1.40	3.75	4.70	1- 8x4- 6	7 1/2	14	16
16x26	1.46	4.10	5.35	1- 8x4-10	8	15	17
16x28	1.53	4.50	5.85	1- 8x5- 2	8	16	18
16x30	1.59	4.75	6.20	1- 8x5- 6	8 1/2	17	19
16x32	1.63	4.95	6.45	1- 8x5-10	9	18	20
16x34	1.74	5.25	6.80	1- 8x6- 2	9 1/2	20	22
16x36	1.84	5.50	7.20	1- 8x6- 6	10	21	23
18x16	1.29	3.30	4.00	1-10x3- 2	6	11	13
18x18	1.29	3.55	4.45	1-10x3- 6	6 1/2	12	14
18x20	1.32	3.75	4.70	1-10x3-10	7	13	15
18x22	1.42	4.30	5.55	1-10x4- 2	7 1/2	14	16
18x24	1.43	4.30	5.55	1-10x4- 6	8	16	18
18x26	1.49	4.60	6.00	1-10x4-10	8	17	19
18x28	1.56	4.85	6.40	1-10x5- 2	8 1/2	18	20
18x30	1.61	5.05	6.70	1-10x5- 6	9	19	21
18x32	1.64	5.10	6.75	1-10x5-10	9 1/2	20	22
18x34	1.77	5.65	7.45	1-10x6- 2	10	21	24
18x36	1.87	6.00	8.10	1-10x6- 6	10	23	25
20x16	1.36	3.60	4.50	2- 0x3- 2	6 1/2	13	15
20x18	1.36	3.80	4.80	2- 0x3- 6	7	14	16
20x20	1.36	3.90	4.80	2- 0x3-10	7 1/2	15	17
20x22	1.44	4.40	5.50	2- 0x4- 2	8	16	18
20x24	1.47	4.45	5.55	2- 0x4- 6	8	17	19
20x26	1.51	4.55	5.75	2- 0x4-10	8 1/2	19	21
20x28	1.59	4.80	6.10	2- 0x5- 2	9	21	23
20x30	1.64	5.30	6.80	2- 0x5- 6	9 1/2	22	24
20x32	1.67	5.75	7.40	2- 0x5-10	9 1/2	23	25
20x34	1.79	5.90	7.55	2- 0x6- 2	10	24	26
20x36	1.89	6.55	8.30	2- 0x6- 6	10 1/2	25	27
20x38	2.17	7.30	9.20	2- 0x6-10	11	26	28
20x40	2.21	7.40	9.30	2- 0x7- 2	11 1/2	27	29

(Continued on next page.)

For larger than listed sizes, see Rule 1, page 48.

• For Extras, see pages 48 to 50.

For Stock Sizes see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.



LISTED SIZES OF TWO LIGHT CHECK RAIL WINDOWS

(Continued)

1 3/8 INCHES THICK



Size of Glass	Price Open	Price Gl. S. S.	Price Gl. D. S.	Size of Opening	Weight Open	Weight Gl. S. S.	Weight Gl. D. S.
22x16	\$1.46	\$3.95	\$4.70	2- 2x3- 2	6 1/2	15	17
22x18	1.46	4.20	5.20	2- 2x3- 6	7	16	18
22x20	1.46	4.40	5.50	2- 2x3-10	7 1/2	17	19
22x22	1.46	4.55	5.75	2- 2x4- 2	8	18	20
22x24	1.50	4.60	5.80	2- 2x4- 6	8 1/2	19	21
22x26	1.54	4.75	6.05	2- 2x4-10	9	20	22
22x28	1.63	5.30	6.45	2- 2x5- 2	9 1/2	21	23
22x30	1.67	5.75	7.35	2- 2x5- 6	9 1/2	22	24
22x32	1.70	6.10	7.90	2- 2x5-10	10	24	26
22x34	1.84	6.50	8.20	2- 2x6- 2	10 1/2	25	27
22x36	1.92	7.00	8.70	2- 2x6- 6	11	26	28
22x38	2.22	7.35	9.30	2- 2x6-10	11	28	30
22x40	2.25	8.45	10.60	2- 2x7- 2	12	29	31
24x16	1.47	4.05	4.75	2- 4x3- 2	7 1/2	16	17
24x18	1.47	4.30	5.25	2- 4x3- 6	8	17	18
24x20	1.47	4.50	5.60	2- 4x3-10	8	18	19
24x22	1.55	4.70	6.55	2- 4x4- 2	8 1/2	19	21
24x24	1.58	5.15	6.55	2- 4x4- 6	9	20	22
24x26	1.61	5.20	6.60	2- 4x4-10	9	21	23
24x28	1.70	5.65	7.25	2- 4x5- 2	9 1/2	23	25
24x30	1.74	6.00	7.75	2- 4x5- 6	10	25	27
24x32	1.79	6.65	8.55	2- 4x5-10	10 1/2	26	28
24x34	1.91	7.00	8.90	2- 4x6- 2	11	27	30
24x36	1.95	7.35	9.45	2- 4x6- 6	11	28	32
24x38	2.29	8.50	10.65	2- 4x6-10	11 1/2	30	33
24x40	2.34	8.55	10.75	2- 4x7- 2	12	31	34
26x16	1.57	4.45	5.50	2- 6x3- 2	7 1/2	18	20
26x18	1.57	4.70	5.85	2- 6x3- 6	8	19	21
26x20	1.57	4.85	6.10	2- 6x3-10	8 1/2	20	22
26x24	1.61	5.25	6.75	2- 6x4- 6	9	21	23
26x26	1.65	5.60	7.20	2- 6x4-10	9 1/2	23	25
26x28	1.74	6.20	7.90	2- 6x5- 2	10	24	27
26x30	1.78	6.65	8.50	2- 6x5- 6	10 1/2	26	29
26x32	1.82	6.70	8.80	2- 6x5-10	10 1/2	27	30
26x34	1.96	8.05	10.20	2- 6x6- 2	11	29	32
26x36	2.00	8.10	10.25	2- 6x6- 6	11 1/2	31	34
26x38	2.33	9.20	11.70	2- 6x6-10	12	32	35
26x40	2.39	9.30	11.80	2- 6x7- 2	12	34	36
27 1/2 x24	1.70	5.95	7.60	2-7 1/2 x4-6	10	22	24
27 1/2 x26	1.74	6.50	8.25	2-7 1/2 x4-10	10 1/2	24	26
27 1/2 x28	1.83	7.00	8.95	2-7 1/2 x5-2	11	25	28
27 1/2 x30	1.87	7.10	9.05	2-7 1/2 x5-6	11 1/2	27	30
28x16	1.67	4.70	5.80	2- 8x3- 2	9	20	24
28x18	1.67	5.00	6.25	2- 8x3- 6	9	21	25
28x20	1.67	5.15	6.50	2- 8x3-10	9 1/2	22	25
28x24	1.70	5.95	7.60	2- 8x4- 6	9 1/2	23	25
28x26	1.74	6.50	8.25	2- 8x4-10	10	24	27
28x28	1.83	7.00	8.95	2- 8x5- 2	10	25	28
28x30	1.87	7.10	9.05	2- 8x5- 6	10 1/2	27	30
28x32	1.92	8.00	10.15	2- 8x5-10	11	29	31
28x34	2.03	8.15	10.30	2- 8x6- 2	11 1/2	31	33
28x36	2.07	8.65	11.10	2- 8x6- 6	12	32	35
28x38	2.43	9.35	11.85	2- 8x6-10	12	33	36
28x40	2.48	10.30	13.20	2- 8x7- 2	12 1/2	33	37

(Continued on next page.)

For larger than listed sizes, see Rule 1, page 48.

For Extras, see pages 48 to 50.

For Stock Sizes see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS


ST. LOUIS, U. S. A.



LISTED SIZES OF TWO LIGHT CHECK RAIL WINDOWS

(Continued)

1 3/8 INCHES THICK



Size of Glass	Price Open	Price Gl. S. S.	Price Gl. D. S.	Size of Opening	Weight Open	Weight Gl. S. S.	Weight Gl. D. S.
30x16	\$1.71	\$4.90	\$6.05	2-10x3- 2	9	22	26
30x18	1.71	5.15	6.55	2-10x3- 6	9 1/2	23	27
30x20	1.71	5.40	6.85	2-10x3-10	10	24	28
30x24	1.74	6.15	7.90	2-10x4- 6	10	25	27
30x26	1.78	6.80	8.65	2-10x4-10	10 1/2	26	29
30x28	1.87	6.95	8.80	2-10x5- 2	10 1/2	27	30
30x30	1.91	7.80	9.90	2-10x5- 6	11	29	32
30x32	1.94	7.85	10.00	2-10x5-10	11 1/2	31	34
30x34	2.06	8.85	11.35	2-10x6- 2	12	33	36
30x36	2.11	8.90	11.40	2-10x6- 6	12	35	38
30x38	2.48	10.30	13.20	2-10x6-10	12 1/2	36	39
30x40	2.53	10.40	13.30	2-10x7- 2	13	37	40
32x16	1.84	5.25	6.50	3- 0x3- 2	9 1/2	23	25
32x18	1.84	5.45	6.80	3- 0x3- 6	10	24	26
32x20	1.84	5.95	7.60	3- 0x3-10	10	25	27
32x24	1.95	7.05	8.95	3- 0x4- 6	10 1/2	26	28
32x26	2.00	7.10	9.00	3- 0x4-10	10 1/2	27	30
32x28	2.10	8.25	10.40	3- 0x5- 2	11	29	31
32x30	2.14	8.30	10.45	3- 0x5- 6	11 1/2	31	34
32x32	2.18	11.50	3- 0x5-10	12	..	35
32x34	2.33	11.70	3- 0x6- 2	12	..	37
32x36	2.48	13.20	3- 0x6- 6	12 1/2	..	39
32x38	2.53	14.20	3- 0x6-10	13	..	41
32x40	2.57	14.30	3- 0x7- 2	13	..	42
34x16	1.89	6.85	3- 2x3- 2	10	..	27
34x18	1.89	7.30	3- 2x3- 6	10 1/2	..	28
34x20	1.89	7.65	3- 2x3-10	10 1/2	..	29
34x24	2.00	9.00	3- 2x4- 6	11	..	30
34x26	2.06	10.35	3- 2x4-10	11	..	32
34x28	2.14	10.45	3- 2x5- 2	11 1/2	..	33
34x30	2.20	11.50	3- 2x5- 6	12	..	36
34x32	2.22	11.60	3- 2x5-10	12	..	37
34x34	2.37	13.10	3- 2x6- 2	12 1/2	..	38
34x36	2.52	14.20	3- 2x6- 6	13	..	40
34x38	2.57	14.25	3- 2x6-10	13	..	42
34x40	2.62	16.35	3- 2x7- 2	13 1/2	..	44
36x16	2.15	7.35	3- 4x3- 2	10	..	27
36x18	2.15	8.05	3- 4x3- 6	10	..	28
36x20	2.15	8.60	3- 4x3-10	10 1/2	..	29
36x22	2.15	9.20	3- 4x4- 2	10 1/2	..	30
36x24	2.15	9.90	3- 4x4- 6	11	..	32
36x26	2.18	10.50	3- 4x4-10	11 1/2	..	34
36x28	2.27	11.60	3- 4x5- 2	12	..	35
36x30	2.32	11.70	3- 4x5- 6	12	..	38
36x32	2.36	13.65	3- 4x5-10	12 1/2	..	39
36x34	2.52	14.85	3- 4x6- 2	13	..	40
36x36	2.65	15.00	3- 4x6- 6	13	..	41
36x38	2.72	17.20	3- 4x6-10	13 1/2	..	43
36x40	2.76	17.30	3- 4x7- 2	14	..	46
38x24	2.18	10.75	3- 6x4- 6	11 1/2	..	33
38x26	2.24	11.85	3- 6x4-10	12	..	35
38x28	2.33	11.95	3- 6x5- 2	12	..	36
38x30	2.38	13.40	3- 6x5- 6	12 1/2	..	39
38x32	2.42	14.40	3- 6x5-10	13	..	41

(Continued on next page.)

For larger than listed sizes, see Rule 1, page 48.

For Sash Extras, see pages 48 to 50.

For Stock Sizes see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.



LISTED SIZES OF TWO LIGHT CHECK RAIL WINDOWS (Continued) 1 3/8 INCHES THICK



Size of Glass	Price Open	Price Gl. S. S.	Price Gl. D. S.	Size of Opening	Weight Open	Weight Gl. S. S.	Weight Gl. D. S.
38x34	\$2.57	\$14.90	3- 6x6- 2	13	..	42
38x36	2.71	17.20	3- 6x6- 6	13 1/2	..	43
38x38	2.76	17.30	3- 6x6-10	14	..	45
38x40	2.81	17.35	3- 6x7- 2	14	..	47
40x20	2.24	9.60	3- 8x3-10	11	..	30
40x22	2.24	10.85	3- 8x4- 2	11	..	32
40x24	2.24	10.85	3- 8x4- 6	12	..	34
40x26	2.28	11.90	3- 8x4-10	12	..	36
40x28	2.37	13.35	3- 8x5- 2	12 1/2	..	37
40x30	2.42	13.45	3- 8x5- 6	13	..	40
40x32	2.46	14.45	3- 8x5-10	13	..	42
40x34	2.61	17.10	3- 8x6- 2	13 1/2	..	44
40x36	2.76	17.30	3- 8x6- 6	14	..	46
40x38	2.81	17.35	3- 8x6-10	14 1/2	..	47
40x40	2.87	17.45	3- 8x7- 2	14 1/2	..	49
44x20	2.42	11.05	4- 0x3-10	12	..	38
44x22	2.42	12.10	4- 0x4- 2	12 1/2	..	40
44x24	2.42	12.10	4- 0x4- 6	13	..	40
44x26	2.45	13.50	4- 0x4-10	13	..	42
44x28	2.55	14.60	4- 0x5- 2	13 1/2	..	42
44x30	2.59	16.70	4- 0x5- 6	13 1/2	..	44
44x32	2.64	16.75	4- 0x5-10	14	..	46
44x34	2.81	17.00	4- 0x6- 2	14	..	47
44x36	2.95	17.20	4- 0x6- 6	14 1/2	..	50
48x20	2.52	11.25	4- 4x3-10	13 1/2	..	37
48x22	2.52	12.25	4- 4x4- 2	14	..	39
48x24	2.52	14.50	4- 4x4- 6	14	..	41
48x26	2.56	14.60	4- 4x4-10	14 1/2	..	43
48x28	2.66	16.80	4- 4x5- 2	15	..	45
48x30	2.70	16.85	4- 4x5- 6	15	..	47
48x32	2.74	16.90	4- 4x5-10	15 1/2	..	49
48x34	2.92	20.60	4- 4x6- 2	16	..	52
48x36	3.00	21.00	4- 4x6- 6	16	..	53

For larger than listed sizes, see Rule 1, page 48.
For Extras, see pages 48 to 50.

LISTED SIZES OF CUPBOARD SASH, TWO LIGHT 1 1/8 INCH AND 3/4 INCH THICK


Size of Opening	Price, 1 1/8 inch, Open	Price, 1 1/8 inch, Gl. S. S.	Price, 3/4 inch, Open	Price, 3/4 inch, Gl. S. S.
1- 4x4-0	\$1.21	\$3.30	\$1.05	\$3.10
1- 4x4-6	1.29	3.60	1.11	3.35
1- 4x5-0	1.37	3.90	1.17	3.65
1- 6x4-0	1.23	3.60	1.08	3.40
1- 6x4-6	1.32	3.85	1.14	3.60
1- 6x5-0	1.39	4.25	1.19	4.00
1- 8x4-0	1.28	3.85	1.11	3.65
1- 8x4-6	1.35	4.05	1.17	3.80
1- 8x5-0	1.43	4.55	1.23	4.25
1-10x4-0	1.29	4.15	1.13	3.90
1-10x4-6	1.38	4.35	1.18	4.10
1-10x5-0	1.45	4.85	1.25	4.60
2- 0x4-0	1.32	4.40	1.14	4.15
2- 0x4-6	1.41	4.65	1.20	4.35
2- 0x5-0	1.48	5.05	1.26	4.75

For Cupboard Sash larger than listed sizes, see Rule 11, page 49. For Extras, see pages 48 to 50.

For Stock Sizes see Price Supplement.


ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.



LISTED SIZES OF FOUR LIGHT CHECK RAIL WINDOWS

1 3/8 INCHES THICK



Size of Glass	Price Open	Price Gl. S. S.	Price Gl. D. S.	Size of Opening	Weight Open	Weight Gl. S. S.	Weight Gl. D. S.
10x16	\$1.55	\$3.80	2- 1x3- 2	5 1/2	13	..
10x18	1.58	4.00	2- 1x3- 6	6	14	..
10x20	1.60	4.20	2- 1x3-10	6	16	..
10x22	1.64	4.40	2- 1x4- 2	7	17	..
10x24	1.67	4.40	2- 1x4- 6	8	18	..
10x26	1.71	5.00	2- 1x4-10	8	19	..
10x28	1.81	5.15	2- 1x5- 2	9	20	..
10x30	1.93	5.60	2- 1x5- 6	9	21	..
10x32	2.01	6.05	2- 1x5-10	9 1/2	22	..
12x16	1.61	4.15	2- 5x3- 2	6 1/2	15	..
12x18	1.64	4.40	2- 5x3- 6	7	17	..
12x20	1.65	4.55	2- 5x3-10	7	18	..
12x22	1.74	4.85	2- 5x4- 2	8	19	..
12x24	1.78	5.10	2- 5x4- 6	8	20	..
12x26	1.82	5.30	2- 5x4-10	9	21	..
12x28	1.92	5.70	2- 5x5- 2	9	22	..
12x30	1.97	6.10	2- 5x5- 6	10	23	..
12x32	2.09	6.40	2- 5x5-10	11	25	..
12x34	2.21	7.05	2- 5x6- 2	12	26	..
12x36	2.29	7.35	2- 5x6- 6	12	27	..
12x40	2.65	9.10	2- 5x7- 2	13	31	..
13 1/4 x24	1.91	5.95	2-7 1/2 x4- 6	9	21	..
13 1/4 x26	1.95	6.15	2-7 1/2 x4-10	10	23	..
13 1/4 x28	2.05	6.85	2-7 1/2 x5- 2	10 1/2	24	..
13 1/4 x30	2.09	7.10	2-7 1/2 x5- 6	11	25	..
14x18	1.85	4.90	2- 9x3- 6	9	18	..
14x20	1.85	5.10	2- 9x3-10	9	20	..
14x22	1.88	5.65	2- 9x4- 2	9 1/2	22	..
14x24	1.91	5.95	2- 9x4- 6	10	23	..
14x26	1.95	6.15	2- 9x4-10	10 1/2	24	..
14x28	2.05	6.85	2- 9x5- 2	11	25	..
14x30	2.09	7.10	2- 9x5- 6	12	27	..
14x32	2.15	7.25	\$9.60	2- 9x5-10	12	29	32
14x34	2.27	7.85	10.15	2- 9x6- 2	12 1/2	31	34
14x36	2.33	8.00	10.70	2- 9x6- 6	13	32	35
14x38	2.73	8.95	11.50	2- 9x6-10	13	33	36
14x40	2.80	9.40	12.15	2- 9x7- 2	13 1/2	34	38
15x24	2.14	6.40	7.90	2-11x4- 6	10 1/2	24	27
15x26	2.19	7.00	9.00	2-11x4-10	11	25	29
15x28	2.30	7.40	9.45	2-11x5- 2	11 1/2	27	30
15x30	2.36	7.70	9.90	2-11x5- 6	12	29	32
15x32	2.40	8.00	10.35	2-11x5-10	12	31	34
15x34	2.57	8.50	11.00	2-11x6- 2	12 1/2	33	36
15x36	2.72	9.30	12.00	2-11x6- 6	13	35	38
15x38	2.78	9.35	12.10	2-11x6-10	13 1/2	36	39
15x40	2.84	10.25	13.10	2-11x7- 2	14	37	40


For larger than listed sizes, see Rule 1, page 48.

For Sash Extras, see pages 48 to 50.

For Stock Sizes see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.



LISTED SIZES OF EIGHT LIGHT CHECK RAIL WINDOWS

1 3/8 INCHES THICK



Size of Glass	Price Open	Price Glazed, S. S.	Size of Opening	Weight Open	Weight Glazed, S. S.
8x10 ...	\$1.75 ...	\$4.15 ...	1- 9x3-10 ...	7 ...	16 ...
8x12 ...	1.83 ...	4.50 ...	1- 9x4- 6 ...	7 1/2 ...	17 ...
9x12 ...	1.83 ...	4.60 ...	1-11x4- 6 ...	8 ...	17 ...
9x14 ...	1.97 ...	5.10 ...	1-11x5- 2 ...	9 ...	18 ...
10x12 ...	1.87 ...	4.65 ...	2- 1x4- 6 ...	9 ...	18 ...
10x14 ...	2.01 ...	5.15 ...	2- 1x5- 2 ...	10 ...	19 ...
10x16 ...	2.18 ...	6.05 ...	2- 1x5-10 ...	11 ...	22 ...
12x14 ...	2.13 ...	5.80 ...	2- 5x5- 2 ...	11 ...	23 ...
12x16 ...	2.24 ...	6.30 ...	2- 5x5-10 ...	12 ...	24 ...
12x18 ...	2.66 ...	7.60 ...	2- 5x6- 6 ...	13 ...	27 ✓
12x20 ...	2.76 ...	8.55 ...	2- 5x7- 2 ...	14 ...	29 ...
14x16 ...	2.60 ...	7.60 ...	2- 9x5-10 ...	13 ...	28 ...
14x18 ...	2.80 ...	8.25 ...	2- 9x6- 6 ...	14 ...	31 ...
14x20 ...	2.92 ...	8.85 ...	2- 9x7- 2 ...	15 ...	35 ...



LISTED SIZES OF TWELVE LIGHT CHECK RAIL WINDOWS

1 3/8 INCHES THICK



Size of Glass	Price Open	Price Glazed, S. S.	Size of Opening	Weight Open	Weight Glazed, S. S.
8x10 ...	\$2.02 ...	\$4.95 ...	2- 4 1/2 x3-10 ...	8 ...	19 ...
8x12 ...	2.21 ...	5.75 ...	2- 4 1/2 x4- 6 ...	9 ...	20 ...
9x12 ...	2.26 ...	5.80 ...	2- 7 1/2 x4- 6 ...	10 ...	22 ...
9x13 ...	2.36 ...	6.45 ...	2- 7 1/2 x4-10 ...	11 ...	23 ...
9x14 ...	2.40 ...	6.70 ...	2- 7 1/2 x5- 2 ...	11 ...	24 ...
10x12 ...	2.32 ...	6.15 ...	2-10 1/2 x4- 6 ...	11 ...	23 ...
10x14 ...	2.46 ...	6.80 ...	2-10 1/2 x5- 2 ...	12 ...	26 ...
10x15 ...	2.82 ...	7.95 ...	2-10 1/2 x5- 6 ...	12 1/2 ...	27 ...
10x16 ...	2.82 ...	7.95 ...	2-10 1/2 x5-10 ...	13 ...	29 ...
10x18 ...	3.02 ...	9.05 ...	2-10 1/2 x6- 6 ...	13 ...	32 ...
12x14 ...	2.96 ...	8.25 ...	3- 4 1/2 x5- 2 ...	14 ...	32 ...
12x16 ...	3.07 ...	8.95 ...	3- 4 1/2 x5-10 ...	14 ...	36 ...
12x18 ...	3.26 ...	10.25 ...	3- 4 1/2 x6- 6 ...	15 ...	38 ...
12x20 ...	3.38 ...	10.90 ...	3- 4 1/2 x7- 2 ...	15 ...	40 ...

For larger than listed sizes, see Rule 1, page 48.

For Sash Extras, see pages 48 to 50.

For Stock Sizes see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.



LISTED SIZES OF

EIGHT LIGHT PLAIN RAIL WINDOWS

1 1/8 INCHES THICK



Size of Glass	Price Open	Price Glazed S. S.	Size of Opening	Weight Open	Weight Glazed S. S.
8x10 ..	\$1.48 ..	\$3.60 ..	1- 8 1/2 x3-10 ..	5	10
8x12 ..	1.59 ..	4.10 ..	1- 8 1/2 x4- 6 ..	5	12
9x12 ..	1.64 ..	4.30 ..	1-10 1/2 x4- 6 ..	6	14
9x14 ..	1.74 ..	4.80 ..	1-10 1/2 x5- 2 ..	7	17
10x12 ..	1.65 ..	4.35 ..	2- 0 1/2 x4- 6 ..	8	15
10x14 ..	1.77 ..	4.80 ..	2- 0 1/2 x5- 2 ..	8	18
10x16 ..	2.04 ..	5.55 ..	2- 0 1/2 x5-10 ..	9	20
12x14 ..	1.86 ..	5.40 ..	2- 4 1/2 x5- 2 ..	9	19
12x16 ..	2.14 ..	6.15 ..	2- 4 1/2 x5-10 ..	11	22
12x18 ..	2.30 ..	7.05 ..	2- 4 1/2 x6- 6 ..	12	25



LISTED SIZES OF

TWELVE LIGHT PLAIN RAIL WINDOWS

1 1/8 INCHES THICK



Size of Glass	Price Open	Price Glazed S. S.	Size of Opening	Weight Open	Weight Glazed S. S.
7x 9 ...	\$1.76 ...	\$4.35 ...	2- 1x3- 6 ...	6 ...	15
8x10 ...	1.79 ...	4.60 ...	2- 4x3-10 ...	7 ...	17
8x12 ...	1.95 ...	5.10 ...	2- 4x4- 6 ...	8 ...	18
8x14 ...	2.06 ...	5.90 ...	2- 4x5- 2 ...	9 ...	19
9x12 ...	1.97 ...	5.35 ...	2- 7x4- 6 ...	9 ...	20
9x13 ...	2.06 ...	5.95 ...	2- 7x4-10 ...	9 ...	21
9x14 ...	2.09 ...	6.00 ...	2- 7x5- 2 ...	9 ...	22
9x15 ...	2.36 ...	6.75 ...	2- 7x5- 6 ...	9 ...	23
10x12 ...	2.03 ...	5.75 ...	2-10x4- 6 ...	9 ...	21
10x14 ...	2.15 ...	6.30 ...	2-10x5- 2 ...	9 ...	23
10x15 ...	2.40 ...	7.10 ...	2-10x5- 6 ...	9 1/2 ...	24
10x16 ...	2.45 ...	7.30 ...	2-10x5-10 ...	10 ...	26
10x18 ...	2.60 ...	8.30 ...	2-10x6- 6 ...	10 1/2 ...	28
12x14 ...	2.50 ...	7.90 ...	3- 4x5- 2 ...	10 ...	25
12x16 ...	2.63 ...	8.60 ...	3- 4x5-10 ...	10 ...	28
12x18 ...	2.78 ...	9.40 ...	3- 4x6- 6 ...	11 ...	29

For larger than listed sizes, see Rule 1, page 48.

For Sash Extras, see pages 48 to 50.

For Stock Sizes see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.



FACTORY WINDOWS

FIFTEEN LIGHT. PLAIN
RAIL

1 1/8 INCHES THICK. NOT
PLOUGHED AND
BORED



Size of Glass	Price Open	Price Glazed S. S.	Size of Opening	Weight Open	Weight Glazed
7x9 ..	\$2.15 ..	\$ 5.35 ..	2- 1 1/2 x 4- 3 7/8 ..	6 ..	19
8x10 ..	2.28 ..	5.95 ..	2- 4 1/2 x 4- 8 7/8 ..	8 ..	20
8x12 ..	2.44 ..	6.55 ..	2- 4 1/2 x 5- 6 7/8 ..	9 ..	24
8x14 ..	2.57 ..	7.20 ..	2- 4 1/2 x 6- 4 7/8 ..	9 ..	25
9x12 ..	2.53 ..	6.95 ..	2- 7 1/2 x 5- 6 7/8 ..	10 ..	26
9x13 ..	2.59 ..	7.30 ..	2- 7 1/2 x 5- 11 7/8 ..	10 ..	27
9x14 ..	2.67 ..	7.70 ..	2- 7 1/2 x 6- 4 7/8 ..	10 ..	28
9x15 ..	2.76 ..	8.00 ..	2- 7 1/2 x 6- 9 7/8 ..	10 ..	30
9x16 ..	2.82 ..	8.25 ..	2- 7 1/2 x 7- 2 7/8 ..	11 ..	32
10x12 ..	2.58 ..	7.40 ..	2- 10 1/2 x 5- 6 7/8 ..	10 ..	25
10x14 ..	2.72 ..	8.15 ..	2- 10 1/2 x 6- 4 7/8 ..	10 ..	29
10x15 ..	2.81 ..	8.40 ..	2- 10 1/2 x 6- 9 7/8 ..	11 ..	30
10x16 ..	2.87 ..	9.20 ..	2- 10 1/2 x 7- 2 7/8 ..	11 ..	32
12x14 ..	2.91 ..	9.45 ..	3- 4 1/2 x 6- 4 7/8 ..	11 ..	31
12x16 ..	3.09 ..	10.35 ..	3- 4 1/2 x 7- 2 7/8 ..	12 ..	34



FACTORY WINDOWS

FIFTEEN LIGHT. CHECK
RAIL

1 3/8 INCHES THICK



Size of Glass	Price Open	Price Glazed S. S.	Size of Opening	Weight Open	Weight Glazed
8x10 ..	\$2.55 ..	\$ 6.30 ..	2- 4 1/2 x 4- 8 7/8 ..	9 ..	22
8x12 ..	2.74 ..	6.90 ..	2- 4 1/2 x 5- 6 7/8 ..	10 ..	25
8x14 ..	2.90 ..	7.60 ..	2- 4 1/2 x 6- 4 7/8 ..	12 ..	27
9x12 ..	2.87 ..	7.35 ..	2- 7 1/2 x 5- 6 7/8 ..	11 ..	26
9x13 ..	2.94 ..	7.75 ..	2- 7 1/2 x 5- 11 7/8 ..	12 ..	28
9x14 ..	3.03 ..	8.15 ..	2- 7 1/2 x 6- 4 7/8 ..	13 ..	30
9x16 ..	3.21 ..	8.75 ..	2- 7 1/2 x 7- 2 7/8 ..	14 ..	32
10x12 ..	2.94 ..	7.85 ..	2- 10 1/2 x 5- 6 7/8 ..	12 ..	28
10x14 ..	3.10 ..	8.60 ..	2- 10 1/2 x 6- 4 7/8 ..	13 ..	32
10x15 ..	3.21 ..	8.95 ..	2- 10 1/2 x 6- 9 7/8 ..	13 ..	33
10x16 ..	3.28 ..	9.70 ..	2- 10 1/2 x 7- 2 7/8 ..	14 ..	34
10x18 ..	3.46 ..	10.50 ..	2- 10 1/2 x 8- 0 7/8 ..	15 ..	36
12x14 ..	3.34 ..	10.00 ..	3- 4 1/2 x 6- 4 7/8 ..	14 ..	32
12x16 ..	3.51 ..	10.85 ..	3- 4 1/2 x 7- 2 7/8 ..	14 ..	36
12x18 ..	3.69 ..	11.85 ..	3- 4 1/2 x 8- 0 7/8 ..	17 ..	40

For larger than listed sizes, see Rule 1, page 48.
For Sash Extras, see pages 48 to 50.

ST. LOUIS SASH AND DOOR WORKS


ST. LOUIS, U. S. A.



FACTORY WINDOWS

EIGHTEEN LIGHT.
CHECK RAIL

1 $\frac{3}{8}$ INCHES THICK



Size of Glass	Price Open	Price Glazed S. S.	Size of Opening	Weight Open	Weight Glazed
8x10 ..	\$2.99 ..	\$ 7.50 ..	2- 4 $\frac{1}{2}$ x5- 7 $\frac{1}{8}$.. 10 ..	25
8x12 ..	3.24 ..	8.30 ..	2- 4 $\frac{1}{2}$ x6- 7 $\frac{1}{8}$.. 13 ..	28
8x14 ..	3.40 ..	9.05 ..	2- 4 $\frac{1}{2}$ x7- 7 $\frac{1}{8}$.. 15 ..	36
9x12 ..	3.36 ..	8.80 ..	2- 7 $\frac{1}{2}$ x6- 7 $\frac{1}{8}$.. 14 ..	32
9x13 ..	3.45 ..	9.25 ..	2- 7 $\frac{1}{2}$ x7- 11 $\frac{1}{8}$.. 14 ..	33
9x14 ..	3.53 ..	9.65 ..	2- 7 $\frac{1}{2}$ x7- 7 $\frac{1}{8}$.. 15 ..	35
9x16 ..	3.78 ..	10.45 ..	2- 7 $\frac{1}{2}$ x8- 7 $\frac{1}{8}$.. 17 ..	40
10x12 ..	3.44 ..	9.35 ..	2- 10 $\frac{1}{2}$ x6- 7 $\frac{1}{8}$.. 14 ..	33
10x14 ..	3.61 ..	10.25 ..	2- 10 $\frac{1}{2}$ x7- 7 $\frac{1}{8}$.. 17 ..	40
10x15 ..	3.78 ..	10.95 ..	2- 10 $\frac{1}{2}$ x8- 1 $\frac{1}{8}$.. 18 ..	43
10x16 ..	3.86 ..	11.60 ..	2- 10 $\frac{1}{2}$ x8- 7 $\frac{1}{8}$.. 19 ..	46
10x18 ..	4.03 ..	12.50 ..	2- 10 $\frac{1}{2}$ x9- 7 $\frac{1}{8}$.. 20 ..	48
12x14 ..	3.85 ..	11.85 ..	3- 4 $\frac{1}{2}$ x7- 7 $\frac{1}{8}$.. 16 ..	40
12x16 ..	4.11 ..	12.95 ..	3- 4 $\frac{1}{2}$ x8- 7 $\frac{1}{8}$.. 20 ..	46
12x18 ..	4.28 ..	14.05 ..	3- 4 $\frac{1}{2}$ x9- 7 $\frac{1}{8}$.. 22 ..	48



FACTORY WINDOWS

TWENTY LIGHT. CHECK
RAIL

1 $\frac{3}{8}$ INCHES THICK



Size of Glass	Price Open	Price Glazed S. S.	Size of Opening	Weight Open	Weight Glazed
6x 8 ..	\$2.86 ..	\$ 6.75 ..	2- 4 $\frac{3}{4}$ x3- 10 $\frac{1}{8}$.. 8 ..	19
7x 9 ..	3.10 ..	7.55 ..	2- 8 $\frac{3}{4}$ x4- 3 $\frac{7}{8}$.. 10 ..	22
8x10 ..	3.27 ..	8.40 ..	3- 0 $\frac{3}{4}$ x4- 8 $\frac{7}{8}$.. 12 ..	26
8x12 ..	3.47 ..	9.15 ..	3- 0 $\frac{3}{4}$ x5- 6 $\frac{7}{8}$.. 13 ..	32
8x14 ..	3.63 ..	10.00 ..	3- 0 $\frac{3}{4}$ x6- 4 $\frac{7}{8}$.. 14 ..	34
9x12 ..	3.65 ..	9.75 ..	3- 4 $\frac{3}{4}$ x5- 6 $\frac{7}{8}$.. 14 ..	30
9x14 ..	3.82 ..	10.75 ..	3- 4 $\frac{3}{4}$ x6- 4 $\frac{7}{8}$.. 15 ..	32
10x12 ..	3.76 ..	10.40 ..	3- 8 $\frac{3}{4}$ x5- 6 $\frac{7}{8}$.. 18 ..	36
10x14 ..	3.93 ..	11.35 ..	3- 8 $\frac{3}{4}$ x6- 4 $\frac{7}{8}$.. 20 ..	40
10x16 ..	4.12 ..	12.80 ..	3- 8 $\frac{3}{4}$ x7- 2 $\frac{7}{8}$.. 21 ..	45
10x18 ..	4.32 ..	13.80 ..	3- 8 $\frac{3}{4}$ x8- 0 $\frac{7}{8}$.. 22 ..	48
12x14 ..	4.23 ..	13.20 ..	4- 4 $\frac{3}{4}$ x6- 4 $\frac{7}{8}$.. 22 ..	45
12x16 ..	4.42 ..	14.35 ..	4- 4 $\frac{3}{4}$ x7- 2 $\frac{7}{8}$.. 22 ..	50
12x18 ..	4.62 ..	15.60 ..	4- 4 $\frac{3}{4}$ x8- 0 $\frac{7}{8}$.. 23 ..	52

For larger than listed sizes, see Rule 1, page 48.

For Sash Extras, see pages 48 to 50.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.




FACTORY WINDOWS

TWENTY-FOUR LIGHT.
CHECK RAIL

1 3/8 INCHES THICK



Size of Glass	Price Open	Price Glazed S. S.	Size of Opening	Weight Open	Weight Glazed
6x 8 ..	\$3.33 ..	\$ 8.10 ..	2- 4 3/4 x 4- 7 1/8 ..	10 ..	22
7x 9 ..	3.62 ..	9.05 ..	2- 8 3/4 x 5- 0 1/8 ..	12 ..	26
8x10 ..	3.81 ..	10.05 ..	3- 0 3/4 x 5- 7 1/8 ..	13 ..	32
8x12 ..	4.06 ..	11.00 ..	3- 0 3/4 x 6- 7 1/8 ..	15 ..	35
8x14 ..	4.24 ..	11.90 ..	3- 0 3/4 x 7- 7 1/8 ..	18 ..	42
9x12 ..	4.26 ..	11.70 ..	3- 4 3/4 x 6- 7 1/8 ..	16 ..	37
9x14 ..	4.44 ..	12.80 ..	3- 4 3/4 x 7- 7 1/8 ..	20 ..	45
10x12 ..	4.37 ..	12.45 ..	3- 8 3/4 x 6- 7 1/8 ..	20 ..	40
10x14 ..	4.55 ..	13.55 ..	3- 8 3/4 x 7- 7 1/8 ..	22 ..	47
10x16 ..	4.81 ..	15.35 ..	3- 8 3/4 x 8- 7 1/8 ..	25 ..	54
10x18 ..	5.01 ..	16.55 ..	3- 8 3/4 x 9- 7 1/8 ..	26 ..	58
12x14 ..	4.85 ..	15.75 ..	4- 4 3/4 x 7- 7 1/8 ..	25 ..	54
12x16 ..	5.13 ..	15.15 ..	4- 4 3/4 x 8- 7 1/8 ..	26 ..	58
12x18 ..	5.32 ..	18.60 ..	4- 4 3/4 x 9- 7 1/8 ..	27 ..	62



FACTORY WINDOWS

THIRTY LIGHT CHECK
RAIL WINDOWS

1 3/8 INCHES THICK



Size of Glass	Price Open	Price Glazed S. S.	Size of Opening	Weight Open	Weight Glazed
6x 8 ..	\$4.08 ..	\$10.15 ..	2-11x4- 7 1/8 ..	13 ..	29
7x 9 ..	4.43 ..	11.35 ..	3- 4x5- 1 1/8 ..	15 ..	33
8x10 ..	4.67 ..	12.60 ..	3- 9x5- 7 1/8 ..	16 ..	39
8x12 ..	4.98 ..	13.70 ..	3- 9x6- 7 1/8 ..	18 ..	42
8x14 ..	5.13 ..	14.90 ..	3- 9x7- 7 1/8 ..	21 ..	49
9x12 ..	5.15 ..	14.55 ..	4- 2x6- 7 1/8 ..	19 ..	44
9x14 ..	5.36 ..	15.95 ..	4- 2x7- 7 1/8 ..	23 ..	52
10x12 ..	5.30 ..	15.50 ..	4- 7x6- 7 1/8 ..	23 ..	47
10x14 ..	5.50 ..	16.85 ..	4- 7x7- 7 1/8 ..	25 ..	54
10x16 ..	5.78 ..	19.15 ..	4- 7x8- 7 1/8 ..	28 ..	61
10x18 ..	5.99 ..	20.55 ..	4- 7x9- 7 1/8 ..	29 ..	65
12x14 ..	5.80 ..	19.55 ..	5- 5x7- 7 1/8 ..	28 ..	61
12x16 ..	6.08 ..	21.20 ..	5- 5x8- 7 1/8 ..	29 ..	65
12x18 ..	6.29 ..	21.95 ..	5- 5x9- 7 1/8 ..	30 ..	69

For larger than listed sizes, see Rule 1, page 48.

For Sash Extras, see pages 48 to 50.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.



FACTORY WINDOWS

THIRTY-TWO LIGHT.
CHECK RAIL

1 3/8 INCHES THICK



Size of Glass	Price Open	Price Glazed S. S.	Size of Opening
6x 8	\$4.30	\$10.95	2-4 3/4 x 5-11 5/8
7x 9	4.67	12.20	2-8 3/4 x 6- 7 5/8
8x10	4.90	13.55	3-0 3/4 x 7- 3 5/8
8x12	5.23	14.75	3-0 3/4 x 8- 7 5/8
8x14	5.49	16.10	3-0 3/4 x 9-11 5/8
9x12	5.43	15.60	3-4 3/4 x 8- 7 5/8
9x14	5.69	17.15	3-4 3/4 x 9-11 5/8
10x12	5.55	16.55	3-8 3/4 x 8- 7 5/8
10x14	5.81	18.10	3-8 3/4 x 9-11 5/8
10x16	6.06	20.50	3-8 3/4 x11- 3 5/8
10x18	6.33	22.00	3-8 3/4 x12- 7 5/8
12x14	6.14	21.00	4-4 3/4 x 9-11 5/8
12x16	6.39	22.70	4-4 3/4 x11- 3 5/8
12x18	6.65	24.55	4-4 3/4 x12- 7 5/8



FACTORY WINDOWS

THIRTY-SIX LIGHT.
CHECK RAIL

1 3/8 INCHES THICK



Size of Glass	Price Open	Price Glazed S. S.	Size of Opening
6x 8	\$4.81	\$12.50	2-4 3/4 x 6-7 7/8
7x 9	5.20	13.90	2-8 3/4 x 7-4 7/8
8x10	5.46	15.35	3-0 3/4 x 8-1 7/8
8x12	5.74	16.65	3-0 3/4 x 9-7 7/8
8x14	6.06	18.15	3-0 3/4 x11-1 7/8
9x12	5.99	17.60	3-4 3/4 x 9-7 7/8
9x14	6.28	19.30	3-4 3/4 x11-1 7/8
10x12	6.12	18.65	3-8 3/4 x 9-7 7/8
10x14	6.41	20.40	3-8 3/4 x11-1 7/8
10x16	6.69	23.10	3-8 3/4 x12-7 7/8
10x18	6.98	24.85	3-8 3/4 x14-1 7/8
12x14	6.75	23.65	4-4 3/4 x11-1 7/8
12x16	7.02	25.60	4-4 3/4 x12-7 7/8
12x18	7.32	26.75	4-4 3/4 x14-1 7/8

For larger than listed sizes, see Rule 1, page 48.
For Extras, see pages 48 to 50.



LISTED SIZES OF

ONE LIGHT STALL SASH

1 1/8 INCHES THICK

Size of Glass	Price Open	Price Glazed S. S.	Size of Open'g
8x10	\$0.68	\$1.30	1-0x1-3
10x1269	1.40	1-2x1-5
10x1472	1.45	1-2x1-7
12x1675	1.60	1-4x1-9
12x2082	1.80	1-4x2-1
12x2490		1-4x2-5
12x2691		1-4x2-7

For 1 3/8 inch, open or glazed, add of the open list.
For larger than listed sizes, see Ru. page 49.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

LISTED SIZES OF FOUR LIGHT SASH

1½ INCHES THICK



Size of Glass	Price Open	Price Glazed S. S.	Size of Open'g
7x 9	\$0.84	\$1.90	1- 6x1-11
8x1092	2.15	1- 8x2- 1
8x1299	2.35	1- 8x2- 5
8x14	1.05	2.52	1- 8x2- 9
9x1299	2.45	1-10x2- 5
9x14	1.05	2.65	1-10x2- 9
9x16	1.10	2.80	1-10x3- 1
10x1096	2.50	2- 0x2- 1
10x12	1.01	2.55	2- 0x2- 5
10x14	1.07	2.80	2- 0x2- 9
10x16	1.10	3.05	2- 0x3- 1
12x12	1.12	3.20	2- 4x2- 5
12x14	1.12	3.20	2- 4x2- 9
12x16	1.16	3.35	2- 4x3- 1

For 1½ inch, 4 Light Sash, open or glazed, add 20% to the open list.

LISTED SIZES OF SIX LIGHT SASH

1½ INCHES THICK



Size of Glass	Price Open	Price Glazed S. S.	Size of Open'g
7x 9	\$1.03	\$2.55	2- 1x1-11
8x10	1.10	2.85	2- 4x2- 1
9x12	1.18	3.25	2- 7x2- 5
10x12	1.24	3.45	2-10x2- 5

For 1½ inch, 6 Light Sash, open or glazed, add 20% of the open list.

For larger than listed sizes, see Rule 11, page 49.

For Extras, see pages 48 to 50.

LISTED SIZE OF HOT BED SASH

1¾ INCHES THICK



Width of Glass	Rows of Glass	Price Open	Price Glazed S. S.	Size of Opening
7	4	\$3.14	\$9.35	3-0x6-0

LISTED SIZE 1¾ INCHES THICK.

Width of Glass	Rows of Glass	Price Open	Price Glazed S. S.	Size of Opening
8	5	\$5.20	\$12.60	4-0x6-0

For Hot Bed Sash with Crossbars, add 10 cents net for each sash, for 3 or more; for less than 3 sash a minimum charge of 25 cents will be made.

For Extras, see page 48 to 50.

For Stock Sash see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.



LISTED SIZES OF
TWO LIGHT
CELLAR SASH
1 3/8 INCHES THICK

Size of Glass	Price Open	Price Sgls. Glaz'd S. S.	Price Dble. Glaz'd S. S.	Size of Opening
8x10	\$.065	\$1.55	\$2.65	1- 9x1- 3
10x12	.72	1.80	3.10	2- 1x1- 5
10x14	.74	1.90	3.30	2- 1x1- 7
10x16	.77	2.05	3.60	2- 1x1- 9
10x18	.79	2.15	3.80	2- 1x1-11
10x20	.81	2.25	4.00	2- 1x2- 1
12x12	.79	1.95	3.35	2- 5x1- 5
12x14	.81	2.10	3.65	2- 5x1- 7
12x16	.84	2.25	3.95	2- 5x1- 9
12x18	.86	2.40	4.25	2- 5x1-11
12x20	.88	2.50	4.45	2- 5x2- 1
12x22	.90	2.65	4.75	2- 5x2- 3
12x24	.95	2.90	5.25	2- 5x2- 5
14x14	.91	2.50	4.40	2- 9x1- 7
14x16	.91	2.50	4.40	2- 9x1- 9
14x18	.93	2.60	4.60	2- 9x1-11
14x20	.95	2.75	4.90	2- 9x2- 1
14x22	.98	3.00	5.45	2- 9x2- 3
14x24	1.02	3.25	5.95	2- 9x2- 5
16x16	1.01	2.95	5.20	3- 1x1- 9
16x18	1.03	3.20	5.70	3- 1x1-11
16x20	1.05	3.60	6.60	3- 1x2- 1
16x22	1.08	4.00	7.40	3- 1x2- 3
16x24	1.12	4.20	7.75	3- 1x2- 5



LISTED SIZES OF
THREE LIGHT
CELLAR SASH
1 3/8 INCHES THICK

Size of Glass	Price Open	Price Sgls. Glaz'd S. S.	Price Dble. Glaz'd S. S.	Size of Opening
7x 9	\$.072	\$1.70	\$2.90	2- 1x1- 2
8x10	.77	1.85	3.15	2- 4x1- 3
8x12	.78	1.95	3.35	2- 4x1- 5
9x12	.81	2.05	3.55	2- 7x1- 5
9x13	.82	2.15	3.75	2- 7x1- 6
9x14	.83	2.20	3.85	2- 7x1- 7
9x16	.86	2.35	4.15	2- 7x1- 9
10x12	.87	2.20	3.80	2-10x1- 5
10x14	.88	2.35	4.15	2-10x1- 7
10x16	.91	2.55	4.50	2-10x1- 9
10x18	.93	2.70	4.70	2-10x1-11
12x12	.96	2.45	4.25	3- 4x1- 5
12x14	.99	2.70	4.70	3- 4x1- 7
12x16	1.01	2.90	5.20	3- 4x1- 9
12x18	1.03	3.05	5.50	3- 4x1-11
14x16	1.08	3.15	5.65	3-10x1- 9
14x18	1.09	3.35	6.05	3-10x1-11

For larger than listed sizes, see Rule 11, page 49.
For Extras, see pages 48 to 50.

For Stock Sizes see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

LISTED SIZES OF ONE AND TWO LIGHT TRANSOMS

1 3/8 INCHES THICK

Size of Opening	Glass Size for 1 Light	Price Open 1 Light	Glazed 1 Light S. S.	Glazed 2 Light S. S.	Glazed 1 Light D. S.
2- 6x0-10 ..	26x 6 ..	\$0.73 ..	\$1.80
2- 6x1- 0 ..	26x 8 ..	.73 ..	1.80
2- 6x1- 2 ..	26x10 ..	.75 ..	1.85
2- 6x1- 4 ..	26x12 ..	.77 ..	1.95
2- 6x1- 6 ..	26x14 ..	.78 ..	2.10
2- 6x1- 8 ..	26x16 ..	.82 ..	2.30
2- 8x0-10 ..	28x 6 ..	.78 ..	1.90
2- 8x1- 0 ..	28x 8 ..	.78 ..	1.90
2- 8x1- 2 ..	28x10 ..	.80 ..	1.95
2- 8x1- 4 ..	28x12 ..	.82 ..	2.10
2- 8x1- 6 ..	28x14 ..	.84 ..	2.30
2- 8x1- 8 ..	28x16 ..	.86 ..	2.45
2- 8x1-10 ..	28x18 ..	.89 ..	2.60
2- 8x2- 0 ..	28x20 ..	.90 ..	2.70
2-10x0-10 ..	30x 6 ..	.82 ..	2.00
2-10x1- 0 ..	30x 8 ..	.82 ..	2.00
2-10x1- 2 ..	30x10 ..	.82 ..	2.00
2-10x1- 4 ..	30x12 ..	.84 ..	2.20
2-10x1- 6 ..	30x14 ..	.86 ..	2.40
2-10x1- 8 ..	30x16 ..	.90 ..	2.55
2-10x1-10 ..	30x18 ..	.91 ..	2.70
2-10x2- 0 ..	30x20 ..	.93 ..	2.85
3- 0x1- 0 ..	32x 8 ..	.85 ..	2.10
3- 0x1- 2 ..	32x10 ..	.85 ..	2.10
3- 0x1- 4 ..	32x12 ..	.86 ..	2.30
3- 0x1- 6 ..	32x14 ..	.89 ..	2.45
3- 0x1- 8 ..	32x16 ..	.92 ..	2.65
3- 0x1-10 ..	32x18 ..	.94 ..	2.75
3- 0x2- 0 ..	32x20 ..	.95 ..	3.05
3- 6x1- 2 ..	38x10 ..	1.10 ..	2.60 ..	\$2.70 ..	\$3.05 ..
3- 6x1- 4 ..	38x12 ..	1.10 ..	2.75 ..	2.85 ..	3.30 ..
3- 6x1- 6 ..	38x14 ..	1.12 ..	3.00 ..	3.05 ..	3.60 ..
3- 6x1- 8 ..	38x16 ..	1.15 ..	3.20 ..	3.30 ..	3.95 ..
3- 6x1-10 ..	38x18 ..	1.17 ..	3.45 ..	3.55 ..	4.20 ..
3- 6x2- 0 ..	38x20 ..	1.28 ..	3.95 ..	4.00 ..	4.90 ..
4- 0x1- 2 ..	44x10 ..	1.20	2.90 ..	3.50 ..
4- 0x1- 4 ..	44x12 ..	1.22	3.15 ..	3.75 ..
4- 0x1- 6 ..	44x14 ..	1.25	3.40 ..	4.15 ..
4- 0x1- 8 ..	44x16 ..	1.28	3.70 ..	4.60 ..
4- 0x1-10 ..	44x18 ..	1.30	3.95 ..	5.15 ..
4- 0x2- 0 ..	44x20 ..	1.43	4.35 ..	5.70 ..
4- 6x1- 2 ..	50x10 ..	1.47	3.50 ..	4.10 ..
4- 6x1- 4 ..	50x12 ..	1.50	3.75 ..	4.60 ..
4- 6x1- 6 ..	50x14 ..	1.53	4.00 ..	5.15 ..
4- 6x1- 8 ..	50x16 ..	1.56	4.40 ..	5.50 ..
4- 6x1-10 ..	50x18 ..	1.57	4.65 ..	5.90 ..
4- 6x2- 0 ..	50x20 ..	1.70	5.00 ..	6.55 ..
5- 0x1- 2 ..	56x10 ..	1.75	3.95 ..	5.50 ..
5- 0x1- 4 ..	56x12 ..	1.77	4.25 ..	5.60 ..
5- 0x1- 6 ..	56x14 ..	1.79	4.60 ..	6.15 ..
5- 0x1- 8 ..	56x16 ..	1.84	4.90 ..	6.65 ..
5- 0x1-10 ..	56x18 ..	1.86	5.00 ..	7.25 ..
5- 0x2- 0 ..	56x20 ..	1.97	5.50 ..	8.15 ..
5- 6x1- 2 ..	62x10 ..	2.02	4.50 ..	6.20 ..
5- 6x1- 4 ..	62x12 ..	2.05	4.85 ..	7.50 ..
5- 6x1- 6 ..	62x14 ..	2.07	5.20 ..	7.60 ..
5- 6x1- 8 ..	62x16 ..	2.12	5.55 ..	7.65 ..
5- 6x1-10 ..	62x18 ..	2.15	5.75 ..	8.40 ..
5- 6x2- 0 ..	62x20 ..	2.24	6.40 ..	8.50 ..
6- 0x1- 2 ..	68x10 ..	2.32	5.05 ..	7.80 ..
6- 0x1- 4 ..	68x12 ..	2.35	5.35 ..	7.90 ..
6- 0x1- 6 ..	68x14 ..	2.37	5.70 ..	7.95 ..
6- 0x1- 8 ..	68x16 ..	2.43	6.15 ..	8.00 ..
6- 0x1-10 ..	68x18 ..	2.47	6.45 ..	9.15 ..
6- 0x2- 0 ..	68x20 ..	2.54	6.80 ..	10.35 ..

For list on two-light transoms open, add to 1 light open list
12 cents.

For Sash Extras, see pages 48 to 50.

For Stock Sizes see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.



LISTED SIZES OF ONE LIGHT SASH 1 3/8 INCHES THICK

Size of Glass	Price Open	Glazed S. S.	Glazed D. S.	Size of Opening
8x10	\$.76	\$1.30		1- 0x1- 3
10x12	.77	1.55		1- 2x1- 5
10x14	.80	1.65		1- 2x1- 7
12x16	.83	1.80		1- 4x1- 9
12x20	.91	1.95		1- 4x2- 1
16x16	.95	2.05		1- 8x1- 9
16x18	.98	2.15		1- 8x1-11
16x20	1.00	2.25		1- 8x2- 1
16x24	1.02	2.45	\$2.90	1- 8x2- 5
16x26	1.04	2.55	3.20	1- 8x2- 7
16x28	1.05	2.65	3.30	1- 8x2- 9
16x30	1.10	2.65	3.45	1- 8x2-11
18x18	1.00	2.30		1-10x1-11
18x20	1.01	2.40		1-10x2- 1
18x22	1.03	2.60		1-10x2- 3
18x24	1.03	2.60	3.20	1-10x2- 5
18x26	1.04	2.70	3.40	1-10x2- 7
18x28	1.05	2.80	3.55	1-10x2- 9
18x30	1.10	2.95	3.75	1-10x2-11
20x16	1.01	2.30		2- 0x1- 9
20x18	1.02	2.40		2- 0x1-11
20x20	1.03	2.55		2- 0x2- 1
20x22	1.04	2.70		2- 0x2- 3
20x24	1.04	2.70	3.40	2- 0x2- 5
20x26	1.05	2.80	3.55	2- 0x2- 7
20x28	1.10	2.90	3.75	2- 0x2- 9
20x30	1.12	3.00	3.80	2- 0x2-11
22x20	1.05	2.70		2- 2x2- 1
22x22	1.06	2.75		2- 2x2- 3
22x24	1.06	2.85	3.55	2- 2x2- 5
22x26	1.07	2.95	3.75	2- 2x2- 7
22x28	1.10	3.00	3.80	2- 2x2- 9
22x30	1.12	3.20	4.05	2- 2x2-11
24x16	1.03	2.45	2.90	2- 4x1- 9
24x18	1.04	2.60	3.20	2- 4x1-11
24x20	1.05	2.75	3.40	2- 4x2- 1
24x22	1.06	2.95	3.55	2- 4x2- 3
24x24	1.06	3.00	3.85	2- 4x2- 5
24x26	1.07	3.05	3.85	2- 4x2- 7
24x28	1.10	3.20	4.05	2- 4x2- 9
24x30	1.12	3.40	4.30	2- 4x2-11
24x32	1.20	3.80	4.80	2- 4x3- 1
24x34	1.25	3.90	4.85	2- 4x3- 3
24x36	1.28	4.05	5.40	2- 4x3- 5
26x20	1.13	2.90	3.65	2- 6x2- 1
26x22	1.13	3.10	3.80	2- 6x2- 3
26x24	1.13	3.10	3.90	2- 6x2- 5
26x26	1.13	3.20	4.10	2- 6x2- 7
26x28	1.13	3.40	4.40	2- 6x2- 9
26x30	1.15	3.75	4.75	2- 6x2-11
26x32	1.21	4.00	4.80	2- 6x3- 1
26x34	1.28	4.50	5.65	2- 6x3- 3
26x36	1.30	4.55	5.70	2- 6x3- 5

(Continued on next page)

For Sash Extras, see pages 48 to 50.

For Stock Sizes see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

LISTED SIZES OF ONE LIGHT SASH

1 $\frac{3}{8}$ INCHES THICK
(Continued)



Size of Glass	Price Open	Glazed S. S.	Glazed D. S.	Size of Opening
28x16	\$1.05	\$2.70	\$3.30	2- 8x1- 9
28x18	1.06	2.80	3.55	2- 8x1-11
28x20	1.07	2.90	3.75	2- 8x2- 1
28x22	1.08	3.15	3.80	2- 8x2- 3
28x24	1.10	3.25	4.05	2- 8x2- 5
28x26	1.15	3.50	4.45	2- 8x2- 7
28x28	1.15	3.65	4.75	2- 8x2- 9
28x30	1.17	3.80	4.80	2- 8x2-11
28x32	1.26	4.50	5.60	2- 8x3- 1
28x34	1.32	4.60	5.70	2- 8x3- 3
28x36	1.34	5.00	6.25	2- 8x3- 5
28x38	1.39		6.30	2- 8x3- 7
28x40	1.43		7.00	2- 8x3- 9
30x16	1.03	2.70	3.45	2-10x1- 9
30x18	1.04	2.85	3.75	2-10x1-11
30x20	1.07	3.00	3.80	2-10x2- 1
30x22	1.13	3.40	4.10	2-10x2- 3
30x24	1.13	3.40	4.35	2-10x2- 5
30x26	1.16	3.65	4.75	2-10x2- 7
30x28	1.16	3.75	4.80	2-10x2- 9
30x30	1.18	4.30	5.55	2-10x2-11
30x32	1.27	4.50	5.65	2-10x3- 1
30x34	1.33	4.90	6.20	2-10x3- 3
30x36	1.36	5.00	6.25	2-10x3- 5
30x38	1.43		7.00	2-10x3- 7
30x40	1.47		7.40	2-10x3- 9
32x20	1.17	3.20	4.15	3- 0x2- 1
32x22	1.22	3.45	4.45	3- 0x2- 3
32x24	1.26	3.80	4.85	3- 0x2- 5
32x26	1.31	3.90	4.90	3- 0x2- 7
32x28	1.35	4.55	5.70	3- 0x2- 9
32x30	1.39	4.60	5.80	3- 0x2-11
32x32	1.44		6.30	3- 0x3- 1
32x34	1.49		6.40	3- 0x3- 3
32x36	1.53		7.10	3- 0x3- 5
32x38	1.58		7.50	3- 0x3- 7
32x40	1.62		8.00	3- 0x3- 9
34x20	1.22	3.30	4.20	3- 2x2- 1
34x22	1.26	3.60	4.55	3- 2x2- 3
34x24	1.31	3.90	4.90	3- 2x2- 5
34x26	1.35	4.60	5.70	3- 2x2- 7
34x28	1.39	4.65	5.80	3- 2x2- 9
34x30	1.44	5.10	6.30	3- 2x2-11
34x32	1.48		6.40	3- 2x3- 1
34x34	1.53		7.10	3- 2x3- 3
34x36	1.58		7.95	3- 2x3- 5
34x38	1.62		8.00	3- 2x3- 7
34x40	1.67		9.05	3- 2x3- 9
36x16	1.12	3.10	3.80	3- 4x1- 9
36x18	1.13	3.30	4.20	3- 4x1-11
36x20	1.15	3.60	4.55	3- 4x2- 1
36x22	1.17	4.05	4.90	3- 4x2- 3
36x24	1.18	4.05	5.40	3- 4x2- 5

(Continued on next page)

For Sash Extras, see pages 48 to 50.

For Stock Sizes see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.



LISTED SIZES OF ONE LIGHT SASH

$1\frac{3}{8}$ INCHES THICK
(Continued)

Size of Glass	Price Open	Glazed S. S.	Glazed D. S.	Size of Opening
36x26 \$1.39 \$4.60 \$5.80	3- 4x2- 7
36x28 1.44 5.10 6.35	3- 4x2- 9
36x30 1.46 5.10 6.35	3- 4x2-11
36x32 1.48 7.15	3- 4x3- 1
36x34 1.56 8.00	3- 4x3- 3
36x36 1.63 8.05	3- 4x3- 5
36x38 1.66 9.05	3- 4x3- 7
36x40 1.71 9.10	3- 4x3- 9
40x16 1.15 4.15	3- 8x1- 9
40x18 1.17 4.50	3- 8x1-11
40x20 1.28 4.85	3- 8x2- 1
40x24 1.43 5.70	3- 8x2- 5
40x26 1.48 6.40	3- 8x2- 7
40x28 1.53 7.10	3- 8x2- 9
40x30 1.58 7.50	3- 8x2-11
40x32 1.62 8.05	3- 8x3- 1
40x34 1.67 9.10	3- 8x3- 3
40x36 1.71 9.15	3- 8x3- 5
40x38 1.75 9.20	3- 8x3- 7
40x40 1.80 9.40	3- 8x3- 9
40x42 1.84 11.05	3- 8x3-11
40x44 1.89 11.10	3- 8x4- 1
42x16 1.16 4.25	3-10x1- 9
42x18 1.18 4.50	3-10x1-11
42x20 1.30 4.90	3-10x2- 1
42x24 1.44 6.20	3-10x2- 5
42x26 1.53 6.45	3-10x2- 7
42x28 1.58 7.50	3-10x2- 9
42x30 1.60 8.00	3-10x2-11
42x32 1.62 9.10	3-10x3- 1
42x34 1.71 9.15	3-10x3- 3
42x36 1.78 9.20	3-10x3- 5
42x38 1.90 9.50	3-10x3- 7
44x16 1.28 4.65	4- 0x1- 9
44x18 1.30 5.15	4- 0x1-11
44x20 1.43 5.35	4- 0x2- 1
44x24 1.48 6.30	4- 0x2- 5
44x26 1.58 7.50	4- 0x2- 7
44x28 1.61 8.00	4- 0x2- 9
44x30 1.63 8.05	4- 0x2-11
44x32 1.65 9.10	4- 0x3- 1
44x34 1.74 9.15	4- 0x3- 3
44x36 1.81 9.40	4- 0x3- 5
44x38 1.93 11.15	4- 0x3- 7
44x40 1.96 11.20	4- 0x3- 9
44x42 2.00 12.45	4- 0x3-11
44x44 2.06 12.50	4- 0x4- 1
44x46 2.10 12.55	4- 0x4- 3
44x48 2.15 15.70	4- 0x4- 5

For Sash Extras, see pages 48 to 50.

For Stock Sizes see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

COTTAGE FRONT CHECK RAIL WINDOW



Size of Glass		203 Window 2 lt. 1 3/8 in. Check		Size of Opening
Bottom Light	Top Light	Price Open	Price Glaz'd D. S.	
36x36	36x16	\$2.76	\$12.95	3- 4x4-10
36x36	36x20	2.76	13.55	3- 4x5- 2
40x36	40x16	2.76	13.70	3- 8x4-10
40x40	40x16	2.76	14.05	3- 8x5- 2
40x44	40x16	2.85	15.75	3- 8x5- 6
40x48	40x16	2.90	16.30	3- 8x5-10
40x50	40x18	2.94	16.60	3- 8x6- 2
40x36	40x20	2.76	14.45	3- 8x5- 2
40x40	40x20	2.85	14.55	3- 8x5- 6
40x44	40x20	2.90	15.40	3- 8x5-10
42x40	42x16	2.81	16.05	3-10x5- 2
42x44	42x16	2.90	17.40	3-10x5- 6
42x48	42x16	2.94	17.45	3-10x5-10
42x48	42x20	2.98	18.20	3-10x6- 2
44x40	44x16	2.93	16.40	4- 0x5- 2
44x44	44x16	3.02	17.80	4- 0x5- 6
44x46	44x18	3.06	18.30	4- 0x5-10
44x50	44x18	3.11	21.50	4- 0x6- 2
44x40	44x20	3.02	17.30	4- 0x5- 6
44x44	44x20	3.06	18.65	4- 0x5-10
48x40	48x16	3.03	18.10	4- 4x5- 2
48x42	48x18	3.06	18.95	4- 4x5- 6
48x46	48x18	3.15	22.20	4- 4x5-10
48x50	48x18	3.21	24.35	4- 4x6- 2

For larger than listed sizes, see Rule 1, page 48.


For Extras, see pages 48 to 50.

For Stock Sizes see Price Supplement.

**COTTAGE FRONT CHECK RAIL
WINDOWS**



204



205

These Windows are made especially to order, on short notice.

For List Prices add to the 2 light Window list on preceding page as follows:

Design	$1\frac{3}{8}$ Open	$1\frac{3}{8}$ Glazed
204	\$ 9.10	\$10.35
205	14.20	16.30

List extras are based on number of lights shown in designs, and price will vary, as there may be more or less number of lights made, owing to size or otherwise.

For additional or less lights, Rules 4 and 18 of Sash Extras, pages 48 to 50, will apply.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

ST. LOUIS BUNGALOW WINDOWS

We are prepared to promptly execute orders for any of these style Windows.



206



207

Our general rule for dividing these style Windows is as follows:

Glass size 10 to 14 inch,
2 lights wide

Glass size 16 to 20 inch,
3 lights wide

Glass size 22 to 28 inch,
4 lights wide

Glass size 30 to 36 inch,
5 lights wide

Glass size 38 to 48 inch,
6 lights wide

The cost of these Bungalow Windows is very reasonable.

The basis of price is the regular two light list and stock discount, if the size ordered is same as two light stock Window, plus net extra charge per light for divided top Sash, as designated in current Dealers' Prices.

ST. LOUIS BUNGALOW WINDOWS



208

We are prepared to promptly execute orders for any of these style Windows.

Our general rule for dividing these style Windows is as follows:

Glass size 10 to 14 inch,
2 lights wide

Glass size 16 to 20 inch,
3 lights wide

Glass size 22 to 28 inch,
4 lights wide

Glass size 30 to 36 inch,
5 lights wide

Glass size 38 to 48 inch,
6 lights wide



209

The cost of these Bungalow Windows is very reasonable.

The basis of price is the regular two light list and stock discount, if the size ordered is same as two light stock Window, plus net extra charge per light for divided top Sash, as designated in current Dealers' Prices.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

ST. LOUIS BUNGALOW WINDOWS

We are prepared to promptly execute orders for any of these style Windows.



210



211

Our general rule for dividing these style Windows is as follows:

Glass size 10 to 14 inch,
2 lights wide

Glass size 16 to 20 inch,
3 lights wide

Glass size 22 to 28 inch,
4 lights wide

Glass size 30 to 36 inch,
5 lights wide

Glass size 38 to 48 inch,
6 lights wide

The cost of these Bungalow Windows is very reasonable.

The basis of price is the regular two light list and stock discount, if the size ordered is same as two light stock Window, plus net extra charge per light for divided top Sash, as designated in current Dealers' Prices.

ST. LOUIS BUNGALOW WINDOWS



212

We are prepared to promptly execute orders for any of these style Windows.

Our general rule for dividing these style Windows is as follows:

Glass size 10 to 14 inch,
2 lights wide

Glass size 16 to 20 inch,
3 lights wide

Glass size 22 to 28 inch,
4 lights wide

Glass size 30 to 36 inch,
5 lights wide

Glass size 38 to 48 inch,
6 lights wide



213

The cost of these Bungalow Windows is very reasonable.

The basis of price is the regular two light list and stock discount, if the size ordered is same as two light stock Window, plus net extra charge per light for divided top Sash, as designated in current Dealers' Prices.

ST. LOUIS BUNGALOW WINDOWS

We are prepared to promptly execute orders for any of these style Windows.



214



215

Our general rule for dividing these style Windows is as follows:

Glass size 10 to 14 inch,
2 lights wide

Glass size 16 to 20 inch,
3 lights wide

Glass size 22 to 28 inch,
4 lights wide

Glass size 30 to 36 inch,
5 lights wide

Glass size 38 to 48 inch,
6 lights wide

The cost of these Bungalow Windows is very reasonable.

The basis of price is the regular two light list and stock discount, if the size ordered is same as two light stock Window, plus net extra charge per light for divided top Sash, as designated in current Dealers' Prices.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

ST. LOUIS BUNGALOW WINDOWS



216

We are prepared to promptly execute orders for any of these style Windows.

For List Prices add to the 2 light Window list as follows:

Design	$1\frac{3}{8}$ Open	$1\frac{3}{8}$ Glazed
216	\$2.50	\$2.75
217	3.60	4.20



217

List extras are based on number of lights shown in designs, and price will vary, as there may be more or less number of lights made, owing to size or otherwise.

For additional or less lights, Rules 4 and 18 of Sash Extras, pages 48 to 50, will apply.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

ST. LOUIS BUNGALOW WINDOWS

We are prepared to promptly execute orders for any of these style Windows.



218



219

For List Prices add to the 2 light Window list as follows:

Design	1 $\frac{3}{8}$ Open	1 $\frac{3}{8}$ Glazed
218	\$3.70	\$4.15
219	4.90	5.55

List extras are based on number of lights shown in designs, and price will vary, as there may be more or less number of lights made, owing to size or otherwise.

For additional or less lights, Rules 4 and 18 of Sash Extras, pages 48 to 50, will apply.

ST. LOUIS SASH AND DOOR WORKS
ST LOUIS, U. S. A.

ST. LOUIS BUNGALOW WINDOWS



220

We are prepared to promptly execute orders for any of these style Windows.

For List Prices add to the 2 light Window list as follows:

Design	$1\frac{3}{8}$ Open	$1\frac{3}{8}$ Glazed
220	\$4.70	\$5.35
221	7.40	8.50



221

List extras are based on number of lights shown in designs, and price will vary, as there may be more or less number of lights made, owing to size or otherwise.


For additional or less lights, Rules 4 and 18 of Sash Extras, pages 48 to 50, will apply.

**CIRCLE AND SEGMENT HEAD
WINDOWS**



222

Circle inside and outside. Radius, one-half width of sash.




223

Circle outside, square inside. Radius, one-half width of sash (less width of one stile).



224

Segment inside and outside. Radius, width of sash.



225

Segment outside, square inside. Radius, width of sash (less width of one stile).

For segment, circle or Gothic Windows always give radius if not as above. If not given it will be understood that the regular radius as indicated above will apply.

For Price on above see page 41.

GOTHIC AND PEAK HEAD WINDOWS



226



227



228



229

Unless otherwise stated, we will make the Gothic Head Windows with regular radius, which is the width of the sash.

Further, unless otherwise stated, we will make the Peak Head Windows to an angle of 45 degrees.

For Price on above see page 41.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

PRICE BASIS FOR CIRCLE, SEGMENT, GOTHIC AND PEAK HEAD WINDOWS

Shown on Pages 39 and 40

Segment Heads

	1 $\frac{3}{8}$ thick up to 3 feet	1 $\frac{3}{8}$ thick up to 5 feet	1 $\frac{3}{4}$ thick up to 3 feet	1 $\frac{3}{4}$ thick up to 5 feet
For List Price Design				
No. 224 add.....	\$1.50	\$3.20	\$1.90	\$3.75
For List Price Design				
No. 225 add.....	1.50	3.20	1.90	3.75
Circle Head In and Out				
For List Price Design				
No. 222 add.....	4.80	8.00	5.75	9.00
Circle Head Outside, Square Inside				
For List Price Design				
No. 223 add.....	5.50	12.00	6.50	13.50
Gothic Head In and Out				
For List Price Design				
No. 226 add.....	4.80	8.00	5.75	9.00
For List Extra Design				
No. 227 add to list....	7.80	12.00	9.25	13.50
Peak Head In and Out				
For List Price Design				
No. 228 add.....	2.25	4.50	2.75	5.25
For List Extra Design				
No. 229 add to list....	4.05	6.30	5.00	7.50

For each light cut odd shape, of glazed, add list 10c.

Note "A"—For Segment, Gothic, Circle or Peak Head Sash over 5 feet in width add for each additional 6 inches or fraction thereof to price of 5-foot width, 15 per cent.

Full Circle Sash

Note "A"—For list price on Sash full circle in and out add double the list provided by rule for circle head in and out, Design No. 222.

Note "B"—For list price on Sash full circle outside, square inside, add double the list provided by rule for circle head outside, square inside, Design No. 223.

Kite Shaped Elliptical or Eyebrow Sash

For list price add to the Open list of a full circle sash of similar size 30 per cent.

Quarter Circle Sash or Windows

- | | | |
|--|-----------------|-----------------|
| | 1 $\frac{3}{8}$ | 1 $\frac{3}{4}$ |
| (a) For list on open or glazed quarter circle inside and outside not over 2-foot wide base, add for..... | \$3.00 | \$3.75 |
| (b) For list on open or glazed quarter circle inside and outside over 2 feet and not over 4-foot wide base, add for | 6.00 | 7.50 |
| (c) For list on open or glazed quarter circle outside and square inside, not over 2-foot wide base, add for..... | 4.00 | 5.25 |
| (d) For list on open or glazed quarter circle outside and square inside, over 2 feet and not over 4-foot wide base, add for..... | 8.00 | 10.00 |

Diamond Shape Sash

For list on Open or Glazed Sash, diamond shape, add to Open or Glazed list double the list given for Peak Head Sash.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

WEIGHTS FOR WINDOWS



The Following Are the Weights, Diameters and Lengths of Standard Sizes of Iron Sash Weights:

Weight Lbs.	Diameter Inches	Length Inches	Weight Lbs.	Diameter Inches	Length Inches
2	1 $\frac{1}{4}$	7 $\frac{1}{2}$	12 $\frac{1}{2}$	1 $\frac{3}{4}$	20
2 $\frac{1}{2}$	1 $\frac{1}{4}$	9	13	2	17 $\frac{1}{2}$
3	1 $\frac{1}{4}$	11	13 $\frac{1}{2}$	2	18
3 $\frac{1}{2}$	1 $\frac{1}{4}$	12 $\frac{1}{2}$	14	2	19
4	1 $\frac{1}{2}$	10 $\frac{1}{2}$	15	2	20
4 $\frac{1}{2}$	1 $\frac{1}{2}$	10 $\frac{3}{4}$	16	2	21
5	1 $\frac{1}{2}$	11 $\frac{3}{4}$	17	2	22 $\frac{1}{2}$
5 $\frac{1}{2}$	1 $\frac{1}{2}$	13 $\frac{1}{2}$	18	2	23 $\frac{1}{4}$
6	1 $\frac{1}{2}$	14	19	2	24 $\frac{1}{2}$
6 $\frac{1}{2}$	1 $\frac{1}{2}$	15	20	2	26
7	1 $\frac{1}{2}$	16 $\frac{1}{4}$	21	2	27
7 $\frac{1}{2}$	1 $\frac{1}{2}$	17 $\frac{1}{2}$	22	2	28 $\frac{1}{2}$
8	1 $\frac{1}{2}$	17 $\frac{3}{4}$	23	2	29
8 $\frac{1}{2}$	1 $\frac{1}{2}$	19	24	2	31
9	1 $\frac{3}{4}$	16 $\frac{1}{2}$	25	2	32 $\frac{1}{4}$
9 $\frac{1}{2}$	1 $\frac{3}{4}$	17	26	2	33 $\frac{1}{2}$
10	1 $\frac{3}{4}$	17 $\frac{1}{2}$	27	2	35
10 $\frac{1}{2}$	1 $\frac{3}{4}$	17 $\frac{1}{2}$	28	2	35 $\frac{1}{2}$
11	1 $\frac{3}{4}$	17 $\frac{3}{4}$	29	2	36
11 $\frac{1}{2}$	1 $\frac{3}{4}$	18 $\frac{1}{2}$	30	2	37
12	1 $\frac{3}{4}$	19			

WHITE BRAIDED SASH CORD




We carry No. 8 regularly in stock. Our prices on both these commodities are in line with the market, as will be noted by referring to current Dealers' Prices.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

TRANSOMS

SEGMENT, CIRCLE AND GOTHIC HEAD



245



246




247



248



249



250



251

For List Prices on above, add to the same size of square one light Transom List on page 25 as follows:

For list price on design No.	1 3/8 thick up to 3 ft. wide	1 3/8 thick up to 5 ft. wide	1 3/4 thick up to 3 ft. wide	1 3/4 thick up to 5 ft. wide
245 and 246 add..	\$1.50	\$ 3.20	\$ 1.90	\$ 3.75
247 and 250 add..	4.80	8.00	5.75	9.00
248 add.....	6.80	10.00	8.00	11.50
249 add.....	8.60	12.80	10.65	15.00
251 add.....	7.80	12.00	9.25	13.50

To arrive at glazed list for any of the above designs figure a Sash glazed 1 light of the size required for square head Sash of the extreme width and height given and add for each square or diamond cut light if glazed, list 5c. For each light cut odd shape, if glazed, add list 10c.

For further Extras, see Sash Extras, pages 48 to 50.

GABLE SASH AND FRAMES



Sash 252
Frame 253



Sash 254
Frame 255



Sash 256
Frame 257



Sash 258
Frame 259



Sash 260
Frame 261



Sash 262
Frame 263

Made especially to order on short notice.
Size usually ordered:

Sash Opening 2'0"x2'5", 13/8.

Frame 5 1/2 in. Jamb. 7/8x4 in.

Outside Casing.

For Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

CASEMENT OR FOLDING SASH



270

These Sash are
suitable for
various purposes

Such as Basement
Windows, Dining
Rooms, China
Closets, etc.




271



272

Can be swung in
or out. Usually
ordered rabbeted,
in pairs.

Unless otherwise
ordered, we will
rabbet to swing
in.



273

These Casement Sash are made especially to
order, on short notice.

Size usually ordered:

For opening 2'11½"x2'5", 1⅜,
with 2¼" stiles and top rail, 3¼"
bottom rail.

For Cost see Price Supplement.

FRENCH WINDOWS



280



281

These French Windows are made especially to order, on short notice.

Size usually ordered:

For Opening 4'0"x5'10", $1\frac{3}{8}$ ", with $2\frac{3}{4}$ " stiles and top rail, $7\frac{1}{2}$ " bottom rail. (The latter allows for cutting down to 5'8".)

For French Doors see Pages 115 and 116.

For Cost see Price Supplement.

FRENCH WINDOWS



282



283

These French Windows are made especially to order, on short notice.

Size usually ordered:

For Opening 4'0"x5'10", 1 $\frac{3}{8}$, with 2 $\frac{3}{4}$ " stiles and top rail, 7 $\frac{1}{2}$ " bottom rail. (The latter allows for cutting down to 5'8".)

For French Doors see Pages 115 and 116.

For Cost see Price Supplement.

SASH EXTRAS

Note "A"—Unless otherwise specified, when a net extra or a list extra is provided, it will apply to either Open or Glazed list, and when a percentage of the list is provided, it applies to Open list only, and is to be applied before Glazing list is added.

Note "B"—The list extras specified are presumed and intended to enable the building up of a list which when completed shall be subject to the "oddwork" discount, except when ordered in stock quantities of a size and kind.

Larger Sizes

Rule 1—(a) For list on open windows wider than listed sizes, add to the open list for similar window of widest listed size of same height, for each additional 2 inches or part thereof.....15c list
(b) For list on open windows longer than listed sizes, add to the open list for similar window of longest listed size of same width for each additional 4 inches or part thereof 15c list

Wide Stiles, Rails or Bars

Rule 2—For list on open windows, or sash, with stiles, rails or bars wider than regular stock sizes, add as follows:

(a) For stiles and top rails wider than 2 inches to glass rabbet, for each additional $\frac{1}{4}$ inch or part thereof, add of the open list to open or glazed list.....10% list
(b) For bottom rails wider than 3 inches to glass rabbet, for each additional $\frac{1}{2}$ inch or part thereof, add of open list to open or glazed list.....5% list
(c) For check rails thicker than $1\frac{3}{8}$ inch and not over $1\frac{3}{4}$ inches finished sizes, add of open list to open or glazed list10% list
(d) For bars or muntins wider than stock add of the open list for each additional $\frac{1}{4}$ inch or part thereof on each bar or muntin to the open or glazed list.....1½% list
(For example, a 6-light sash when made 3-light wide would be figured as containing 3 bars or muntins.)

Note—For rabbeting rails see Rule 20.

O. G. Lugs

Rule 3—For list on $1\frac{3}{8}$ -inch open or glazed windows with O. G. lugs, add to open or glazed list for each sash with lugs.....30c list

Divided Sash

Rule 4—For list on open or glazed windows or sash divided into small lights, and not specifically listed, add to the list for similar two-light window or one-light sash for each light as follows:

(a) For rectangular or margin lights add:
For $1\frac{3}{8}$ -inch, list.....12c
For $1\frac{3}{4}$ -inch, list.....16c
(b) For lights not rectangular, but formed by straight bars on all sides (diamond lights) (except suspended lights, see Note C): For $1\frac{3}{8}$ -inch, list.....30c
For $1\frac{3}{4}$ -inch, list.....40c
(c) For suspended diamond lights (similar to long and square lights in sash Nos. 204 and 205, page 30):
For $1\frac{3}{8}$ -inch, list.....50c
For $1\frac{3}{4}$ -inch, list.....65c
(d) For lights not rectangular but formed by curved bars:
For $1\frac{3}{8}$ -inch, list.....\$2.00
For $1\frac{3}{4}$ -inch, list.....2.50
(e) For suspended circle lights, similar to Fig. 21 in $1\frac{3}{8}$ -inch open sash, add \$5.00 list for the 1-light and 12c list for each additional light as shown in cut.
(f) For suspended circle lights, similar to Fig. 21 in $1\frac{3}{4}$ -inch open sash, add \$6.00 list for the 1-light and 16c list for each additional light as shown in cut.
(g) For suspended circle lights, similar to Fig. 21, if glazed with putty add to the glazed list 10c list extra for each of the five center lights and 5c list extra for each of the square lights.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

SASH EXTRAS—Continued

Cottage Style Windows

Rule 5—For cottage style windows (with top and bottom light of different heights) not listed, add together one-half of the lists of windows of the same width containing the same or next larger glass size, for the bottom and top, respectively, and add.....30c list

Half Windows

Rule 6—For half windows (either top or bottom sash) add to half of the list of such window 30c list

1 $\frac{1}{8}$ Inches Thick

Rule 7—(a) For list on 1 $\frac{1}{8}$ -inch sash, not listed, and for two and four light plain rail windows, use 1 $\frac{3}{8}$ -inch list, open or glazed, and deduct from the open list10%

(b) For list on 1 $\frac{1}{8}$ -inch check rail windows, open or glazed, deduct from 1 $\frac{3}{8}$ open list.....5%

(c) For 1 $\frac{3}{8}$ single sash not listed, add to list of 1 $\frac{1}{8}$ listed open sash20%

1 $\frac{3}{8}$ -Inch Plain Rail Windows

Rule 8—For 1 $\frac{3}{8}$ -inch plain rail windows use 1 $\frac{3}{8}$ -inch check rail list, open or glazed.

1 $\frac{3}{4}$ Inches Thick

Rule 9—(a) For 1 $\frac{3}{4}$ -inch windows or sash, open or glazed, add of the 1 $\frac{3}{8}$ -inch open list to the 1 $\frac{3}{8}$ -inch open or glazed list, unless otherwise provided for.....40% list

(b) For all extras for 1 $\frac{3}{4}$ -inch windows or sash, unless otherwise provided for, add to extras for 1 $\frac{3}{8}$ -inch sash 40% list

2 $\frac{1}{4}$ Inches Thick

Rule 10—For 2 or 2 $\frac{1}{4}$ -inch windows or sash, open or glazed, add of the 1 $\frac{3}{4}$ -inch open list to the 1 $\frac{3}{4}$ -inch open or glazed list.....100% list

Single Sash

Rule 11—(a) To make open sash list on 1 $\frac{3}{8}$ 1-light Transom, Cellar or other single sash not otherwise provided for in this list, figure the united inches, width and length, added of the entire glass measurement not over 100 united inches at per inch.....2 $\frac{1}{2}$ c

(b) No sash to be figured at less than.....\$1.00 list

(c) For more than 1 light in the above add as per Rule 4.

Casement Sash

Rule 12—For casement sash, figure each sash as per Rule 11. If rabbeted, see Rule 20, page 50.

Store Sash

Rule 13—(a) Store sash with stiles and top rail 3 inches to glass line, and bottom rail 4 inches to glass line, 1 $\frac{3}{8}$ inches thick, per lineal foot around the opening, list:

For 1 $\frac{3}{8}$ -inch25c

For 1 $\frac{3}{4}$ -inch35c

(b) Bars for 1 $\frac{3}{8}$ -inch sash, not over 1 inch between glass, per lineal foot, list:

For 1 $\frac{3}{8}$ -inch15c

For 1 $\frac{3}{4}$ -inch20c

(c) For wider stiles, rails, etc., see Rule 2, page 48.

(d) For glass beads or stops, see Rule 15, page 50.

(e) For panels under store sash, see Rule 14.

Panels for Store Fronts

Rule 14—(a) Panels for store front, solid stuck, 1 $\frac{3}{8}$ inches thick, per square foot, 60c list, subject to Door Discount.

(b) Panels for store front, solid stuck, 1 $\frac{3}{4}$ inches thick, per square foot, 85c list, subject to Door Discount.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

SASH EXTRAS—Continued

Stops and Beads

Rule 15—For stock size and pattern stops or beads around square glass in Sash or Windows not over $1\frac{3}{4}$ inches thick, add for beads around each light:

- (a) 24 united inches or less.....20c list
 - (b) 25 to 60 united inches.....30c list
 - (c) 61 to 90 united inches.....40c list
 - (d) For over 90 united inches add $\frac{1}{2}$ c per inch list.
 - (e) For rabbeting sash to receive stops add per sash list 5c.
- The minimum charge for stops or rabbeting will be net 15c.
 (f) For stops or glass bead for diamond, also sprung stops for segment or circle lights, add.....50%

Bent Sash

Rule 16—(a) For open square head 1-light bent sash, either $1\frac{3}{8}$ or $1\frac{3}{4}$ inches thick, not over 2 feet wide, add to the open list of a regular sash of same size\$10.00 list

(b) For each additional 6 inches in width or fraction thereof add\$2.50 list

(c) For bent bars add 20% of above extras for each bent bar.

(d) For bent open windows double the list for a similar bent sash.

(e) For bent sash thicker than $1\frac{3}{4}$ inches add to the above extras for each $\frac{1}{2}$ inch or fraction thereof.....25%

Oil Finish

Rule 17—For windows or sash selected for oil finish, add of the open list to open or glazed list10%

Glazing

Rule 18—(a) For glazing with AA glass, add of the $1\frac{3}{8}$ -inch glazed list.....33 $\frac{1}{3}$ %

(b) In figuring glass of unlisted glazed sash with marginal or divided lights, either diamond, square, peak, or otherwise, figure as though sash was glazed with but one full light of glass and add for extra cost of glazing with putty each square or diamond light per light.....5c list

(c) For each light cut odd shape, if glazed, add extra 10c list

(d) For windows or sash glazed with white chip, Florentine, or similar glass of equal value, add to D. S. glazed list for each square foot of glass measure.....40c list

Storm Sash

Rule 19—(a) $1\frac{1}{8}$ -inch storm sash, with regular $2\frac{1}{4}$ -inch wide stiles over all, take the same list as given for a $1\frac{3}{8}$ -inch check rail window with an equal number of lights of the same size. (b) For $1\frac{3}{8}$ -inch storm sash add of the $1\frac{1}{8}$ -inch open storm sash list to the open or glazed list....20%

Rabbeting

Rule 20—(a) For rabbeting outside edge of rails, or stiles of windows or sash, add to the list for each edge rabbeted (except as below)....15c list

(b) For rabbeting standard size check rails of windows, per window25c list

(c) For rabbeting in pairs center stiles of casement or cupboard sash, per pair.....30c list

(d) For rabbeting sash for plate or other thick glass, add for each sash so rabbeted.....5c list

Note—The minimum charge under Rule 21 for any one order will be.....15c net

Water Drips

Rule 21—Grooving bottom rail and furnishing stock pattern water drip for same loose:

(a) 3 feet and under in length, add.....75c list

(b) Over 3 feet, up to 5 feet, add.....\$1.25 list

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.



LISTED SIZES OF FOUR PANEL O. G. DOORS

200

$\frac{3}{4}$ inch doors have raised
panels one side.

$1\frac{1}{8}$, $1\frac{3}{8}$ and $1\frac{3}{4}$ inch doors
have raised panels both sides.



200

Size of Door	Thickness	Price No. 1 Quality	Price No. 2 Quality	Price No. 3 Quality	Weight
2- 0x6- 0 ...	$\frac{3}{4}$...	\$ 4.65 ...	\$4.20 ...	\$3 50 ...	17
2- 0x6- 6 ...	$\frac{3}{4}$...	5.05 ...	4.60	23
2- 4x6- 4 ...	$\frac{3}{4}$...	5.05 ...	4.60	22
2- 6x6- 6 ...	$\frac{3}{4}$...	5.35 ...	4.85 ...	3.90 ...	24
2- 8x6- 8 ...	$\frac{3}{4}$...	5.45 ...	5.00 ...	4 15 ...	25
2- 0x6- 0 ...	$1\frac{1}{8}$...	5.15 ...	4.65 ...	3.85 ...	23
2- 0x6- 6 ...	$1\frac{1}{8}$...	5.60 ...	5.10	28
2- 0x6- 8 ...	$1\frac{1}{8}$...	6.00 ...	5.45	30
2- 2x6- 0 ...	$1\frac{1}{8}$...	5.90 ...	5.35	25
2- 2x6- 6 ...	$1\frac{1}{8}$...	5.90 ...	5.35	27
2- 4x6- 4 ...	$1\frac{1}{8}$...	5.55 ...	5.05	27
2- 4x6- 6 ...	$1\frac{1}{8}$...	5.90 ...	5.35	29
2- 4x6- 8 ...	$1\frac{1}{8}$...	6.00 ...	5.45	31
2- 6x6- 0 ...	$1\frac{1}{8}$...	5.90 ...	5.35	27
2- 6x6- 6 ...	$1\frac{1}{8}$...	5.90 ...	5.35 ...	4.30 ...	30
2- 6x6- 8 ...	$1\frac{1}{8}$...	6.00 ...	5.45	31
2- 6x7- 0 ...	$1\frac{1}{8}$...	7.60 ...	6.85	36
2- 8x6- 0 ...	$1\frac{1}{8}$...	6.05 ...	5.50	29
2- 8x6- 8 ...	$1\frac{1}{8}$...	6.05 ...	5.50 ...	4.60 ...	32
2-10x6-10 ...	$1\frac{1}{8}$...	7.65 ...	6.90 ...	5.35 ...	35
3- 0x6- 0 ...	$1\frac{1}{8}$...	7.15 ...	6.45	31
3- 0x7- 0 ...	$1\frac{1}{8}$...	8.15 ...	7.30 ...	5.70 ...	38
2- 0x6- 0 ...	$1\frac{3}{8}$...	5.70 ...	5.15 ...	4.20 ...	28
2- 0x6- 6 ...	$1\frac{3}{8}$...	6.15 ...	5.60	33
2- 0x6- 8 ...	$1\frac{3}{8}$...	6.25 ...	5.65	35
2- 0x6-10 ...	$1\frac{3}{8}$...	7.40 ...	6.70	36
2- 0x7- 0 ...	$1\frac{3}{8}$...	7.55 ...	6.85	36
2- 2x6- 6 ...	$1\frac{3}{8}$...	6.30 ...	5.70	33
2- 2x6- 8 ...	$1\frac{3}{8}$...	6.40 ...	5.80	36
2- 2x6-10 ...	$1\frac{3}{8}$...	7.60 ...	6.85	37
2- 2x7- 0 ...	$1\frac{3}{8}$...	7.65 ...	6.90	36
2- 4x6- 0 ...	$1\frac{3}{8}$...	6.50 ...	5.90	29
2- 4x6- 4 ...	$1\frac{3}{8}$...	6.10 ...	5.55	31
2- 4x6- 6 ...	$1\frac{3}{8}$...	6.30 ...	5.70	34
2- 4x6- 8 ...	$1\frac{3}{8}$...	6.40 ...	5.80	37
2- 4x6-10 ...	$1\frac{3}{8}$...	7.60 ...	6.85	37
2- 4x7- 0 ...	$1\frac{3}{8}$...	7.65 ...	6.90	37
2- 6x6- 0 ...	$1\frac{3}{8}$...	6.50 ...	5.90	32
2- 6x6- 4 ...	$1\frac{3}{8}$...	6.50 ...	5.90	34
2- 6x6- 6 ...	$1\frac{3}{8}$...	6.50 ...	5.90 ...	4.75 ...	35
2- 6x6- 8 ...	$1\frac{3}{8}$...	6.65 ...	6.00	37
2- 6x6-10 ...	$1\frac{3}{8}$...	7.65 ...	6.90	37
2- 6x7- 0 ...	$1\frac{3}{8}$...	7.70 ...	6.95	40
2- 6x7- 6 ...	$1\frac{3}{8}$...	9.45 ...	8.55	45
2- 6x8- 0 ...	$1\frac{3}{8}$...	10.80 ...	9.75	52
2- 8x6- 0 ...	$1\frac{3}{8}$...	6.70 ...	6.05	35
2- 8x6- 4 ...	$1\frac{3}{8}$...	6.70 ...	6.05	36
2- 8x6- 6 ...	$1\frac{3}{8}$...	6.70 ...	6.05	37
2- 8x6- 8 ...	$1\frac{3}{8}$...	6.70 ...	6.05 ...	5.05 ...	37
2- 8x6-10 ...	$1\frac{3}{8}$...	7.65 ...	6.90	38
2- 8x7- 0 ...	$1\frac{3}{8}$...	7.90 ...	7.15	40
2- 8x7- 6 ...	$1\frac{3}{8}$...	9.90 ...	8.95	46
2- 8x8- 0 ...	$1\frac{3}{8}$...	11.25 ...	10.15	53
2-10x6- 6 ...	$1\frac{3}{8}$...	8.00 ...	7.25	36
2-10x6- 8 ...	$1\frac{3}{8}$...	8.00 ...	7.25	38
2-10x6-10 ...	$1\frac{3}{8}$...	8.00 ...	7.25 ...	5.90 ...	40
2-10x7- 0 ...	$1\frac{3}{8}$...	8.15 ...	7.35	43
2-10x7- 6 ...	$1\frac{3}{8}$...	10.40 ...	9.40	48

(Continued)

For Stock Sizes see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

FIVE CROSS PANEL O. G. DOORS

(Continued)

Size of Door	Thickness	Price No. 1 Quality	Price No. 2 Quality	Weight
2-10x6-10	1 3/4	\$12.15	\$11.00	53
2-10x7- 0	1 3/4	12.40	11.20	53
2-10x7- 6	1 3/4	15.75	14.25	59
3- 0x7- 0	1 3/4	12.90	11.70	56
3- 0x7- 6	1 3/4	16.45	14.85	61
3- 0x8- 0	1 3/4	18.60	16.80	66
4- 0x6- 8	1 3/4	19.35		75
4- 0x7- 0	1 3/4	19.35		83
4- 6x6- 8	1 3/4	22.60		80
5- 0x6- 8	1 3/4	25.80		85
5- 0x7- 0	1 3/4	25.80		90
5- 0x7- 6	1 3/4	32.90		95



LISTED SIZES OF FIVE CROSS PANEL BEAD AND COVE DOORS

202 3/4

Raised panels both sides.



202 3/4

Size	Price 1 3/8" No. 1 Quality	Price 1 3/8" No. 2 Quality	Price 1 3/4" No. 1 Quality	Price 1 3/4" No. 2 Quality	Wt. 1 3/8"	Wt. 1 3/4"
2- 0x6- 0	\$ 6.20	\$ 5.65			29	36
2- 0x6- 6	6.90	6.30			34	40
2- 0x6- 8	7.05	6.45			36	44
2- 0x6-10	8.10	7.35			37	46
2- 0x7- 0	8.15	7.40			37	48
2- 2x6- 6	6.90	6.30			35	42
2- 2x6- 8	7.05	6.45			38	46
2- 2x6-10	8.10	7.35			38	48
2- 2x7- 0	8.15	7.40			38	44
2- 4x6- 0	6.90	6.30			32	39
2- 4x6- 4	6.90	6.30			34	41
2- 4x6- 6	6.90	6.30			35	42
2- 4x6- 8	7.05	6.45			38	46
2- 4x6-10	8.10	7.35			38	48
2- 4x7- 0	8.15	7.40			38	44
2- 6x6- 0	6.90	6.30			32	39
2- 6x6- 6	7.00	6.40	\$10.10	\$ 9.15	36	43
2- 6x6- 8	7.15	6.50			38	46
2- 6x6-10	8.15	7.40			38	50
2- 6x7- 0	8.20	7.45	11.90	10.80	41	47
2- 6x7- 6	9.95	9.05	14.55	13.20	46	57
2- 6x8- 0	11.30	10.25	16.55	15.00	53	64
2- 8x6- 6	7.20	6.55			38	45
2- 8x6- 8	7.20	6.55	10.40	9.45	38	47
2- 8x6-10	8.15	7.40			38	50
2- 8x7- 0	8.40	7.65	12.20	11.05	41	49
2- 8x7- 6	10.40	9.45	15.20	13.75	47	58
2- 8x8- 0	11.75	10.65	17.25	15.60	54	65
2-10x6-10	8.50	7.75	12.35	11.20	41	53
2-10x7- 0	8.65	7.85	12.60	11.40	44	53
2-10x7- 6	10.90	9.90	15.95	14.45	49	59
3- 0x6- 8	9.00	8.20			42	52
3- 0x7- 0	9.00	8.20	13.10	11.90	46	56
3- 0x7- 6	11.35	10.30	16.65	15.05	51	61
3- 0x8- 0	12.80	11.60	18.80	17.00	56	66

For irregular or intermediate sizes, see Note B, page 59.

For larger than listed sizes, see Rule 1, page 59.

For Extras, see pages 59 to 61.

For 5 cross panel 1 1/8-inch doors when ordered in stock quantities, use list for 1 1/8-inch 4-panel door, same size, and add 80 cents. For same in less than stock quantities, use 1 3/8 5 cross panel list for same size. For No. 201 1/2 Bead and Cove Door, 3 cross and 2 upright panels, use 5 cross panel bead and cove list for same size.

For Stock Sizes see Price Supplement.

COMBINATION STOCK DOORS



290

Wood—No. 1 Quality White Pine Stiles and Rails,
3 Ply Veneered Rotary Cut Yellow Pine
Flat Panels.

This Door has been designed owing to objections to an All Yellow Pine Door, is therefore lighter in weight, requires less labor and lends itself admirably to a combination of color schemes.

Carried in stock in the principal sizes.

For Stock Sizes and Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

PANELED CUPBOARD DOORS



291



292



293



291 1/2



292 1/2



293 1/2

Listed Sizes and Prices of O. G. CUPBOARD DOORS

3/4 and 1 1/8 inches thick

Applying to Designs 292, 292 1/2, 293 and 293 1/2.

Size of Door	List 3/4-in. No. 1 Quality	List 1 1/8-in. No. 1 Quality
1- 6x2- 6	\$1.50	\$1.85
1- 6x2- 8	1.55	1.95
1- 6x2-10	1.65	2.05
1- 8x2- 6	1.60	2.00
1- 8x2- 8	1.70	2.10
1- 8x2-10	1.75	2.20
1-10x2- 6	1.70	2.10
1-10x2- 8	1.75	2.20
1-10x2-10	1.85	2.30
2- 0x2- 6	1.80	2.25
2- 0x2- 8	1.90	2.35
2- 0x2-10	1.95	2.45
2- 0x3- 0	2.10	2.60
1- 6x4- 0	2.35	2.95
1- 6x4- 6	2.55	3.20
1- 6x5- 0	2.80	3.50
1- 8x4- 0	2.50	3.15
1- 8x4- 6	2.75	3.45
1- 8x5- 0	3.00	3.75
1-10x4- 6	2.90	3.65
1-10x5- 0	3.20	4.00
1-10x5- 6	3.45	4.30
2- 0x4- 6	3.10	3.90
2- 0x5- 0	3.40	4.25
2- 0x5- 6	3.50	4.35

Doors 1-6x2-6 to 1-8x2-10, 1 or 2 panel. Doors 1-10x2-6 to 2-0x3-0, 2 panel. Doors 1-6x4-0 to 2-0x5-6, 2 or 4 panel. For bead and cove add 10c list.

For cupboard doors with cross panels add 15c list.

For rabbeting single pair, add 15c net; for two pair or more, add 10c net per pair.

For 1 1/8-inch cupboard doors, add to 1 1/8-inch list, 15 per cent. For list prices on Designs 291 and 291 1/2, add 75c.

For cupboard doors with a greater number of panels than provided for in above list for such size, add 10c list for each extra panel. Minimum charge, 50c net.

For irregular or intermediate sizes see Note B, page 59.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

GLAZED CUPBOARD OR CHINA CLOSET DOORS



294



295



296



297

Listed Sizes and Prices of

DESIGN 294

1 1/8 inches thick

Outside Measure	Size of Glass	Open	Glazed S. S.
1- 4x4-0	12x43	\$1.21	\$3.75
1- 4x4-6	12x49	1.29	4.25
1- 4x5-0	12x55	1.37	5.25
1- 6x4-0	14x43	1.23	4.00
1- 6x4-6	14x49	1.32	4.85
1- 6x5-0	14x55	1.39	5.70
1- 8x4-0	16x43	1.28	4.40
1- 8x4-6	16x49	1.35	5.35
1- 8x5-0	16x55	1.43	7.75
1-10x4-0	18x43	1.29	4.75
1-10x4-6	18x49	1.38	5.50
1-10x5-0	18x55	1.45	8.55
2- 0x4-0	20x43	1.32	5.10
2- 0x4-6	20x49	1.41	5.85
2- 0x5-0	20x55	1.48	9.75

For rabbeting pair, add 35c list.

For irregular or intermediate sizes, see Rule 1 Sash Extras, pages 48 to 50.

For price of 295.....add open \$0.85 glazed \$1.20

For price of 296.....add open .85 glazed 1.20

For price of 297.....add open 1.10 glazed 1.55

Above list prices apply for glass set with putty.

If desired, glass can be set with stops, for which an additional charge will be made.

SECTIONS OF STICKINGS FOR SOLID MOULDED DOORS



O. G.



Bead and Cove



Cove and Bead



Square

Our stock White Pine and Spruce Panel Doors have the O. G. Sticking.

Our stock Fir Panel Doors have the Bead and Cove Sticking.


Our stock Front Doors, as well as Veneered Hardwood Doors, have the Cove and Bead Sticking.

Square Sticking is the accepted sticking for Mission style millwork.


RABBET AND ASTRAGALS




Bead Rabbet



T Astragal for Folding Doors



Astragal for Double Swinging Doors



Sliding Door Astragals

For Cost on Astragals see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

DOOR EXTRAS

Note A—When the term “Stock Quantities” is used in these rules it means 10 or more of one size, style and quality.

Note B—For irregular or intermediate sizes, in stock quantities, use same list as next larger listed size. For less than stock quantities on sizes not listed, an extra 10% will be charged.

Larger Than Listed

Rule 1—(a) For list on doors wider than listed sizes, use the list of a 3-foot door, same height, and add for each additional 6 inches or part thereof25% list

(b) For list on doors longer than listed sizes, use the list of the longest similar door of same width, and add for each additional 6 inches or part thereof.....15% list

(c) For single doors made to represent a pair, add.....\$2.50 list

Thick Doors

Rule 2—(a) For $1\frac{3}{4}$ -inch doors, not otherwise provided for, add of the $1\frac{3}{8}$ -inch four panel door list for same size.....50% list

(b) For list on 2 or $2\frac{1}{4}$ -inch doors (single or double thick) form list for a similar $1\frac{3}{4}$ -inch door and add.....50% list

(c) For list on $2\frac{1}{2}$ -inch door (single or double thick) form list for a similar $1\frac{3}{4}$ -inch door and add.....70% list

(d) For list extras on doors thicker than $1\frac{3}{8}$ inches, where extras are specified as applying to $1\frac{3}{8}$ -inch doors, add for the different thicknesses same percentage as above.

Wide Stiles, Rails or Munts

Rule 3—(a) For $1\frac{3}{8}$ -inch doors with stiles and top rails wider than $4\frac{3}{4}$ inches (including solid mould) add for each additional 1 inch or part thereof.....75c list

(b) For $1\frac{3}{8}$ -inch doors with cross rails (other than top, lock or bottom rails) wider than $4\frac{3}{4}$ inches (including solid mould), add for each wide rail for each additional 1 inch or part thereof15c list

(c) For $1\frac{3}{8}$ -inch doors with lock or bottom rails wider than $8\frac{5}{8}$ or $9\frac{3}{4}$ inches, respectively (including solid mould), add for each wide rail for each additional 1 inch or part thereof.....25c list

(d) Sliding doors having one stile wider than regular, add per door two-thirds price in Note A.

Panels

Rule 4—(a) Arrangement of panels.

Doors No. 200 and 201, over 3-0 and not wider than 4-0, 3 panels wide.

Doors No. 200 and 201, over 4-0 and not wider than 4-10, 3 or 4 panels wide.

Doors No. 200 and 201, over 4-10 and not wider than 6-0, 4 or 5 panels wide.

Doors No. 200 and 201, over 6-0 and not wider than 7-0, 5 or 6 panels wide.

Cross panel doors up to and including 7-4, 5 panels high.

Cross panel doors 7-6 and not higher than 8-6, 6 or 7 panels high.

Cross panel doors 8-8 and not higher than 10-0, 7 or 8 panels high.

For a less number of panels (making wider panels), special price will be charged.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

DOOR EXTRAS—Continued

Additional Panels

Note B—For more panels than provided for in the lists, add for each additional panel....30c list

Cross Panels

Note C—For doors having two or more cross panels not covered or otherwise provided for, add to their respective list for crossing panels30c list

Graduated Panels

Note D—For graduated panels, add for each panel.....30c list

Moulded Panels

Rule 5—Doors with moulded panels, add to the list of similar $1\frac{3}{8}$ or $1\frac{3}{4}$ -inch O. G. door as follows:

Flush moulded, 1 side, per panel.....40c list
 Flush moulded, 2 sides, per panel.....65c list
 Raised mould, 1 side, per panel.....80c list
 Raised mould, 2 sides, per panel.....\$1.30 list

Different Styles of Doors

Rule 6—(a) (One Panel) For one panel doors, special price.

(b) (Two Panel) For two panel doors, 1 wide and 2 high, special price.

(c) (Two Panel) For two panel doors, 2 wide and 1 high, use 4-panel list and add.....15% list

(d) (Three Panel) For three panel doors, special price.

(e) For four cross panel doors, special price.

Sash Doors

Rule 7—(a) For sash doors not listed add to the list of a similar panel door of the same size:

If 1 light No. 4 quality.....20c list

No. 1 and No. 2 quality.....25c list

If 2 light No. 4 quality.....40c list

No. 1 and No. 2 quality.....50c list

If 4 light No. 4 quality.....40c list

No. 1 and 2 quality.....50c list

(b) For sash doors with marginal or divided lights, add to the list of a similar 1-light door for each light, the same amount as provided in Rule 4, Sash Extras, page 48.

(c) For list on solid mould doors, 3 feet wide or less, segment head or segment corner glass, add to list for a similar 1-light door with square glass.....\$1.50 list

(d) For list on solid mould doors, 3 feet wide or less, half circle or gothic glass, add to list for a similar 1-light door with square glass..\$6.00 list

(e) For list on solid mould doors, 3 feet wide or less, with gothic 2-light glass, add to list for a similar 2-light door with square glass....\$2.80 list

(f) For raised mould sash or panel doors, 3 feet wide or less, with circle top glass or panels, add to proper list for each side moulded....\$2.50 list

(g) For doors glazed with enameled, chipped or colored glass (any color except ruby), add to glazed list for each square foot of glass measure40c per ft.
 If ruby, add.....70c per ft.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

DOOR EXTRAS—Continued

Glass Beads

Rule 8—For beads or stops around glass in a door with one or more square lights, add to the proper list for such door for beads around each light of:

16 united inches.....	18c list
17 to 28 united inches.....	25c list
29 to 40 united inches.....	30c list
41 to 52 united inches.....	40c list
53 to 64 united inches.....	45c list
65 to 76 united inches.....	55c list
77 to 88 united inches.....	70c list
89 to 100 united inches.....	85c list

Sticking

Rule 9—For P. G. Ovolo, B. & C. or C. & B. sticking, not covered in lists, add to list of a similar O. G. door.....20c list

Dutch Doors

Rule 10—For Dutch doors or doors made to cut through lock rail, add to list of a similar door of same size.....\$1.50 list
For same, cut and rabbeted..... 2.50 list

Oil Finish AA

Rule 11—(a) For AA selected stock doors for oil finish (machine smoothed), add to proper list for No. 1 door.....80c list

Oil Finish AAA

(b) For AAA doors, 3-9 x 9-0 and under, free from sap and knots (machine smoothed) for oil finish, add to proper list for No. 1 door..\$2.00 list

(c) For AAA doors, 3-0 x 9-0 and under, free from sap and knots (hand smoothed) for oil finish, add to proper list for No. 1 door..\$3.00 list

Banding

Rule 12—For banding sliding doors, two sides, add to proper price for such doors for each lineal foot, measured around the opening of each door.....5c net

Rabbeting

Rule 13—For rabbeting and beading folding doors, made extra wide for rabbeting, add to proper price for such door, per pair.....50c net

Astragals

Rule 14—(a) For single astragals for folding doors not over eight feet high, add:

If doors are 1¾ inches thick or less.....30c net

If doors are 2¼ or 2½ inches thick.....80c net

(b) For double astragal for sliding doors not over eight feet high, add:

If doors are 1¾ inches thick or less.....60c net

If doors are 2¼ or 2½ inches thick or less \$1.25 net

(c) For lengths over 8 feet add for each additional 2 feet or part thereof.....20%

(d) For astragal joint on stiles, add:

If doors are 1¾ inches thick or less.....50c net

If doors are 2¼ or 2½ inches thick.....75c net

STOCK FIR DOORS



300

Wood—Edge Grain Fir Stiles and Rails, Slash
Grain Fir Panels.

This Door takes any stain beautifully. Carried
in stock in the principal sizes.

For Stock Sizes and Cost see Price Supplement.

STOCK FIR DOORS



301

Wood—Edge Grain Fir Stiles and Rails, 3 Ply
Veneered Slash Grain Fir Panels.

This Door takes any stain beautifully. Carried
in stock in the principal sizes.

For Stock Sizes and Cost see Price Supplement.

STOCK FIR DOORS



302

Wood—Edge Grain Fir Stiles and Rails, 3 Ply
Veneered Slash Grain Fir Panels.

This Door takes any stain beautifully. Carried
in stock in the principal sizes.

For Stock Sizes and Cost see Price Supplement.

STOCK FIR DOORS



303

Wood—Edge Grain Fir Stiles and Rails, 3 Ply
Veneered Slash Grain Fir Panel.

This Door takes any stain beautifully. Carried
in stock in the principal sizes.

For Stock Sizes and Cost see Price Supplement.

STOCK MIRROR DOORS



304

Wood—No. 1 Quality Fir.

The reverse side of Door is either one or more panels, to match the balance of Doors used, and can be furnished in any wood.

Sizes usually ordered:

- 2- 0 x 6- 0, $1\frac{3}{8}$
- 2- 0 x 6- 8, $1\frac{3}{8}$
- 2- 4 x 6- 8, $1\frac{3}{8}$
- 2- 6 x 6- 6, $1\frac{3}{8}$
- 2- 6 x 6- 8, $1\frac{3}{8}$
- 2- 6 x 6-10, $1\frac{3}{8}$
- 2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$
- 2-10 x 6-10, $1\frac{3}{8}$ and $1\frac{3}{4}$
- 3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

COMBINATION STOCK DOORS



305

**Wood—No. 1 Quality White Pine Stiles and Rails,
3 Ply Veneered Slash Grain Fir Panels.**

This Door overcomes the objection to an All Fir Door, as the White Pine Frame is easier to work and is susceptible to oil finish. This, together with the panels taking any stain, makes a striking combination. Carried in stock in the principal sizes.

For Stock Sizes and Cost see Price Supplement.

COMBINATION STOCK DOORS



306

Wood—No. 1 Quality White Pine Stiles and Rails,
3 Ply Veneered Slash Grain Fir Panels.

This Door overcomes the objection to an All Fir Door, as the White Pine Frame is easier to work and is susceptible to oil finish. This, together with the panels taking any stain, makes a striking combination. Carried in stock in the principal sizes.

For Stock Sizes and Cost see Price Supplement.

COMBINATION STOCK DOORS



307

**Wood—No. 1 Quality White Pine Stiles and Rails,
3 Ply Veneered Slash Grain Fir Panel.**

This Door overcomes the objection to an All Fir Door, as the White Pine Frame is easier to work and is susceptible to oil finish. This, together with the panel taking any stain, makes a striking combination. Carried in stock in the principal sizes.

For Stock Sizes and Cost see Price Supplement.

COMBINATION STOCK DOORS



308

Wood—No. 1 Quality Spruce Stiles and Rails, 3 Ply Veneered Rotary Cut Unselected Gum Panels.

This combination makes a very beautiful Door. Gum is known to take Mahogany Stain better than any other wood. This style Door is also to be had with Unselected Birch Panel, known as 309. Carried in stock in the principal sizes.

For Stock Sizes and Cost see Price Supplement.

STOCK FRONT DOORS



IXL 315

Wood—No. 1 Quality White Pine.

Stiles and Top Rail $6\frac{1}{2}''$
Bottom Rail $18\frac{1}{2}''$

Following are Stock Sizes:

2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$
2-10 x 6-10, $1\frac{3}{8}$ and $1\frac{3}{4}$
3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Side Lights to match see page 99.

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 316

Wood—No. 1 Quality White Pine.

Stiles and Top Rail $6\frac{1}{2}$ "

Bottom Rail $18\frac{1}{2}$ "

Following are Stock Sizes:


2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$

2-10 x 6-10, $1\frac{3}{8}$ and $1\frac{3}{4}$

3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 317

Wood—No. 1 Quality White Pine.

Stiles and Top Rail $6\frac{1}{2}$ "

Bottom Rail $18\frac{1}{2}$ "

Following are Stock Sizes:

2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$

2-10 x 6-10, $1\frac{3}{8}$ and $1\frac{3}{4}$

3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 318

Wood—No. 1 Quality White Pine.

Stiles and Top Rail $6\frac{1}{2}$ "

Bottom Rail $18\frac{1}{2}$ "

Following are Stock Sizes:


2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$

2-10 x 6-10, $1\frac{3}{8}$ and $1\frac{3}{4}$

3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 319

Wood—No. 1 Quality White Pine.

Stiles and Top Rail $6\frac{1}{2}$ "

Bottom Rail $18\frac{1}{2}$ "

Following are Stock Sizes:


2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$

2-10 x 6-10, $1\frac{3}{8}$ and $1\frac{3}{4}$

3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 320

Wood—No. 1 Quality White Pine.

Stiles and Top Rail $6\frac{1}{2}$ "

Bottom Rail $18\frac{1}{2}$ "

Following are Stock Sizes:

2- 8 x 6- 8, $13\frac{3}{8}$ and $13\frac{1}{4}$

2-10 x 6-10, $13\frac{3}{8}$ and $13\frac{1}{4}$

3- 0 x 7- 0, $13\frac{3}{8}$ and $13\frac{1}{4}$

For Side Lights to match see page 100.

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 321

Wood—No. 1 Quality White Pine.

Stiles and Top Rail $6\frac{1}{2}$ "

Bottom Rail $18\frac{1}{2}$ "

Following are Stock Sizes:

2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$

2-10 x 6-10, $1\frac{3}{8}$ and $1\frac{3}{4}$

3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 322

Wood—No. 1 Quality White Pine.

Stiles and Top Rail $6\frac{1}{2}$ "

Bottom Rail $18\frac{1}{2}$ "

Following are Stock Sizes:


2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$

2-10 x 6-10, $1\frac{3}{8}$ and $1\frac{3}{4}$

3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 323

Wood—No. 1 Quality White Pine.

Stiles and Top Rail $6\frac{1}{2}"$

Bottom Rail $18\frac{1}{2}"$

Following are Stock Sizes:


2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$

2-10 x 6-10, $1\frac{3}{8}$ and $1\frac{3}{4}$

3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 324

Wood—No. 1 Quality White Pine.

Stiles and Top Rail $5\frac{1}{2}$ "
Bottom Rail $13\frac{1}{2}$ "

Following are Stock Sizes:

2- 0 x 7- 0,	$1\frac{3}{8}$ only
2- 6 x 6- 8,	$1\frac{3}{8}$ only
2- 6 x 7- 0,	$1\frac{3}{8}$ and $1\frac{3}{4}$
2- 8 x 6- 8,	$1\frac{3}{8}$ and $1\frac{3}{4}$
2- 8 x 7- 0,	$1\frac{3}{8}$ and $1\frac{3}{4}$
2-10 x 6-10,	$1\frac{3}{8}$ and $1\frac{3}{4}$
3- 0 x 7- 0,	$1\frac{3}{8}$ and $1\frac{3}{4}$
3- 0 x 7- 6,	$1\frac{3}{8}$ and $1\frac{3}{4}$


For Side Lights to match see page 100.

Note—2 ft. wide Doors are made 2 Lts. wide.

For Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

STOCK FRONT DOORS



IXL 325

Wood—No. 1 Quality White Pine.

Stiles and Top Rail $4\frac{3}{4}$ "
Bottom Rail $9\frac{3}{4}$ "

Following are Stock Sizes:

2- 0 x 6- 8, $1\frac{3}{8}$ only
2- 0 x 7- 0, $1\frac{3}{8}$ only
2- 6 x 6- 8, $1\frac{3}{8}$ only
2- 6 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$
2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$
2- 8 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$
2-10 x 6-10, $1\frac{3}{8}$ and $1\frac{3}{4}$
3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$
3- 0 x 7- 6, $1\frac{3}{8}$ and $1\frac{3}{4}$

Note—2 ft. wide Doors are made 2 Lts. wide.
Fost Cost see Price Supplement.

STOCK FRONT DOORS



IXL 326

Wood—No. 1 Quality White Pine.

Stiles	5½"
Top Rail	7"
Bottom Rail	9¾"

Following are Stock Sizes:

2- 6 x 6- 6,	1⅜ only
2- 8 x 6- 8,	1⅜ and 1¾
2-10 x 6-10,	1⅜ and 1¾
3- 0 x 7- 0,	1⅜ and 1¾

For Side Lights to match see page 99.

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 327

Wood—No. 1 Quality White Pine.

Stiles	5½"
Top Rail	7"
Bottom Rail	9¾"

Following are Stock Sizes:

2- 6 x 6-	6,	1⅜ only
2- 8 x 6-	8,	1⅜ and 1¾
2-10 x 6-	10,	1⅜ and 1¾
3- 0 x 7-	0,	1⅜ and 1¾

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 328

Wood—No. 1 Quality White Pine.


Stiles	5½"
Top Rail	7"
Bottom Rail	9¾"

Following are Stock Sizes:

2- 6 x 6- 6,	1⅜ only
2- 8 x 6- 8,	1⅜ and 1¾
2-10 x 6-10,	1⅜ and 1¾
3- 0 x 7- 0,	1⅜ and 1¾

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 329

Wood—No. 1 Quality White Pine.

Stiles	5½"
Top Rail	7"
Bottom Rail	9¾"

Following are Stock Sizes:

2- 6 x 6- 6,	1⅜ only
2- 8 x 6- 8,	1⅜ and 1¾
2-10 x 6-10,	1⅜ and 1¾
3- 0 x 7- 0,	1⅜ and 1¾

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 330

Wood—No. 1 Quality White Pine.


Stiles	5½"
Top Rail	7"
Bottom Rail	9¾"

Following are Stock Sizes:

2- 6 x 6- 6,	1⅜ only
2- 8 x 6- 8,	1⅜ and 1¾
2-10 x 6-10,	1⅜ and 1¾
3- 0 x 7- 0,	1⅜ and 1¾

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 331

Wood—No. 1 Quality White Pine.

Stiles	5½"
Top Rail	7"
Bottom Rail	9¾"


Following are Stock Sizes:

2- 6 x 6- 6,	1⅜ only
2- 8 x 6- 8,	1⅜ and 1¾
2-10 x 6-10,	1⅜ and 1¾
3- 0 x 7- 0,	1⅜ and 1¾

For Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

STOCK FRONT DOORS



IXL 332

Wood—No. 1 Quality White Pine.

Stiles	5½"
Top Rail	7"
Bottom Rail	9¾"

Following are Stock Sizes:

2- 6 x 6- 6,	1⅜ only
2- 8 x 6- 8,	1⅜ and 1¾
2-10 x 6-10,	1⅜ and 1¾
3- 0 x 7- 0,	1⅜ and 1¾

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 333

Wood—No. 1 Quality White Pine.

Stiles	$4\frac{3}{4}$ "
Top Rail	7"
Bottom Rail	11"

Following are Stock Sizes:

2- 8 x 6- 8,	$1\frac{3}{8}$ and $1\frac{3}{4}$
2-10 x 6-10,	$1\frac{3}{8}$ and $1\frac{3}{4}$
3- 0 x 7- 0,	$1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 334

Wood—No. 1 Quality White Pine.

Stiles and Top Rail $4\frac{3}{4}"$
Bottom Rail $9\frac{3}{4}"$

Following are Stock Sizes:

2- 6 x 6- 6, $1\frac{3}{8}$ only
2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$
2-10 x 6-10, $1\frac{3}{8}$ and $1\frac{3}{4}$
3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 335

Wood—No. 1 Quality White Pine.

Stiles and Top Rail $4\frac{3}{4}"$
Bottom Rail $9\frac{3}{4}"$

Following are Stock Sizes:

2- 6 x 6- 6, $1\frac{3}{8}$ only
2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$
2- 10 x 6- 10, $1\frac{3}{8}$ and $1\frac{3}{4}$
3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

STOCK FRONT DOORS



IXL 336

Wood—No. 1 Quality White Pine.

Stiles	4 $\frac{3}{4}$ "
Top Rail	7"
Bottom Rail	9 $\frac{3}{4}$ "

Following are Stock Sizes:

2- 6 x 6- 6,	1 $\frac{3}{8}$ only
2- 8 x 6- 8,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
2-10 x 6-10,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
3- 0 x 7- 0,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 337

Wood—No. 1 Quality White Pine.

Stiles	$4\frac{3}{4}$ "
Top Rail	7"
Bottom Rail	$9\frac{3}{4}$ "

Following are Stock Sizes:

2- 6 x 6- 6,	$1\frac{3}{8}$ only
2- 8 x 6- 8,	$1\frac{3}{8}$ and $1\frac{3}{4}$
2-10 x 6-10,	$1\frac{3}{8}$ and $1\frac{3}{4}$
3- 0 x 7- 0,	$1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 338

Wood—No. 1 Quality White Pine.

Stiles	$4\frac{3}{4}"$
Top Rail	$7"$
Bottom Rail	$9\frac{3}{4}"$

Following are Stock Sizes:

2- 6 x 6- 6,	$1\frac{3}{8}$ only
2- 8 x 6- 8,	$1\frac{3}{8}$ and $1\frac{3}{4}$
2-10 x 6-10,	$1\frac{3}{8}$ and $1\frac{3}{4}$
3- 0 x 7- 0,	$1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 339

Wood—No. 1 Quality White Pine.

Stiles	4 $\frac{3}{4}$ "
Top Rail	7"
Bottom Rail	9 $\frac{3}{4}$ "

Following are Stock Sizes:

2- 6 x 6- 6,	1 $\frac{3}{8}$ only
2- 8 x 6- 8,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
2-10 x 6-10,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
3- 0 x 7- 0,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 340

Wood—No. 1 Quality White Pine.

Stiles	4 $\frac{3}{4}$ "
Top Rail	7"
Bottom Rail	9 $\frac{3}{4}$ "

Following are Stock Sizes:

2- 8 x 6- 8,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
2-10 x 6-10,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
3- 0 x 7- 0,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 341

Wood—No. 1 Quality White Pine.

Stiles	4 $\frac{3}{4}$ "
Top Rail	7"
Bottom Rail	9 $\frac{3}{4}$ "

Following are Stock Sizes:

2- 8 x 6-	8,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
2-10 x 6-	10,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
3- 0 x 7-	0,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



IXL 342

Wood—No. 1 Quality White Pine Stiles and Rails, 3 Ply Veneered Slash Grain Fir Panel.

This Door is used in connection with Panel Door illustrated on page 67.

Following are Stock Sizes:

- 2- 6 x 6- 6, 1 $\frac{3}{8}$ only
- 2- 8 x 6- 8, 1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
- 2-10 x 6-10, 1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
- 3- 0 x 7- 0, 1 $\frac{3}{8}$ and 1 $\frac{3}{4}$

Can also be had in the same stock sizes as the Two Panel Door.

For Cost see Price Supplement.

STOCK SIDE LIGHTS



IXL 343



IXL 344

Wood—No. 1 Quality White Pine.


These Side Lights are used in connection with IXL 315 and 326 Front Doors, shown on pages 71 and 82.

Following are Stock Sizes:

16 x 6- 8,	$1\frac{3}{8}$ and $1\frac{3}{4}$
16 x 6-10,	$1\frac{3}{8}$ and $1\frac{3}{4}$
16 x 7- 0,	$1\frac{3}{8}$ and $1\frac{3}{4}$
16 x 7- 6,	$1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK SIDE LIGHTS



IXL 345



IXL 346

Wood—No. 1 Quality White Pine.

These Side Lights are used in connection with IXL 324 and 320 Front Doors shown on pages 80 and 76.

Following are Stock Sizes:

16 x 6- 8,	$1\frac{3}{8}$ and $1\frac{3}{4}$
16 x 6-10,	$1\frac{3}{8}$ and $1\frac{3}{4}$
16 x 7- 0,	$1\frac{3}{8}$ and $1\frac{3}{4}$
16 x 7- 6,	$1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



RIVAL 360

Wood—No. 1 Quality Spruce.

Stiles	4 $\frac{3}{4}$ "
Top Rail	7"
Bottom Rail	9 $\frac{3}{4}$ "

Following are Stock Sizes:

2- 6 x 6- 6,	1 $\frac{3}{8}$ only
2- 6 x 7- 0,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
2- 8 x 6- 8,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
2- 10 x 6- 10,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
3- 0 x 7- 0,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



RIVAL 361

Wood—No. 1 Quality Spruce.

Stiles	4 $\frac{3}{4}$ "
Top Rail	7"
Bottom Rail	9 $\frac{3}{4}$ "

Following are Stock Sizes:

2- 6 x 6-	6,	1 $\frac{3}{8}$ only
2- 6 x 7-	0,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
2- 8 x 6-	8,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
2-10 x 6-	10,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
3- 0 x 7-	0,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



RIVAL 362

Wood—No. 1 Quality Spruce.

Stiles	4 $\frac{3}{4}$ "
Top Rail	7"
Bottom Rail	9 $\frac{3}{4}$ "

Following are Stock Sizes:

2- 6 x 6-	6, 1 $\frac{3}{8}$ only
2- 6 x 7-	0, 1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
2- 8 x 6-	8, 1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
2- 10 x 6-	10, 1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
3- 0 x 7-	0, 1 $\frac{3}{8}$ and 1 $\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



RIVAL 363

Wood—No. 1 Quality Spruce.

Stiles and Top Rail $4\frac{3}{4}"$
Bottom Rail $9\frac{3}{4}"$

Following are Stock Sizes:

2- 6 x 6- 6, $1\frac{3}{8}$ only
2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$
2-10 x 6-10, $1\frac{3}{8}$ and $1\frac{3}{4}$
3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



RIVAL 364

Wood—No. 1 Quality Spruce.

Stiles and Top Rail $4\frac{3}{4}"$
Bottom Rail $9\frac{3}{4}"$

Following are Stock Sizes:

2- 6 x 6- 6, $1\frac{3}{8}$ only
2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$
2-10 x 6-10, $1\frac{3}{8}$ and $1\frac{3}{4}$
3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost Price see Supplement.

STOCK FRONT DOORS



RIVAL 365

Wood—No. 1 Quality Spruce.

Stiles and Top Rail $4\frac{3}{4}$ "
Bottom Rail $9\frac{3}{4}$ "

Following are Stock Sizes:

2- 6 x 6- 6, $1\frac{3}{8}$ only
2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$
2- 10 x 6- 10, $1\frac{3}{8}$ and $1\frac{3}{4}$
3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



RIVAL 366

Wood—No. 1 Quality Spruce.

Stiles and Top Rail $4\frac{3}{4}"$
Bottom Rail $9\frac{3}{4}"$

Following are Stock Sizes:

2- 6 x 6- 6, $1\frac{3}{8}$ only
2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$
2-10 x 6-10, $1\frac{3}{8}$ and $1\frac{3}{4}$
3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost Price see Supplement.

STOCK FRONT DOORS



RIVAL 367

Wood—No. 1 Quality Spruce.

Stiles	4 $\frac{3}{4}$ "
Top Rail	7"
Bottom Rail	9 $\frac{3}{4}$ "

Following are Stock Sizes:

2- 6 x 6-	6,	1 $\frac{3}{8}$ only
2- 8 x 6-	8,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
2-10 x 6-	10,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
3- 0 x 7-	0,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



RIVAL 363

Wood—No. 1 Quality Spruce.


Stiles	4 $\frac{3}{4}$ "
Top Rail	7"
Bottom Rail	9 $\frac{3}{4}$ "

Following are Stock Sizes:

2- 6 x 6- 6,	1 $\frac{3}{8}$ only
2- 8 x 6- 8,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
2-10 x 6-10,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
3- 0 x 7- 0,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



GRAINED 375

Wood—Graining Quality.

Stiles and Top Rail $4\frac{3}{4}$ "
Bottom Rail $9\frac{3}{4}$ "

Following are Stock Sizes:

2-	6 x 6-	6,	$1\frac{3}{8}$
2-	8 x 6-	8,	$1\frac{3}{8}$
2-	10 x 6-	10,	$1\frac{3}{8}$
3-	0 x 7-	0,	$1\frac{3}{8}$

For Cost see Price Supplement.

STOCK FRONT DOORS



GRAINED 376

Wood—Graining Quality.


Stiles and Top Rail $4\frac{3}{4}$ "
Bottom Rail $9\frac{3}{4}$ "

Following are Stock Sizes:

2- 6 x 6- 6, $1\frac{3}{8}$
2- 8 x 6- 8, $1\frac{3}{8}$
2-10 x 6-10, $1\frac{3}{8}$
3- 0 x 7- 0, $1\frac{3}{8}$

For Cost see Price Supplement.

STOCK FRONT DOORS



PRINCESS 382

Wood—No. 1 Quality Fir.

Stiles and Top Rail $5\frac{1}{2}$ "
Bottom Rail $11\frac{1}{4}$ "

Following are Stock Sizes:

2- 8 x 6- 8, $1\frac{3}{8}$ and $1\frac{3}{4}$
2-10 x 6-10, $1\frac{3}{8}$ and $1\frac{3}{4}$
3- 0 x 7- 0, $1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRENCH DOORS



IXL 390

These Doors are used for various purposes, such as opening on to the Sun Porch or Room, from Living Room to Hall or Dining Room, for Office Buildings, etc.

Are hung as ordinarily or arranged to slide from side to side. They are of same style as IXL 325, illustrated on page 81. Are therefore in stock for prompt shipment.

Following are Stock Sizes in White Pine:

For Opening	4-0 x 6- 8,	1 $\frac{3}{8}$ only
	4-0 x 7- 0,	1 $\frac{3}{8}$ only
	5-0 x 6- 8,	1 $\frac{3}{8}$ only
	5-0 x 7- 0,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
	5-4 x 6- 8,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
	5-4 x 7- 0,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
	5-8 x 6-10,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
	6-0 x 7- 0,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
	6-0 x 7- 6,	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$

Note—For 4 ft. wide openings, each Door is made 2 Lts. wide.

For Cost see Price Supplement.

Cost covering other woods quoted upon inquiry.

STOCK FRENCH DOORS



IXL 392

These Doors are used for various purposes, such as opening on to the Sun Porch or Room, from Living Room to Hall or Dining Room, for Office Buildings, etc.

Are hung as ordinarily or arranged to slide from side to side. They are of same style as IXL 319, illustrated on page 75. Are therefore in stock for prompt shipment.

Following are Stock Sizes in White Pine:

For Opening 5-4 x 6- 8,	$1\frac{3}{8}$ and $1\frac{3}{4}$
5-8 x 6-10,	$1\frac{3}{8}$ and $1\frac{3}{4}$
6-0 x 7- 0,	$1\frac{3}{8}$ and $1\frac{3}{4}$

For Cost see Price Supplement.

Cost covering other woods quoted upon inquiry.

STOCK STORE DOORS



IXL 400

Wood—No. 1 Quality White Pine.

Stiles and Top Rail $6\frac{1}{2}''$
Bottom Rail $18\frac{1}{2}''$

Following are Stock Sizes:

For Opening 5-0 x 7-	0,	$1\frac{3}{8}$ and $1\frac{3}{4}$
5-4 x 6-	8,	$1\frac{3}{8}$ and $1\frac{3}{4}$
5-8 x 6-	10,	$1\frac{3}{8}$ and $1\frac{3}{4}$
6-0 x 7-	0,	$1\frac{3}{8}$ and $1\frac{3}{4}$

Other sizes made especially to order on short notice.

For Cost see Price Supplement.

STOCK STORE DOORS



IXL 402

Wood—No. 1 Quality White Pine.

Stiles	5½"
Top Rail	7"
Bottom Rail	9¾"


Following are Stock Sizes:

For Opening 5-0 x 7- 0,	1⅜ and 1¾
5-4 x 6- 8,	1⅜ and 1¾
5-8 x 6-10,	1⅜ and 1¾
6-0 x 7- 0,	1⅜ and 1¾

Other sizes made especially to order on short notice.

For Cost see Price Supplement.


STORE FRONT



This Design 410 is of all Wood construction, for Frame Building.

We are prepared to furnish promptly. Cost quoted upon inquiry, giving detailed information, as to width and height, depth of recess, as well as thickness of Door, etc., and kind of wood and glazing.



STORE FRONT



This Design 411 makes a very neat appearing front.

We are prepared to furnish promptly. Cost quoted upon inquiry, giving detailed information, as to width and height, depth of recess, as well as thickness of Door, etc., and kind of wood and glazing.

STORE FRONT




This Design 412 is just a little more elaborate than the preceding one.

We are prepared to furnish promptly.

Cost quoted upon inquiry, giving detailed information, as to width and height, depth of recess, as well as thickness of Door, etc., and kind of wood and glazing.

STORE FRONT



This Design 413 shows the Transoms glazed with Sheet Prism Glass (page 203) set in Hard Metal, which offers great comfort and convenience, affording a perfect, natural lighted interior and soon saves its cost in artificial lighting bills alone.

We are prepared to furnish promptly.

Cost quoted upon inquiry, giving detailed information, as to width and height, depth of recess, as well as thickness of Door, etc., and kind of wood and glazing.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

GARAGE DOORS



425

This design is carried in stock.

Specifications: Wood—No. 1 Quality Spruce.

Size of Door, 4-0x8-0, 1 $\frac{3}{4}$ " thick, 5 $\frac{1}{2}$ " Stiles and Top Rail, 11 $\frac{1}{2}$ " Bottom Rail, 7 $\frac{3}{4}$ " Lock Rail, glass line 4'-10" from bottom. These doors fill opening 8' 0" x 8' 0".

For Cost see Price Supplement.



428

This design is made especially to order, on short notice, to the following specifications:

Wood—No. 1 Quality Spruce.

Size of Door (usually ordered) 4-0x8-0, 1 $\frac{3}{4}$ " thick ($\frac{7}{8}$ " frame with $\frac{7}{8}$ " y. p. flooring back), 7 $\frac{1}{2}$ " Stiles and Top Rail, 11 $\frac{1}{2}$ " Bottom Rail; 7 $\frac{3}{4}$ " Lock Rail, 4'-8" from bottom to top of Lock Rail. These doors fill opening 8' 0" x 8' 0".

For Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

FRONT ENTRANCES



Illustration shows IXL Door 315 (page 71) and Side Light 343 (page 99), which combination is not only suitable for residences, but also for buildings of every description.



Illustration Shows IXL Door 324 (page 80) and Side Light 345 (page 100).

Whilst both these illustrations are in White Pine, being our regular stock, same can be furnished promptly in any wood, on short notice.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

FRONT ENTRANCES




Illustration shows IXL Door 320 (page 76) and Side Light 346 (page 100), which, as well as Design on previous page showing IXL Door, is especially adapted for Bungalows. Is stock in White Pine only, but can be furnished promptly in any wood, on short notice.



Illustration shows Crown Veneered Door 435 (page 126) and Side Light 439 (page 130), which is stock in both—Veneered Plain and Quartered Red Oak, as well as White Pine. Can be furnished promptly, in any other wood, on short notice. This is an ideal Entrance Opening, suitable for residences, as well as for public buildings of every kind.

STOCK FRONT DOORS



CROWN 435

Wood—Veneered Quarter Sawed Oak.

Stiles and Top Rail $7\frac{1}{2}$ "

Bottom Rail $19\frac{1}{2}$ "


Following are Stock Sizes, in White Pine, Veneered Plain and Quartered Red Oak:

2- 8 x 6- 8,	$1\frac{3}{4}$
2- 8 x 7- 0,	$1\frac{3}{4}$
2-10 x 6-10,	$1\frac{3}{4}$
3- 0 x 7- 0,	$1\frac{3}{4}$
3- 0 x 7- 6,	$1\frac{3}{4}$
3- 6 x 7- 0,	$1\frac{3}{4}$
3- 6 x 7- 6,	$1\frac{3}{4}$

For Side Lights to match, see page 130.

For Cost see Price Supplement.

STOCK FRONT DOORS



CROWN 436

Wood—Veneered Quarter Sawed Oak

Stiles and Top Rail $7\frac{1}{2}$ "

Bottom Rail $19\frac{1}{2}$ "

Following are Stock Sizes, in White Pine, Veneered Plain and Quartered Red Oak:

2-	8 x 6-	8,	$1\frac{3}{4}$
2-	8 x 7-	0,	$1\frac{3}{4}$
2-	10 x 6-	10,	$1\frac{3}{4}$
3-	0 x 7-	0,	$1\frac{3}{4}$
3-	0 x 7-	6,	$1\frac{3}{4}$
3-	6 x 7-	0,	$1\frac{3}{4}$
3-	6 x 7-	6,	$1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



CROWN 437

Wood—Veneered Quarter Sawed Oak.

Stiles and Top Rail $7\frac{1}{2}$ "
Bottom Rail $19\frac{1}{2}$ "

Following are Stock Sizes, in White Pine, Veneered Plain and Quartered Red Oak:

2-	8 x 6-	8,	$1\frac{3}{4}$
2-	8 x 7-	0,	$1\frac{3}{4}$
2-	10 x 6-	10,	$1\frac{3}{4}$
3-	0 x 7-	0,	$1\frac{3}{4}$
3-	0 x 7-	6,	$1\frac{3}{4}$
3-	6 x 7-	0,	$1\frac{3}{4}$
3-	6 x 7-	6,	$1\frac{3}{4}$

For Cost see Price Supplement.

STOCK FRONT DOORS



CROWN 438

Wood—Veneered Quarter Sawn Oak.

Stiles and Top Rail $7\frac{1}{2}$ "

Bottom Rail $19\frac{1}{2}$ "

Following are Stock Sizes, in White Pine, Veneered Plain and Quartered Red Oak:

2-	8 x 6-	8,	$1\frac{3}{4}$
2-	8 x 7-	0,	$1\frac{3}{4}$
2-	10 x 6-	10,	$1\frac{3}{4}$
3-	0 x 7-	0,	$1\frac{3}{4}$
3-	0 x 7-	6,	$1\frac{3}{4}$
3-	6 x 7-	0,	$1\frac{3}{4}$
3-	6 x 7-	6,	$1\frac{3}{4}$

For Side Lights to match, see page 130.

For Cost see Price Supplement.

STOCK SIDE LIGHTS



CROWN 439



CROWN 440

Wood—Veneered Quarter Sawed Oak.

These Side Lights are used in connection with CROWN 435 and 438 Front Doors, shown on pages 126 and 129.

Following are Stock Sizes, in White Pine, Veneered Plain and Quartered Red Oak:

16 x 6- 8, 1 $\frac{3}{4}$
16 x 6-10, 1 $\frac{3}{4}$
16 x 7- 0, 1 $\frac{3}{4}$
16 x 7- 6, 1 $\frac{3}{4}$

For Cost see Price Supplement.

HARDWOOD DOORS



452

Wood—Veneered Unselected Birch.

Cove and Bead Sticking. Standard width stiles and rails.

This Door takes any stain beautifully.
Carried in stock in Unselected Birch, in the principal sizes.

Made especially to order in other Woods, on short notice.

For Stock Sizes and Cost see Price Supplement.

HARDWOOD DOORS



453

Wood—Veneered Unselected Birch.


Cove and Bead Sticking. Standard width stiles and rails.

This Door takes any stain beautifully.
Carried in stock in Unselected Birch, in the principal sizes.

Made especially to order in other Woods, on short notice.

For Stock Sizes and Cost see Price Supplement.

HARDWOOD DOORS



454

Wood—Veneered Unselected Birch.

Cove and Bead Sticking, Standard width stiles
and 12-inch bottom rail.

This Door takes any stain beautifully.

Made especially to order in all Woods, on short
notice.

For Cost see Price Supplement.

HARDWOOD DOORS



455

Wood—Veneered Unselected Birch.

Cove and Bead Sticking, 6-inch wide stiles and 16-inch wide bottom rail.

This Door takes any stain beautifully. Made especially to order in all Woods, on short notice.

For Cost see Price Supplement.

HARDWOOD DOORS



456


Wood—Veneered Plain Sawed Oak.

Cove and Bead Sticking, 6-inch wide stiles and 16-inch wide bottom rail.

This Door takes any stain beautifully. Made especially to order in all Woods, on short notice.

For Cost see Price Supplement.

HARDWOOD DOORS



457

Wood—Veneered Plain Sawed Oak.

Cove and Bead Sticking, Standard width stiles and rails.

This Door takes any stain beautifully. Made especially to order in all Woods, on short notice.

For Cost see Price Supplement.

HARDWOOD DOORS



458

Wood—Veneered Plain Sawed Oak. Can supply
in any other wood.

Made especially to order on short notice.

Sizes Usually Ordered:

- | | |
|--------------|-----------------|
| 2- 8 x 6- 8, | 1 $\frac{3}{4}$ |
| 2-10 x 6-10, | 1 $\frac{3}{4}$ |
| 3- 0 x 6- 8, | 1 $\frac{3}{4}$ |
| 3- 0 x 7- 0, | 1 $\frac{3}{4}$ |
| 3- 6 x 7- 0, | 1 $\frac{3}{4}$ |

For Cost see Price Supplement.

HARDWOOD DOORS



459

Wood—Veneered Quarter Sawed Oak. Can supply in any other Wood.

Made especially to order on short notice.

Sizes Usually Ordered:

2-	8 x 6-	8,	1 $\frac{3}{4}$
2-	10 x 6-	10,	1 $\frac{3}{4}$
3-	0 x 6-	8,	1 $\frac{3}{4}$
3-	0 x 7-	0,	1 $\frac{3}{4}$
3-	6 x 7-	0,	1 $\frac{3}{4}$

For Cost see Price Supplement.

SANITARY DOORS



575

Wood—Veneered Unselected Birch. Can supply
in other Woods.

Made especially to order on short notice.

Sizes Usually Ordered:

2- 0x6- 8, $1\frac{3}{4}$	2- 8x6- 8, $1\frac{3}{4}$
2- 4x6- 8, $1\frac{3}{4}$	2- 8x6-10, $1\frac{3}{4}$
2- 6x6- 6, $1\frac{3}{4}$	2-10x6-10, $1\frac{3}{4}$
2- 6x6- 8, $1\frac{3}{4}$	3- 0x7- 0, $1\frac{3}{4}$

For Cost see Price Supplement.

SANITARY DOORS



576 °

Wood—Veneered Unselected Birch, with inlaid
Ebony and Holly. Can supply in other Woods.


Made especially to order on short notice.

Sizes Usually Ordered:

2- 0x6- 8, 1¾	2- 8x6- 8, 1¾
2- 4x6- 8, 1¾	2- 8x6-10, 1¾
2- 6x6- 6, 1¾	2-10x6-10, 1¾
2- 6x6- 8, 1¾	3- 0x7- 0, 1¾

For Cost see Price Supplement.

SANITARY DOORS



577

Wood—Veneered Plain Sawed Oak with Inlaid
Ebony and Holly

Can supply in other Woods.


Made especially to order on short notice.

Sizes Usually Ordered:

2- 0x6- 8, 1 $\frac{3}{4}$	2- 8x6- 8, 1 $\frac{3}{4}$
2- 4x6- 8, 1 $\frac{3}{4}$	2- 8x6-10, 1 $\frac{3}{4}$
2- 6x6- 6, 1 $\frac{3}{4}$	2-10x6-10, 1 $\frac{3}{4}$
2- 6x6- 8, 1 $\frac{3}{4}$	3- 0x7- 0, 1 $\frac{3}{4}$

For Cost see Price Supplement.

SANITARY DOORS



578

Wood—Veneered Quarter Sawed Oak, with inlaid
Ebony and Holly. Can supply in other Woods.

Made especially to order on short notice.

Sizes Usually Ordered:

2- 0x6- 8, 1 $\frac{3}{4}$	2- 8x6- 8, 1 $\frac{3}{4}$
2- 4x6- 8, 1 $\frac{3}{4}$	2- 8x6-10, 1 $\frac{3}{4}$
2- 6x6- 6, 1 $\frac{3}{4}$	2-10x6-10, 1 $\frac{3}{4}$
2- 6x6- 8, 1 $\frac{3}{4}$	3- 0x7- 0, 1 $\frac{3}{4}$

For Cost see Price Supplement.

SANITARY DOORS



579

Wood—Veneered Unselected Birch. Can supply
in other Woods.

Made especially to order on short notice.

Sizes Usually Ordered:

2- 8 x 6- 8,	1 $\frac{3}{4}$
2-10 x 6-10,	1 $\frac{3}{4}$
3- 0 x 6- 8,	1 $\frac{3}{4}$
3- 0 x 7- 0,	1 $\frac{3}{4}$
3- 6 x 7- 0,	1 $\frac{3}{4}$

For Cost see Price Supplement.

SANITARY DOORS



580

Wood—Veneered Plain Sawed Oak. Can supply
in other Woods.

Made especially to order on short notice.

Sizes Usually Ordered:

2-	8 x 6-	8,	1 $\frac{3}{4}$
2-	10 x 6-	10,	1 $\frac{3}{4}$
3-	0 x 6-	8,	1 $\frac{3}{4}$
3-	0 x 7-	0,	1 $\frac{3}{4}$
3-	6 x 7-	0,	1 $\frac{3}{4}$

For Cost see Price Supplement.

SANITARY DOORS



581

Wood—Veneered Plain Sawed Oak. Can supply
in other Woods.

Made especially to order on short notice.

Sizes Usually Ordered:

2- 8 x 6-	8,	1 $\frac{3}{4}$
2-10 x 6-	10,	1 $\frac{3}{4}$
3- 0 x 6-	8,	1 $\frac{3}{4}$
3- 0 x 7-	0,	1 $\frac{3}{4}$
3- 6 x 7-	0,	1 $\frac{3}{4}$

For Cost see Price Supplement.

SANITARY DOORS



582

Wood—Veneered Quarter Sawn Oak. Can supply in other Woods.

Made especially to order on short notice.

Sizes Usually Ordered:

2-	8 x 6-	8,	13/4
2-	10 x 6-	10,	13/4
3-	0 x 6-	8,	13/4
3-	0 x 7-	0,	13/4
3-	6 x 7-	0,	13/4

For Cost see Price Supplement.

SANITARY DOORS



583

Wood—Veneered Unselected Birch. Can supply
in other Woods.


Made especially to order on short notice.

Sizes Usually Ordered:

2- 8 x 6- 8,	1 $\frac{3}{4}$
2-10 x 6-10,	1 $\frac{3}{4}$
3- 0 x 6- 8,	1 $\frac{3}{4}$
3- 0 x 7- 0,	1 $\frac{3}{4}$
3- 6 x 7- 0,	1 $\frac{3}{4}$

For Cost see Price Supplement.

ROLLING PARTITIONS



These Partitions are used alike for churches, schools, public buildings and residences. Especially in church or school buildings are they very convenient and economical. Invariably there are class rooms adjoining the auditorium, which, if divided off with "roll up" partitions, would without any trouble greatly increase the seating arrangements when said auditorium is taxed beyond its capacity.


This applies to old and new buildings equally as well.

The removable posts can be used as guides between sections of a horizontal partition and can be detached when partitions are coiled up, leaving the opening entirely free from obstruction.

These Partitions have the necessary mechanism to operate freely and to give complete satisfaction. These Partitions are easily placed in position, made of any wood and in any stain, etc. It is naturally better, providing a capable finisher is available, to have same shipped "in the white," thereby having the painting throughout the building match perfectly.

Our prices will be found to be very reasonable. In inquiring, kindly send plans of proposed installation or give exact size of opening to be filled, and state whether the partitions are to be placed on the wall and coil up above the opening, or between the jambs and coil up above the ceiling, or between the jambs and coil up below the ceiling.

STOCK CAP HEAD, BASE BLOCK, BASE
AND CORNER BEADS, AND
EMBOSSED MOULDING



700



704



710




711



713



715




716

Wood—Yellow Pine.

For description, sizes and cost, see both Price Supplement and Current Dealers' Prices—the latter at all times superseding the former.

TRIM FOR DOORS AND WINDOWS



725

Wood—Yellow Pine.

Specifications:


Side Casing	$\frac{3}{4}$ x $4\frac{3}{4}$
Head Casing	$1\frac{1}{8}$ x $6\frac{1}{2}$
Base	$\frac{5}{8}$ x $7\frac{1}{4}$
Floor Mould	$\frac{1}{2}$ x $\frac{3}{4}$
Stool	$1\frac{1}{8}$ x $3\frac{3}{4}$
Apron	$\frac{3}{4}$ x $4\frac{1}{2}$
Apron Mould	$\frac{1}{2}$ x $\frac{3}{4}$

We are prepared to promptly furnish this Trim,
very carefully milled, in all Woods.

Cost depends upon quantity required.

We solicit inquiries for same.

TRIM FOR DOORS AND WINDOWS



726

Wood—Yellow Pine.

Specifications:


Mitre Casing	$\frac{3}{4} \times 4$
Back Band	$1\frac{1}{8} \times 1\frac{1}{8}$
Base	$\frac{3}{4} \times 7\frac{1}{4}$
Base Mould	$\frac{3}{4} \times 1\frac{1}{8}$
Floor Mould	$\frac{1}{2} \times \frac{3}{4}$
Stool	$1\frac{1}{8} \times 3\frac{3}{4}$
Apron	$\frac{3}{4} \times 4\frac{1}{2}$
Apron Mould	$\frac{3}{4} \times \frac{7}{8}$

We are prepared to promptly furnish this Trim, very carefully milled, in all Woods.

Cost depends upon quantity required.

We solicit inquiries for same.

TRIM FOR DOORS AND WINDOWS



727

Wood—Yellow Pine.

Specifications:


Side Casing	$\frac{3}{4} \times 4\frac{3}{4}$
Head Casing	$\frac{3}{4} \times 5$
Cap Mould	$1\frac{1}{8} \times 2\frac{1}{4}$
Mould under Cap	$\frac{3}{4} \times \frac{3}{4}$
Fillet	$\frac{1}{2} \times 1\frac{1}{8}$
Base	$\frac{3}{4} \times 7\frac{1}{4}$
Floor Mould	$\frac{1}{2} \times \frac{3}{4}$
Stool	$1\frac{1}{8} \times 3\frac{3}{4}$
Apron	$\frac{3}{4} \times 4\frac{1}{2}$
Apron Mould	$\frac{1}{2} \times \frac{3}{4}$

We are prepared to promptly furnish this Trim, very carefully milled, in all Woods.

Cost depends upon quantity required.

We solicit inquiries for same.

TRIM FOR DOORS AND WINDOWS



728

Wood—Yellow Pine.

Specifications:


Mitre Casing	$\frac{3}{4}$ x 5
Cap Mould	$1\frac{3}{4}$ x $2\frac{1}{2}$
Base	$\frac{3}{4}$ x $7\frac{1}{4}$
Floor Mould	$\frac{1}{2}$ x $\frac{3}{4}$
Base Block	$1\frac{1}{8}$ x $5\frac{1}{4}$ x 10
Stool	$1\frac{1}{8}$ x $3\frac{3}{4}$
Apron	$\frac{3}{4}$ x $4\frac{1}{2}$
Apron Mould	$\frac{3}{4}$ x $\frac{7}{8}$

We are prepared to promptly furnish this Trim, very carefully milled, in all Woods.

Cost depends upon quantity required.

We solicit inquiries for same.

TRIM FOR DOORS AND WINDOWS



729

Wood—Yellow Pine.

Specifications:


Side Casing	$\frac{3}{4} \times 4\frac{3}{4}$
Head Casing	$\frac{3}{4} \times 4\frac{1}{2}$
Cap Mould	$1\frac{1}{8} \times 2\frac{1}{4}$
Fillet	$\frac{7}{16} \times 1\frac{1}{8}$
Base	$\frac{3}{4} \times 7\frac{1}{4}$
Base Mould	$\frac{3}{4} \times 2\frac{1}{4}$
Floor Mould	$\frac{1}{2} \times \frac{3}{4}$
Base Block	$1\frac{1}{8} \times 5 \times 10$
Stool	$1\frac{1}{8} \times 4\frac{1}{4}$
Apron	$\frac{3}{4} \times 4\frac{1}{2}$
Apron Mould	$\frac{3}{4} \times \frac{7}{8}$

We are prepared to promptly furnish this Trim, very carefully milled, in all Woods.

Cost depends upon quantity required.

We solicit inquiries for same.

TRIM FOR DOORS AND WINDOWS



730

Wood—Yellow Pine.

Specifications:


Side Casing	$\frac{3}{4} \times 4\frac{1}{2}$
Head Casing	$\frac{3}{4} \times 4\frac{1}{2}$
Cap Mould	$1\frac{3}{8} \times 2$
Fillet	$\frac{3}{4} \times 1\frac{1}{8}$
Base	$\frac{3}{4} \times 7\frac{1}{4}$
Base Mould	$\frac{3}{4} \times 2\frac{1}{4}$
Floor Mould	$\frac{1}{2} \times \frac{3}{4}$
Base Block	$1\frac{1}{8} \times 4\frac{3}{4} \times 10$
Stool	$1\frac{1}{8} \times 3\frac{3}{4}$
Apron	$\frac{3}{4} \times 4\frac{1}{2}$
Apron Mould	$\frac{3}{4} \times \frac{7}{8}$

We are prepared to promptly furnish this Trim, very carefully milled, in all Woods.

Cost depends upon quantity required.


We solicit inquiries for same.

BEAM FINISH AND ROOM CORNICE MOULDINGS




Wall Beam 740
Size of frieze $\frac{7}{8} \times 7$ "
not including Mouldings.


Main Beam 741
Size 6×6 "
not including Mouldings.



Wall Beam 742
Size 3×6 "
not including Mouldings.




Main Beam 743
Size 5×6 "
not including Mouldings.




Wall Beam 744
Size of frieze $\frac{7}{8} \times 5\frac{1}{2}$ "
not including Mouldings.

Main Beam 745
Size $5\frac{1}{2} \times 2$ "
not including Mouldings.



Cornice Moulding 746
Projection 4", Drop 4"




Cornice Moulding 747
Projection 5", Drop 5"

Wood—Plain Sawed Oak.

Can be furnished in any wood, in the knock-down,
ready to put up.


For Cost see Price Supplement.

STOCK PLATE RAILS




Projection 3", Drop 2½"
Size of Plate Shelf...¾x3"
Size of Moulding...¾x1¾"

750



Projection 3¾", Drop 2⅝"
Size of Plate Shelf...¾x3¾"
Size of Moulding...¾x2¼"

751



Projection 3¾"
Drop 4¼"
Size of Plate Shelf
¾x3¾"
Size of Apron ¾x3½"
Size of Moulding
¾x1¼"
Size of Bracket
1⅞x2⅜"
Brackets to be spaced
18" on center


752

Wood—Yellow Pine.

Can be furnished in any wood, in the knock-down,
ready to put up.

For Cost see Price Supplement.

WALL PANELING



775

Wood—Yellow Pine.
Can be furnished in any Wood.




776

Wood—Yellow Pine.
Can be furnished in any Wood.

In design 775 the open part is either tinted plaster, with burlap backing, or with Wall Board, likewise tinted, making a handsome color combination possible.

Cost quoted upon inquiry.

WALL PANELING



777

Wood—Quarter Sawed Oak.
Can be furnished in any Wood.



778

Wood—Quarter Sawed Oak.
Can be furnished in any Wood.

Any of these paneled designs greatly enhance
the appearance of the Hall, Living Room, Dining
Room, etc.

Cost quoted upon inquiry.

WALL BOARD



On this, as well as the succeeding page, we show some of the uses the Wall Board we carry in stock, can be put to.

Wall Board is the nearest perfect lining for Walls and Ceilings.

Plaster has never been regarded as an ideal or sanitary lining. It cracks—it crumbles—and it falls.

Wall Board takes the place of the old time honored materials used before its advent into sanitary construction, doing away with the ever-fading wall paper.

It offers an inexpensive, sanitary lining that is more easily and more quickly applied—a tough, strong, durable lining that can never chip, crack or fall—a warm, fire-resisting, waterproofed lining that does away with the muss, dirt, delay and inconvenience of plaster.

In the home, it can be used for a single room or an entire house. Unlivable space in the attic that costs money for rent and taxes can be transformed into attractive, livable rooms at comparatively little expense. Continuing our reference on this commodity, Wall Board is also used extensively in Public Buildings, such

For Cost on Upson and Square Deal Wall Boards, see
Price Supplement.

WALL BOARD



as hotels, churches, clubs, factories and other structures where a strong interior lining is essential. It often saves its cost the first year in lessened fuel bills.

The panels are clean, light and easy to handle, being quickly cut with a knife or a fine-tooth saw.

They are applied direct to the studding or joists or over old plaster, being nailed around the edges and through the center. Then the panels are painted and the edges or seams covered with decorative strips. Explicit directions for applying are included in every bundle.

No wall lining will lend itself to more artistic decoration or as readily reflect the individuality of the owner. The panels can be made inconspicuous, or harmoniously contrastive, if desired, and painted in soft, delicate tints or rich, velvety shades. When finished with washable paints, it can be cleaned like woodwork. It is, therefore, more sanitary than plaster or wall paper.

One of the chief uses is for recovering old plaster ceilings. There is nothing better at any price. It saves endless time and worry—one-third the time of building or repairing.

Samples and descriptive circulars furnished on request.

For Cost on Upson and Square Deal Wall Boards, see
Price Supplement.

STAIR WORK

One of Our Leading Specialties is High-Grade Stair Work.


Our Stair Department is very complete and very fully equipped. We have made a particular study of this branch of the business, and no job is too intricate for our skilled Mechanics to execute. We are prepared to handle all orders promptly, whether from designs selected from Catalogs or from Architects' details.

Our stock specialties are shown on pages 166 to 170. By specifying these designs we can give prompt service and very attractive prices.


Stair Ground Plans.

If any of the following designs do not fit or suit the contemplated job, write us, enclosing a sketch of the building to be erected, and we will be glad to suggest best suited stairway.


Plan 1




Plan 2




Plan 3




Plan 4



Plan 5



Plan 6



Directions Necessary for Ordering Stairs and Stair Railing.

When a flight of stairs is wanted, we should know the height of story from floor to floor, width of joists in second story, width and run of stairs, the size of cylinder, style of base used in the hall, with rough sketch showing about the shape of stairs wanted.

For Stair Railing—Straight Flight.

We require the width of rise and step as sawed out on string board, the number of risers, the size of cylinder from face to face of string or face board, which way it turns at head of stairs, and the number of feet of straight rail required at landing. Unless we receive plan showing otherwise, we always suppose the top riser for a

See succeeding page for continuation.

Stair Work.

Directions, etc., cont'd from previous page.

straight flight of stairs to be placed at the edge or spring of cylinder.

For Circular or Winding Stairs.

We should have an exact plan of stairs as built, giving the width of rise and step, the location of risers in cylinder, etc.; and, when there are straight steps below or above the cylinder, always give the distance from the first square riser to the edge or spring line of cylinder, on the face of string or face board.

Always write your address in full on the plans.

STAIR RAIL CROOKS



Easing



Quarter Turn




Turn Out



Goose Neck



Platform
Cylinder
Crook



Landing
Cylinder
Crook

The above illustrations show different designs of Crooks used in present day stair construction.

STOCK STAIR NEWELS




Wood—Yellow Pine.

These Newels are stock in Yellow Pine only, but we are prepared to promptly furnish in any wood. Size of shaft of Main or Starting Newels 800 and 802, is 6x6 with 8x8 base; that of Angle or Platform Newel 801, 5x5.

For Cost see Price Supplement.

STOCK STAIR RAIL




Rail 810— $2\frac{3}{4} \times 3\frac{1}{2}$, for $1\frac{3}{4}$ Balusters



Fillet 811— $\frac{5}{16} \times 1\frac{3}{8}$
Fillet 812— $\frac{5}{16} \times 1\frac{3}{4}$



Convertible 813
 $\frac{7}{16} \times 1\frac{3}{4}$, to be used
for $1\frac{3}{8}$ Balusters



Fillet 814— $\frac{5}{8} \times 1\frac{3}{4}$
Shoe 815— $\frac{3}{4} \times 2\frac{1}{2}$, for $1\frac{3}{4}$ Balusters and $1\frac{3}{4}$
Face String


Note—When ordering Shoe 815 state how many feet of Fillet 814 is wanted, since not as much is required as the Shoe itself. In absence of any specific instructions to the contrary, will only supply the Shoe.

Wood—Yellow Pine.

These Rails are stock in Yellow Pine only, but we are prepared to promptly furnish in any wood. See succeeding page for additional Stair Rail.

For Cost see Price Supplement.


STOCK STAIR RAIL AND BALUSTERS



Rail 816— $2\frac{3}{4} \times 3\frac{1}{2}$, for $1\frac{3}{4}$ Balusters

Wood—Yellow Pine.

This Rail is in stock in Yellow Pine only, but we are prepared to promptly furnish in any wood. The Fillet, Convertible and Shoe shown on preceding page is intended to be used in connection with this Stair Rail as well.



820

821

822

823

824


Wood—Yellow Pine.

These Balusters are stock in Yellow Pine only, but we are prepared to furnish promptly in any wood. These Balusters come in two lengths, viz: 28 and 32 inches, are either $1\frac{3}{8}$ or $1\frac{3}{4}$ inch thick, excepting 823, which is $\frac{3}{4} \times 3$. All Balusters are wrapped in heavy paper of 25 of a size and kind.

For Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

**STOCK STAIR WALL RAIL, WALL
PLATE, ACORN END, STAIR
BRACKET AND BOLTS**



Wall Rail 830— $1\frac{7}{8}$ " diameter


Stock in Yellow Pine only, but we are prepared to promptly furnish in any wood. This appertains to the Wall Plates and Acorn Ends as well.



Wall Plate 831
 $\frac{3}{4}$ " thick, 5" diameter
Yellow Pine



Acorn End 832
For 2" Rail
Yellow Pine



Iron Rail Bracket 833



Iron Bolt 837— $4\frac{1}{2}$ x $11/32$



Iron Bolt 838— $4\frac{1}{2}$ x $11/32$


These Bolts are primarily for connecting two or more pieces of Stair Rail, and are also adapted for various other usage.

For Cost see Price Supplement.

STOCK STAIR MATERIAL

TREADS—3'5" long.
839— $1\frac{1}{8}$ x $9\frac{1}{2}$ " wide
840— $1\frac{1}{8}$ x $11\frac{1}{2}$ " wide

These are Nosed one edge
Machine smoothed



841—RISERS

$\frac{3}{4}$ x $7\frac{3}{4}$ ", 3'5" long S2S
Machine smoothed

842—WALL
STRINGER
 $1\frac{1}{8}$ x $11\frac{1}{2}$ " S2S
Machine smoothed



842




843—FACE
STRINGER

$\frac{3}{4}$ x $11\frac{1}{4}$ " S2S
Machine smoothed

843

We do not cut for steps, since every job varies.
This stock is supplied perfectly square.

CIRCLE END TREADS AND RISERS



844—Quarter Circle End



845—Half Circle End

In ordering state whether right or left-hand turn
is wanted.

Wood—Plain Sawed Oak.

The above are stock in Yellow Pine only, but we
are prepared to furnish promptly in any wood.

We also supply—

Return Nosing 847— $1\frac{1}{8}$ x $1\frac{1}{4}$
Scotia 848— $\frac{3}{4}$ x $\frac{7}{8}$

For Cost see Price Supplement.

STAIR DESIGNS



850




851

In these designs, as well as on succeeding page,
our stock Stair material, as illustrated on pages
166 to 170, will readily be recognized.

Prompt shipment is assured.

STAIR DESIGNS



852



853

All our Stair work is carefully machined and fitted, ready to put together, shipped in the knock-down, well crated. Satisfaction is assured. We welcome the opportunity.

A STAIRWAY IDEA



855

This illustration portrays the Colonial style of architecture, which to this day is very pleasing. Note the massive beam ceiling work and wall paneling.


Wall Board as referred to on pages 162 and 163 was used in connection with this beam effect, as well as for the walls and straight ceiling throughout this dwelling house.

We are in very good position to take care of any Stair order, be it ever so complicated. We will certainly get same out in such shape as to readily have the contractor on the job put same up without the least trouble.

We solicit your inquiries, which kindly let be as explicit as possible, accompanied by blue prints, etc.

We venture the suggestion to give pages 164-172 more than a passing glance. It will certainly pay you well.

WINDOW SEATS



860

Wood—Quarter Sawed Oak




861

Wood—Quarter Sawed Oak

We are prepared to promptly furnish in all woods, made with either hinged or stationary seats, as desired.


Cost upon inquiry, stating size of opening, height of seat, and distance from window stool to floor line.

HALL SEATS



862

Wood—Plain Sawed Oak.



863

Wood—Plain Sawed Oak.

We are prepared to furnish promptly in all woods, made with either hinged or stationary seats, as desired.

Cost upon inquiry, giving detailed information as to width, height, etc.

The best of mechanical skill is assured in this, as well as all our millwork.

STOCK COLONNADE



900

Wood—Yellow Pine.

Specifications:

Yellow Pine or Plain Red Oak.

Column either 6" or 8" diameter and 6 feet long.

Pedestal is paneled on sides and face, 28" wide, 28" high, 9" face and 12" top. Same has 4" lug that can easily be cut off if desired. Is supplied without base, since same should match balance of the house.

Finish—In the white, hand smoothed, ready for use.

For Cost see Price Supplement.

STOCK COLONNADE



901

Wood—Plain Sawed Oak

Specifications:

Plain Red Oak or Yellow Pine.


Column either 6" or 8" square and 6 feet long.

Pedestal is paneled on sides and face, 28" wide, 28" high, 9" face and 12" top. Same has 4" lug that can easily be cut off if desired. Is supplied without base, since same should match balance of the house.

Finish—In the white, hand smoothed, ready for use.

For Cost see Price Supplement.

STOCK COLONNADE



902

Wood—Yellow Pine.

Specifications:

Yellow Pine or Plain Red Oak.

Column either 6" or 8" square and 6 feet long.

Pedestal is paneled on sides and face, 28" wide, 28" high, 9" face and 12" top. Same has 4" lug that can easily be cut off if desired. Is supplied without base, since same should match balance of the house.

Finish—In the white, hand smoothed, ready for use.

For Cost see Price Supplement.

STOCK COLONNADE



903

Wood—Plain Sawed Oak

Specifications:

Plain Red Oak or Yellow Pine.

Column either 6" or 8" square and 4 feet long.

Pedestal has 2 vertical panel back and panel on face as shown, is 2'4" wide and 4 feet high, glazed 1 light 16x33 leaded clear glass as shown, complete with adjustable shelves. Doors would open in same room.

Finish—In the white, hand smoothed, ready for use.

For Cost see Price Supplement.

STOCK COLONNADE



904

Wood—Yellow Pine.

Specifications:

Yellow Pine or Plain Red Oak.

Column either 6" or 8" square and 4 feet long.

Pedestal has 2 vertical panel back and panel on face as shown; also panel door under writing desk; is 2'4" wide and 4 feet high, complete as shown, with adjustable shelves in lower part.

Writing desk and door would open in same room.

Finish—In the white, hand smoothed, ready for use.

For Cost see Price Supplement.

STOCK COLONNADE



905

Wood—Plain Sawed Oak.

Specifications:

Plain Red Oak or Yellow Pine.

Column either 6" or 8" square and 4 feet long.

Pedestal has 3 vertical panel back and panel on face as shown, is 3'4" wide and 4 feet high, has double doors, glazed 2 lights 12x33 leaded clear glass as shown, complete, with adjustable shelves.

Doors would open in same room.

Finish—In the white, hand smoothed, ready for use.

For Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

HARDWOOD FLOORING

End Matched, Polished and Kiln Dried




Illustration shows end-matched Flooring. We can furnish, in random lengths only of 2 to 16 feet, for immediate shipment, the following woods and sizes:

Clear Maple	$\frac{3}{8} \times 2''$ face
Clear Maple	$13/16 \times 2\frac{1}{4}''$ face
Clear Maple	$13/16 \times 3\frac{1}{4}''$ face
Clear Plain Red and White Oak	$\frac{3}{8} \times 1\frac{1}{2}''$ face
Clear Plain Red and White Oak	$\frac{3}{8} \times 2''$ face
Clear Plain Red and White Oak	$13/16 \times 2\frac{1}{4}''$ face
Clear Quart. Red and White Oak	$\frac{3}{8} \times 2''$ face
Clear Quart. Red and White Oak	$13/16 \times 2\frac{1}{4}''$ face

For Cost see Price Supplement.

Can also supply on short notice other sizes and grades, which we will price upon inquiry.

Approximate Weights:

$\frac{3}{8}''$,	1,000 lbs. per 1,000 feet
$13/16''$,	2,100 lbs. per 1,000 feet

To arrive at the amount of Flooring required, compute the square feet of surface in the room and add to same the following percentages:

$\frac{3}{8} \times 1\frac{1}{2}''$ face,	add 33 $\frac{1}{3}$ %
$\frac{3}{8} \times 2''$ face,	add 25%
$\frac{3}{8} \times 2\frac{1}{4}''$ face,	add 25%
$13/16 \times 1\frac{1}{2}''$ face,	add 50%
$13/16 \times 2''$ face,	add 37 $\frac{1}{2}$ %
$13/16 \times 2\frac{1}{4}''$ face,	add 33 $\frac{1}{3}$ %
$13/16 \times 3\frac{1}{4}''$ face,	add 25%

A Few Reasons for Flooring's Superiority Over Carpets:

- 1st—They are more sanitary.
 - 2nd—They are more healthful, handsome and economical.
 - 3rd—They are kept clean with less labor and only require dusting the same as furniture, the unpleasant task of sweeping being entirely eliminated.
 - 4th—They are cheaper than carpets and far more harmonious with the surrounding furniture.
 - 5th—They will outwear more expensive carpets many times over and also retain their natural appearance for years with very little care.
- Our flooring is run on a slow feed and is perfectly matched, both sides and ends; surfaces sanded to a polish, also bundled in such a manner as to protect face from dirt.

HARDWOOD MANTEL



1000

Specifications:


Width 54 to 60 inches, height 56 inches, projection $3\frac{3}{4}$ inches, tile opening 36x36 inches. Stock finishes, Plain Sawed Oak and Birch Mahogany, superior gloss finish.

For Outfits, see pages 190 to 196.

This Mantel will appeal strongly to those desiring a plain, but pleasing design, free from ornamentation. The detail is perfect and this Mantel is appropriate for any room.

For Cost see Price Supplement.

HARDWOOD MANTEL



1001

Specifications:

Width 54 to 60 inches, height 78 inches, projection $3\frac{3}{4}$ inches, tile opening 36x36 inches, columns 3 inches, beveled plate mirror 24x14 inches. Stock finishes, selected Oak and Birch Mahogany, superior gloss finish.

For Outfits, see pages 190 to 196.

This Mantel is a neat and attractive design. The proportions are perfect, material, construction and finish the best. Will look good when combined with any furniture.

For Cost see Price Supplement.

HARDWOOD MANTEL



1002

Specifications:

Width 60 inches, height 56 inches, projection 4 inches, tile opening 42x39 inches. Stock finishes, Birch Mahogany, piano polish and also (as illustrated) primed three coats white, ready for velvet white enamel.

For Outfits, see pages 190 to 196.

This Colonial style Mantel has become a general favorite because of its dainty design and graceful lines. It is very popular for the parlor, living or bed room.

For Cost see Price Supplement.

HARDWOOD MANTEL



1003

Specifications:

Width 55 to 60 inches, height 84 inches, projection 3 inches, tile opening 42x39 inches, columns $3\frac{1}{4}$ inches, beveled plate mirror 36x18 inches. Stock finishes, selected Oak (columns and face of shelves being Quarter Sawed, balance Plain Sawed) and Birch Mahogany, piano polish.

For Outfits, see pages 190 to 196.

Can be had with Round Columns—design then being 1003 $\frac{1}{4}$.

Further, with two long Square Columns—design then being 1003 $\frac{1}{2}$.

Also with two long Round Columns—design then being 1003 $\frac{3}{4}$.

This design will satisfy as to style and the moderate price it carries, is suitable for any size room or style of furniture. Every part entering into its construction is of selected stock.

For Cost see Price Supplement.

HARDWOOD MANTEL



1004

Specifications:

Width 60 inches, height 84 inches, projection $3\frac{3}{4}$ inches, tile opening 42x39 inches, columns and pilasters $3\frac{1}{2}$ inches, beveled plate mirror 36x18 inches. Stock finishes, selected Oak (columns, pilasters and face of shelves being Quarter Sawed, balance Plain Sawed) and Birch Mahogany, piano polish.

For Outfits, see pages 190 to 196.

Can be had with Round Columns in the upper part—design then being 1004½.

This Mantel is a very popular design, is neither ornamental nor plain, but is of good appearance, is well proportioned and therefore is a good adjunct to any room.

For Cost see Price Supplement.

HARDWOOD MANTEL



1005

Specifications:

Width 60 inches, height 72 inches, projection 3 inches, tile opening 42x42 inches, beveled plate mirror 46x14 inches. Stock finishes, selected Oak (columns and face of shelf being Quarter Sawed, balance Plain Sawed) and Birch Mahogany, piano polish.

For Outfits, see pages 190 to 196.

Can be had with Square Columns—design then being 1005½.

This is an exceptionally attractive design at a very medium price, and is well suited for either a large or ordinary size room. The beveled plate mirror adds very materially to make this a ready seller.

For Cost see Price Supplement.

HARDWOOD MANTEL



1006

Specifications:

Width 60 inches, height 73 inches, projection $3\frac{1}{2}$ inches, tile opening 42x42 inches, pilasters $3\frac{1}{4}$ in. face at bottom and 3 in. face at top, beveled plate mirror 42x16 inches. Stock finishes, Quarter Sawed Oak and Birch Mahogany, piano polish.

For Outfits, see pages 190 to 196.

This is another Colonial style, built with pilasters instead of columns—a very pleasing effect. It is appropriate for any room in the home regardless of size, and will add greatly to its beauty.

For Cost see Price Supplement.

MANTEL OUTFIT No. 2

Unmounted QUEEN Grate.



Open View Regular Coal Grate Set.

Outfit consists of:

Fireplace—No. 1397 plated finish Grate $24\frac{1}{2}$ inches wide, $30\frac{1}{4}$ inches high, with 20 in. Berlin Black Basket, Ash Screen and plated Summer-front.

Best Enameled Tile Facing and Hearth, latter of size 60x21 inches. No Fire Brick or Top Tiles are furnished with unmounted grates, as same can be had to better advantage at home, considering freight, etc.

This style Grate can also be had $30\frac{1}{2}$ inches wide, $30\frac{1}{4}$ inches high, with 24 in. Basket and Summer-front at extra cost.

This Unmounted Queen Grate is unquestionably the best on the market today. The finish is superior to any other make—the best material and workmanship is incorporated in its manufacture. The fire basket is heavy cast iron and hangs on the frame, burning hard or soft coal or wood equally as well.


For Cost see Price Supplement.

MANTEL OUTFIT No. 3

Mounted FAVORITE Grate.



Open View showing interior of fire pot.



Side View showing damper arrangement.

Outfit consists of:

Fireplace—No. 40 plated finish Grate $24\frac{1}{2}$ inches wide, $30\frac{1}{4}$ inches high, with 20 in. Basket, Ash Screen and Plated Summerfront.

Best Enameled Tile Facing and Hearth, latter of size 60x21 inches.

This style Grate can also be had $30\frac{1}{2}$ inches wide, $30\frac{1}{4}$ inches high, with 24 in. Basket and Summerfront at extra cost.

This Grate is built like a stove and requires no labor or expense to set—just push same into the fireplace. Perfect control of fire is had—the heat is regulated, by operating the damper. The slide in the Ash Screen affords an excellent method of ventilation. Hard or soft coal or wood burns equally as well.

For Cost see Price Supplement.

MANTEL OUTFIT No. 4

Mounted MONARCH Grate.



Interior View.



Side View.

Outfit consists of:

Fireplace—No. 1116 plated finish Grate 24½ inches wide, 30¼ inches high, with 20 inch Basket and Plated Summerfront.

Best Enameled Tile Facing and Hearth, latter of size 60x21 inches.

This style Grate can also be furnished in black finish, Mission design No. 1140 at same price but unless otherwise ordered, plated finish No. 1116 will be supplied.

Further—this style Grate can also be had 30½ inches wide, 30¼ inches high, with 24 inch Basket and Summerfront at extra cost.

The merits of the Monarch Grate are well known. It is built like a stove, complete, all in one piece,

See succeeding page for continuation.

MANTEL OUTFIT No. 4

Mounted MONARCH Grate.
(Continued.)

securely bolted together, does not require the service of a skilled mason to set—just push same into the fireplace. The fire pot is lined with fire clay lining in the back and sides.

These grates are supplied with double dampers, which are operated from the front with knobs—see illustrations.

The illustrations show the construction and design of the Mounted Monarch Grates. They are lined, both back and sides, with heavy fire tile, which not only renders them serviceable, but at the same time retains the heat (which usually escapes through the flue) and radiates it through the room.

When ordering repairs, give numbers of parts wanted, as follows:

No.

1. Cross-piece, loose.
3. Upper damper.
4. Lower or direct damper.
6. Ash space between baskets.
8. Outside basket with slide.
9. Inside basket, or fire front.
10. Shaker fingers.
11. Shaker head.
12. Ash screen, or crown piece.
14. Fire tile.
15. Summer piece.
16. Jamb, which can be removed so as to replace tile.

Depth, 12 inches.


Width across back, 17 tile,
20 inches.

Width across back, 16 tile,
16 inches.

The Mounted Monarch Grate is especially intended for very cold climates or where intense heat is desired.

This grate burns either hard or soft coal, coke or wood.

For Cost see Price Supplement.



MANTEL FIREPLACE TRIMMINGS



Common Ash Trap
1015—7x 9 inches
1016—9x11 inches



Automatic Ash Trap
1018—7x9 inches



Ash Pit Door—Hinged

- 1020—12x 8 inches
- 1021—12x10 inches
- 1022—12x12 inches
- 1023—16x12 inches
- 1024—20x14 inches



Ratchet Damper

24 to 60 inches long, 9 inches deep


- | | |
|---------------------|---------------------|
| 1029—24 inches long | 1035—36 inches long |
| 1030—26 inches long | 1036—40 inches long |
| 1031—28 inches long | 1037—42 inches long |
| 1032—30 inches long | 1038—45 inches long |
| 1033—32 inches long | 1039—48 inches long |
| 1034—34 inches long | 1040—54 inches long |
| 1041—60 inches long | |

For Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

MANTEL FIREPLACE TRIMMINGS (Continued)



Dome Damper
(For Sectional
View, see below)

New and improved dome damper, sloping top, splayed ends, solid door, operated from outside by rod through face of fireplace. Brass handle to rod so placed as to indicate opening of door, which can be adjusted to any opening by a partial turn of handle. This damper differs from all others in that the mechanism is exposed inside of dome so as to be able to adjust the damper rod to proper position after the body is in place; can be easily repaired if ever out of order. The door can be removed and replaced at will, thereby giving free access to flue when cleaning out, repairing, or to set damper.



Following are Stock sizes:

No.				Base of Dome		
	Front	Back	Depth	Front	Rear	Depth
1050	28"	20 ³ / ₄ "	15 ¹ / ₂ "	24"	18 ¹ / ₂ "	12 ¹ / ₂ "
1051	32"	28"	15 ¹ / ₂ "	28"	22"	12 ¹ / ₂ "
1052	34"	26 ¹ / ₄ "	15 ¹ / ₂ "	30"	24"	12 ¹ / ₂ "
1053	37"	33"	15 ¹ / ₂ "	33"	27"	12 ¹ / ₂ "
1054	40"	32"	15 ¹ / ₂ "	36"	30"	12 ¹ / ₂ "
1055	43"	39"	15 ¹ / ₂ "	38"	33"	12 ¹ / ₂ "
1056	46"	38"	15 ¹ / ₂ "	42"	36"	12 ¹ / ₂ "
1057	52"	44 ¹ / ₂ "	15 ¹ / ₂ "	48"	42"	12 ¹ / ₂ "
1058	58"	50 ³ / ₄ "	15 ¹ / ₂ "	54"	48"	12 ¹ / ₂ "
1059	64"	59 ¹ / ₂ "	17 ¹ / ₂ "	59 ¹ / ₂ "	53 ¹ / ₂ "	12 ¹ / ₂ "

Sectional View of Damper, showing position of mechanism used in operating Damper Door.


Half turn of handle either opens or closes the door; can be adjusted to any opening and handle indicates position.

Door can be removed by lifting it from left bearing first, then drawing it away from closed bearing on the right.

The cam on damper rod must be placed so set screw is in the front.

For Cost see Price Supplement.

TILE—MOUNTED IN SLABS



The above illustration shows our Tiling mounted in slabs as we send it out (when so ordered), all ready to place in position. "A" represents a section of facing in position; "B" and "C" represent similar sections of facing to occupy the blank spaces so marked; "D" represents the tile hearth. When prepared in this manner they can be set in place by anyone, and do not require the services of a skilled mechanic. The beauty of a mantel depends largely upon how the tile facing and hearth are set, and if you desire a nice smooth job of tile work and cannot command the services of a good tile layer, we recommend that you have us mount the tile for you. We take particular pains in packing the slabs when mounted, and always ship the large slabs packed on edge, which we find to be the very best way to ship them, as they almost invariably reach destination in perfect condition.


When the facing has been ordered mounted, it is only necessary to prop the sections of the facing in places, as per illustration, and then build up behind same solid with common brick and mortar, then the facing is all ready to receive the grate.

When the hearth has been ordered mounted, it is only necessary to lay same down on the floor where it is to be set; now mark out around it with a pencil, then cut out the floor to fit same. This space should be boxed in and a sub-floor put down about 3 inches below the regular floor, so as to form a box to receive the concrete and mortar; now fill in this with good, rich lime mortar or cement, having same sufficiently soft so hearth will bed down nicely; now lay hearth and see that it is evenly bedded.

For Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.


STOCK MANTEL SHELF




1075—4 ft. 6 in. wide

Stock in Yellow Pine and Cypress only, but we are prepared to promptly furnish in any wood.
For Cost see Price Supplement.

MANTEL SHELVES TO SET ON BRICK WORK



1077—Wood—Plain Sawed Oak



1078—Wood—Plain Sawed Oak.

Designs 1077 and 1078 made especially to order in all woods, on short notice.

These are often used in connection with Book Cases on both sides of chimney.

Cost upon detailed inquiry, giving size of chimney breast or the extreme length if extend over Book Case, and width of Shelf desired.



**STOCK
MANTEL**


1080—5 ft. wide

Stock in Yellow Pine and Cypress only, but we are prepared to promptly furnish in any wood.

For Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

STOCK KITCHEN TRIMMINGS AND
TABLE LEG



Sink Leg 1100— $1\frac{3}{4}$ x 32—Fir, which closely matches Yellow Pine

Sink Capping 1101— $\frac{3}{4}$ x $3\frac{1}{2}$ —Oak


Sink Facia 1102— $\frac{3}{4}$ x $5\frac{1}{2}$ and $7\frac{1}{2}$ —Yellow Pine

Sink Scotia 1103— $\frac{3}{4}$ x $\frac{7}{8}$ —Yellow Pine

Sink or Drain Board 1104—22x24 and 22x30—Uns. Birch and Plain Red Oak

Sink Drawer 1105—14x16x4—Yellow Pine Front

Table Leg 1106— $2\frac{5}{8}$ and $3\frac{1}{2}$ x 30—Fir



Stock
Medicine Cases
in Yellow Pine

Stud opening
20x25 inches

Size of mirror
14x18 inches

Stud opening
22x27 inches

Size of mirror
16x20 inches

1120—Stud opening
20x25 inches

1122—Stud opening
22x27 inches



Stock
Medicine Cases
in Yellow Pine
with Open Shelf

Stud opening
20x31 inches



Size of mirror
14x18 inches

Stud opening
22x33 inches

Size of mirror
16x20 inches


1125—Stud opening
20x31 inches

1127—Stud opening
22x33 inches



For Cost see Price Supplement.

LINEN CLOSET



1135

Wood—Yellow Pine.


Can supply in any other Wood.

Made especially to order on short notice.

Size usually ordered is:

4 ft. wide, 6 ft. 10 in. high and 20 in. deep,
intended to set in recess.

DRAWER CASES



1138

1140

Wood—Yellow Pine.

Can supply in any other wood.


Made especially to order on short notice.

Size usually ordered is:

3 ft. 6 in. wide, 3 ft. high and 20 in. deep,
intended to set in recess.

For Cost see Price Supplement.

CUPBOARDS AND CHINA CLOSETS




1143 Wood—Yellow Pine.

Can supply in any other wood.

Made especially to order on short notice.

Size usually ordered is: 4 ft. 6 in. wide, 6 ft. 10 in. high, 14 in. depth above and 21 in. below counter shelf, intended to be set against wall.



1146 Wood—Plain Sawed Oak.

Can supply in any other wood.

Made especially to order on short notice.

Size usually ordered is: 6 ft. 6 in. wide, 6 ft. 10 in. high and 16 in. deep, intended to set in recess.

Both these designs are furnished in the white, complete, excepting hardware.

For Cost see Price Supplement.

BUFFETS



1148

Wood—Plain Sawed Oak.

Can supply in any other wood. Made especially to order on short notice.

Size usually ordered is, 6 ft. 6 in. wide, 5 ft. 6 in. high and 16 in. deep, intended to be set against wall, to line up with plate rail.



1150

Wood—Plain Sawed Oak.

Can supply in any other wood. Made especially to order on short notice.

Size usually ordered is, 6 ft. 6 in. wide, 6 ft. 10 in. high and 16 in. deep, intended to set in recess.


Both these designs are furnished in the white, complete, excepting hardware.

For Cost see Price Supplement.


FIGURED AND WIRE GLASS




1175
Florentine



1176
Syenite




1177
Maze



1178
Plain Ribbed




1179
Rough Wire




1180
Ribbed Wire

For Cost see Price Supplement.


SHEET PRISM GLASS
(Set in Hard Metal Bars)
AND LEADED CLEAR GLASS




1200



1201



1202




1203


For Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.


LEADED CLEAR GLASS




1204



1205



1206



1207



1208



1209

For Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.


LEADED COLORED ART GLASS




1210




1211




1212




1213



1214



1215



1216


For Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.


LEADED COLORED ART GLASS




1217



1218




1219



1220



1221



1222




1223

For Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

LEADED BEVEL PLATE GLASS



1224




1225



1226



1227



1228



1229



1230

For Cost see Price Supplement.


**STOCK COLUMNS, NEWEL AND
BALUSTER**



1300



1302



1304



1308

Wood—Washington Fir.

Stock sizes of Column 1300, are 4, 5 and 6 in.
8 to 10 ft. long.


Stock sizes of Column 1308, are 6, 8, 10 and 12 in.
diameter. 8 to 10 ft. long.

Stock sizes of Newel 1304, are 4, 5 and 6 in.,
4 ft. long.

Stock sizes of Baluster 1302, are $1\frac{3}{4} \times 1\frac{3}{4}$ in. and
 $2\frac{1}{4} \times 2\frac{1}{4}$ in., 20 and 24 in. long.

For Cost see both Price Supplement and Current
Dealers' Prices—the latter at all times superseding
the former.

STOCK PANELED SHAFT COLUMN



Cross Section of Shaft
showing Dove-Tailed
Joint and Heavy Re-in-
forcement set in at
each end of Shaft.



Column 1312
Newel 1314

Wood—Washington Fir.

Stock Sizes of Column are:

8, 10 and 12 in., 8 to 10 ft. long.


Stock Sizes of Newel are:

8 and 10 in., 4 ft. long.

Shipped complete, ready for use.

For Cost see both Price Supplement and Current
Dealers' Prices—the latter at all times supersed-
ing the former.

STOCK PLAIN SHAFT COLUMN



Cross Section of Shaft
showing Special Double
Tongue and Groove
Glued Joint and Heavy
Re-inforcement set in
at each end of Shaft.



Column 1317
Newel 1319

Wood—Washington Fir.

Stock Sizes of Column are:

8, 10 and 12 in., 8 to 10 ft. long.

Stock Sizes of Newel are:


8 and 10 in., 4 ft. long.

Shipped complete, ready for use.

For Cost see both Price Supplement and Current
Dealers' Prices—the latter at all times superseding the former.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.


STOCK FIR PORCH RAIL




1323
Size $3\frac{1}{8} \times 1\frac{1}{8}$.



1326
Size $3\frac{1}{2} \times 1\frac{1}{8}$.



1324
Size $1\frac{1}{8} \times 3\frac{1}{8}$.




1327
Size $1\frac{1}{8} \times 3\frac{1}{8}$.


1323-1324 for $1\frac{3}{4}$ Bal. 1326-1327 for $\frac{3}{4}$ Bal.

The foregoing Rails are regularly in stock.
For Cost see both Price Supplement and Current
Dealers' Prices—the latter are all times supersed-
ing the former.


SPECIAL PORCH RAIL




1335



1340



1336




1341

These are made especially to order, in any size,
usually as follows:


- 1335. $5\frac{1}{2}$ " wide by 4 " high, for $2\frac{3}{4}$ " Balusters
- 1336. 4 " wide by 4 " high, for $2\frac{3}{4}$ " Balusters
- 1340. $2\frac{3}{4}$ " wide by $2\frac{3}{4}$ " high, for $1\frac{3}{4}$ " Balusters
- 1341. $2\frac{3}{4}$ " wide by $3\frac{1}{2}$ " high, for $1\frac{3}{4}$ " Balusters

For Cost see Price Supplement.


BUNGALOW BRACKETS



1350



1351




1352

Wood—Washington Fir.


These are made especially to order, of any size,
usually of 4 x 4 to 6 x 6 in. stock.

Cost quoted upon inquiry.

**BUNGALOW BRACKETS AND
RAFTER ENDS**




1355




1356




1357




1358



1359



1360



1361



1362




1363

These are made especially to order of any size.
Designs Nos. 1362 and 1363 usually in stock in
10 x 12 and 12 x 14.

Cost quoted upon inquiry.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

BOX WINDOW FRAME FOR FRAME
BUILDING



1400

Specifications: Cypress, except Pulley Stile of Yellow Pine.

Plain Outside Casing, either $\frac{7}{8}$ or $1\frac{1}{8} \times 4\frac{1}{2}$ in., with Water Drip.

Jamb or Pulley Stile $\frac{7}{8} \times 5\frac{1}{2}$ in. for $1\frac{3}{8}$ in. Sash.


Sub Sill. $\frac{7}{8} \times 5\frac{3}{4}$ in.

Show Sill, $1\frac{3}{4} \times 3\frac{3}{4}$ in.


We are prepared to furnish promptly.

For Cost see Price Supplement.

PLANK WINDOW FRAME FOR FRAME
BUILDING



1401



1402

Specifications: Cypress.

Plain Outside Casing, either $\frac{7}{8}$ or $1\frac{1}{8} \times 4\frac{1}{2}$ in.,
with Water Drip.

Jamb, $\frac{7}{8} \times 5\frac{1}{2}$ in. for $1\frac{3}{8}$ in. Sash.

Sub Sill, $1\frac{3}{8} \times 5\frac{1}{2}$ in.

Show Sill, $1\frac{3}{4} \times 3\frac{3}{4}$ in.


Design 1401 for Sash that swing in.

Design 1402 for Sash that swing out.

We are prepared to furnish promptly.

For Cost see Price Supplement.

OUTSIDE TRANSOM DOOR FRAME
FOR FRAME BUILDING



1403

Specifications: Cypress.

Plain Outside Casing, either $\frac{7}{8}$ or $1\frac{1}{8} \times 4\frac{1}{2}$ in.,
with Water Drip.

Jamb, either $1\frac{3}{8}$ or $1\frac{3}{4} \times 5\frac{1}{2}$ in.


Sill, $1\frac{3}{4} \times 7\frac{1}{2}$ in., Plain Oak.

Door Frame without Transom is made of same
dimensions.

We are prepared to furnish promptly.

For Cost see Price Supplement.

BOX WINDOW FRAME FOR STUCCO
BUILDING



1404


Specifications: Cypress, except Pulley Stile of Yellow Pine.

Plain Outside Casing, $1\frac{1}{8} \times 4\frac{1}{2}$ in.
Jamb or Pulley Stile, $\frac{7}{8} \times 5\frac{1}{2}$ in. for either
 $1\frac{3}{8}$ or $1\frac{3}{4}$ in. Sash.
Sub Sill, $\frac{7}{8} \times 5\frac{1}{2}$ in.
Show Sill, $1\frac{3}{4} \times 3\frac{3}{4}$ in.

We are prepared to furnish promptly.

For Cost see Price Supplement.

OUTSIDE DOOR FRAME FOR STUCCO
BUILDING



1405

Specifications: Cypress.

Plain Outside Casing, $1\frac{1}{8} \times 4\frac{1}{2}$ in.


Jamb, $1\frac{3}{8}$ or $1\frac{3}{4} \times 5\frac{1}{2}$ in.

Sill, $1\frac{3}{4} \times 7\frac{1}{2}$ in., Plain Oak.

We are prepared to furnish promptly.

For Cost see Price Supplement.

**BOX WINDOW FRAME FOR BRICK OR
STONE BUILDING**



1407

**Specifications: Cypress, except Pulley Stile of
Yellow Pine.**

Hanging Stile, $1\frac{3}{8} \times 1\frac{3}{4}$ in., Beaded.


Jamb or Pulley Stile, $\frac{7}{8}$ in. thick, for either $1\frac{3}{8}$
or $1\frac{3}{4}$ in. Sash.

Sub Sill, $1\frac{1}{8}$ in. thick.

We are prepared to furnish promptly.

For Cost see Price Supplement.

**OUTSIDE DOOR FRAME FOR BRICK
OR STONE BUILDING**



1408

Specifications: Cypress.

Hanging Stile, $1\frac{3}{8} \times 1\frac{3}{4}$ in., Beaded.


Jamb, $1\frac{3}{4} \times 5\frac{1}{2}$ in.

Sill, None.

We are prepared to furnish promptly.

For Cost see Price Supplement.

**BOX WINDOW FRAME FOR BRICK
VENEER BUILDING**



1409

Specifications: Cypress, except Pulley Stile of Yellow Pine.

Hanging Stile, $1\frac{3}{8} \times 1\frac{3}{4}$ in., Beaded.

Plain Outside Casing, $\frac{7}{8} \times 5$ in.


Jamb or Pulley Stile, $\frac{7}{8}$ in. thick, for either
 $1\frac{3}{8}$ or $1\frac{3}{4}$ in. Sash.

Sub Sill, $1\frac{1}{8}$ in. thick.

We are prepared to furnish promptly.

For Cost see Price Supplement.

OUTSIDE DOOR FRAME FOR BRICK
VENEER BUILDING



1410

Specifications: Cypress.

Hanging Stile, $1\frac{3}{8} \times 1\frac{3}{4}$ in., Beaded.

Plain Outside Casing, $\frac{7}{8} \times 2\frac{1}{2}$ in.


Jamb, $1\frac{3}{4} \times 5\frac{1}{2}$ in.

Sill, None.

We are prepared to furnish promptly.

For Cost see Price Supplement.

INSIDE DOOR FRAME



1412

Specifications: Either Yellow Pine or Cypress.
Jamb, $1\frac{3}{8}$ x $5\frac{1}{2}$ in., double rabbeted for $1\frac{3}{8}$ in.
Door.

Thresholds or Carpet Sills used in connection
with this frame are illustrated on succeeding page.

We are prepared to furnish promptly.

For Cost see Price Supplement.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

INSIDE AND OUTSIDE THRESHOLDS




1415



1416

These are regularly in stock in unselected Birch, in 3-foot lengths, and are shipped in bundles of 10.

FIR WOODEN GUTTER



1420

This is stock in 4, 4½ and 5 inch lengths from 10 to 20 feet—bundled 10 pieces of one length.

PICKETS

These are supplied in Cypress, A and B quality, in lengths of 3 and 4 feet.


Design 1425 measures $\frac{3}{4} \times 2\frac{1}{2}$, and 1426 $1\frac{5}{8} \times 1\frac{5}{8}$.



1425 1426

ORNAMENTAL BUTT DIMENSION SHINGLES

5 in. wide by 16 in. long (5 to 2 in. at Butt).



1431

Square



1432

Octagon



1433

Diamond



1434

Cove



1435

Circle

These Shingles are supplied in Cypress and Western Cedar.

For Cost See Price Supplement.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

ROOFING MATERIAL

We have in RUBBER Roofing the following
Brands:

EVERWEAR

CROSS ROADS

WINNER

PLEEZALL

GLOBE

all of which, for their price, are exceptionally good values. Each roll is 32 in. wide and contains 108 square feet. Nails and liquid cement for seams are included and samples will be gladly sent upon request.

For Cost see Price Supplement.

We are also in position to supply:

Slate Surface Roofing, in rolls 32 in. wide, red or green.

Slate Surfaced Asphalt Shingles, 8 x 12¾ in., red or green.

Tarred Felts, 32 in. wide, 216, 324 and 500 sq. ft. per roll.

Slaters, Stringed and Dry Saturated Felts, 500 sq. ft. per roll, 32 in. wide.

Asphalt Felts, 32 in. wide, 216, 324 and 500 sq. ft. per roll.

Deadening Felts, 36 in. wide, 50 sq. yd. to roll of weight ¾, 1, 1½ and 2 lbs. per sq. yd.

Red Rosin Sized Sheathing, 36 in. wide, 500 sq. ft. per roll in weights of about 20, 25, 30, 35 and 40 lbs.

Blue Plaster Board, 36 in. wide.

250 sq. ft. roll, about 30 lbs.

500 sq. ft. roll, about 60 lbs.

Gray Carpet Lining, 36 in. wide.

50 sq. yd. roll, about 30 lbs.

Insulating Paper, 36 in. wide, Saturated and Coated.

500 sq. ft. roll, about 20 lbs.

500 sq. ft. roll, about 35 lbs.

500 sq. ft. roll, about 45 lbs.

Saturated only.


500 sq. ft. roll, about 30 lbs.

500 sq. ft. roll, about 45 lbs.

Plastic Cement, bbls., half bbls., 50, 25, 10 and 1 lb. Cans. Asphalt Cement, Pitch, Roof Coatings, etc., etc., at prices, which will be found in line with the market, quoted upon inquiry.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

CROWN AND BED MOULDING



Prices are for 100 lineal feet.

See Price Supplement for specific information, as to which patterns are stock, in either or both, of Cypress and Yellow Pine.


Mouldings of other woods made especially to order on short notice.

For numerical index, etc., to Mouldings see pages 236 and 237.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

BED AND COVE MOULDINGS, BASE SHOE, BRICK MOULD, QUARTER AND HALF ROUNDS, STOPS



Prices are for 100 lineal feet.

See Price Supplement for specific information, as to which patterns are stock, in either or both, of Cypress and Yellow Pine.
















Mouldings of other woods made especially to order on short notice.

For numerical index, etc., to Mouldings, see pages 236 and 237.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS. U. S. A.

STOPS, SCREEN MOULDINGS AND APRONS



Prices are for 100 lineal feet.







See Price Supplement for specific information, as to which patterns are stock, in either or both, of Cypress and Yellow Pine.

Mouldings of other woods made especially to order on short notice.

For numerical index, etc., to Mouldings, see pages 236 and 237.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

PANEL STRIP, PICTURE MOULDINGS,
STOOLS AND CHAIR RAIL



Prices are for 100 lineal feet.


See Price Supplement for specific information, as to which patterns are stock, in either or both, of Cypress and Yellow Pine.

Mouldings of other woods made especially to order on short notice.

For numerical index, etc., to Mouldings, see pages 236 and 237.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

HOOK STRIP, SHELF CLEAT, LATTICE,
DRIP CAP AND CASINGS








Prices are for 100 lineal feet.

See Price Supplement for specific information, as to which patterns are stock, in either or both, of Cypress and Yellow Pine.
Mouldings of other woods made especially to order on short notice.
For numerical index, etc., to Mouldings, see pages 236 and 237.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

CASINGS, BASE AND BACK BANDS



Prices are for 100 lineal feet.


See Price Supplement for specific information, as to which patterns are stock, in either or both, of Cypress and Yellow Pine.

Mouldings of other woods made especially to order on short notice.

For numerical index, etc., to Mouldings, see pages 236 and 237.

ST. LOUIS SASH AND DOOR WORKS
ST LOUIS, U. S. A.

CAP TRIM AND THREE MEMBER BASE



Prices are for 100 lineal feet.


See Price Supplement for specific information, as to which patterns are stock, in either or both, of Cypress and Yellow Pine.

Mouldings of other woods made especially to order on short notice.

For numerical index, etc., to Mouldings, see pages 236 and 237.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

SECTION WINDOW FRAME FOR
FRAME BUILDING, WATER TABLE
AND SILL COURSE



Prices are for 100 lineal feet.


See Price Supplement for specific information, as to which patterns are stock, in either or both, of Cypress and Yellow Pine.

Mouldings of other woods made especially to order on short notice.

For numerical index, etc., to Mouldings, see pages 236 and 237.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

SECTION OF BOX WINDOW FRAME
FOR BRICK BUILDING



Prices are for 100 lineal feet.











See Price Supplement for specific information, as to which patterns are stock, in either or both, of Cypress and Yellow Pine.

Mouldings of other woods made especially to order on short notice.

For numerical index, etc., to Mouldings, see pages 236 and 237.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

ASTRAGALS, SLIDING DOOR BAND-
ING, BALUSTER STOCK, PLASTER
BEAD AND PORCH FACIA



Prices are for 100 lineal feet.
See Price Supplement for specific information, as
to which patterns are stock, in either or both, of
Cypress and Yellow Pine.
Mouldings of other woods made especially to
order on short notice.
For numerical index, etc., to Mouldings, see pages
236 and 237.

ST. LOUIS SASH AND DOOR WORKS
ST. LOUIS, U. S. A.

LIST PRICE OF MOULDINGS SHOWN
ON PAGES 226 TO 235

Per 100 Lineal Feet.

No.	Size, Inches	Price	Page
8000	$\frac{3}{4} \times 3\frac{1}{4}$	\$3.50	226
8007	$\frac{3}{4} \times 1\frac{3}{4}$	2.00	226
8008	$\frac{3}{4} \times 2\frac{1}{4}$	2.50	226
8009	$\frac{3}{4} \times 3\frac{5}{8}$	4.00	226
8010	$\frac{3}{4} \times 2\frac{3}{4}$	3.00	226
8011	$\frac{3}{4} \times 2\frac{1}{4}$	2.50	226
8012	$\frac{3}{4} \times 4\frac{1}{4}$	4.75	226
8014	$\frac{3}{4} \times 3\frac{1}{4}$	3.50	226
8016	$\frac{3}{4} \times 1\frac{3}{4}$	2.00	226
8018	$\frac{3}{4} \times 2\frac{1}{4}$	2.50	226
8019	$\frac{3}{4} \times 2\frac{3}{4}$	3.00	226
8020	$\frac{3}{4} \times 3\frac{1}{4}$	3.50	227
8024	$\frac{3}{4} \times 1\frac{3}{4}$	2.00	227
8025	$\frac{3}{4} \times 2\frac{1}{4}$	2.50	227
8026	$\frac{3}{4} \times 2\frac{3}{4}$	3.00	227
8027	$\frac{3}{4} \times 1\frac{3}{4}$	2.00	227
8038	$1\frac{1}{8} \times 1\frac{3}{4}$	3.30	227
8048	$1\frac{3}{4} \times 2$	6.20	227
8059	$\frac{1}{2} \times \frac{7}{8}$	1.00	227
8060	$\frac{3}{4} \times \frac{7}{8}$	1.00	227
8061	$\frac{3}{4} \times 1\frac{1}{8}$	1.25	227
8063	$\frac{1}{2} \times \frac{1}{2}$	1.00	227
8064	$\frac{5}{8} \times \frac{5}{8}$	1.00	227
8065	$\frac{3}{4} \times \frac{3}{4}$	1.00	227
8076	$\frac{5}{16} \times \frac{5}{8}$	1.00	227
8078	$\frac{1}{2} \times 1$	1.25	227
8079	$\frac{5}{8} \times 1\frac{1}{4}$	1.50	227
8082	$\frac{3}{8} \times \frac{7}{8}$	1.00	227
8083	$\frac{3}{8} \times 1\frac{1}{8}$	1.00	227
8084	$\frac{3}{8} \times 1\frac{3}{8}$	1.10	227 & 234
8085	$\frac{3}{8} \times 1\frac{5}{8}$	1.40	227 & 233
8095	$\frac{1}{2} \times 1\frac{5}{8}$	2.00	227
8096	$\frac{1}{2} \times 1\frac{3}{8}$	1.50	228
8097	$\frac{1}{2} \times 1\frac{1}{8}$	1.25	228
8118	$\frac{1}{2} \times 1\frac{1}{8}$	1.25	228
8119	$\frac{1}{2} \times 1\frac{3}{8}$	1.50	228
8120	$\frac{1}{2} \times 1\frac{5}{8}$	2.00	228
8126	$1 \times 1\frac{1}{8}$	2.10	228
8127	$\frac{9}{16} \times \frac{11}{16}$	1.00	228
8128	$\frac{1}{2} \times \frac{5}{8}$	1.00	228
8129	$\frac{3}{8} \times \frac{1}{2}$	1.00	228
8130	$\frac{3}{8} \times \frac{1}{2}$	1.00	228
8139	$\frac{5}{16} \times \frac{5}{8}$.80	228
8140	$\frac{3}{8} \times \frac{3}{4}$.80	228
8143	$\frac{1}{4} \times \frac{3}{4}$.80	228
8144	$\frac{1}{4} \times \frac{3}{4}$.80	228
8147	$\frac{1}{4} \times \frac{3}{8}$	1.00	228
8148	$\frac{13}{16} \times 1\frac{3}{4}$	2.00	228
8149	$\frac{13}{16} \times 1\frac{3}{4}$	2.00	228
8150	$\frac{13}{16} \times 2$	2.25	228
8151	$\frac{5}{8} \times 1\frac{3}{8}$	1.00	228
8152	$\frac{3}{4} \times 3\frac{1}{2}$	3.75	228
8153	$\frac{3}{4} \times 3\frac{1}{2}$	3.75	228
8154	$\frac{3}{4} \times 3\frac{5}{8}$	4.20	228
8155	$\frac{3}{8} \times 2\frac{1}{4}$	2.50	229
8263	$\frac{3}{4} \times 1\frac{3}{4}$	2.00	229

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

LIST PRICE OF MOULDINGS SHOWN ON PAGES 226 TO 235 (Continued)

Per 100 Lineal Feet.

No.	Size, Inches	Price	Page
8266	$\frac{3}{4} \times 3$	\$3.25	229
8267	$1\frac{1}{8} \times 3\frac{3}{4}$	6.60	229
8269	$1\frac{1}{8} \times 4\frac{1}{4}$	7.85	229
8269 $\frac{1}{2}$	$1\frac{1}{8} \times 3\frac{1}{4}$	5.80	229
8270	$1\frac{1}{8} \times 9$	16.50	229
8272	$\frac{5}{8} \times 3\frac{1}{2}$	3.75	229
8274	$\frac{3}{4} \times 5\frac{1}{4}$	6.00	230
8275	$\frac{3}{4} \times 2$	2.25	230
8280	$\frac{5}{16} \times 1\frac{1}{8}$.85	230
8281	$\frac{5}{16} \times 1\frac{3}{8}$	1.00	230
8282	$\frac{5}{16} \times 1\frac{3}{4}$	1.40	230
8283	$1\frac{1}{8} \times 1\frac{5}{8}$	3.30	230
8284	$1\frac{1}{8} \times 2$	3.75	230
8285	$1\frac{1}{8} \times 2\frac{1}{2}$	4.55	230
8286	$1\frac{1}{8} \times 3$	5.40	230
8309	$\frac{3}{4} \times 4\frac{1}{4}$	5.00	230
8310	$\frac{3}{4} \times 4\frac{3}{4}$	6.00	230
8312	$\frac{3}{4} \times 4\frac{1}{4}$	5.00	231
8313	$\frac{3}{4} \times 4\frac{3}{4}$	6.00	231
8385	$\frac{3}{4} \times 5\frac{1}{4}$	6.00	231
8386	$\frac{3}{4} \times 7\frac{1}{4}$	8.00	231
8387	$1\frac{1}{8} \times 1\frac{5}{16}$	3.15	231
8388	$\frac{3}{4} \times 7\frac{1}{4}$	8.00	231 & 232
8389	$1\frac{1}{8} \times 1\frac{3}{4}$	3.55	231
8393	$1\frac{3}{8} \times 2\frac{1}{2}$	5.50	232
8394	$\frac{3}{4} \times 4\frac{1}{2}$	5.50	232 & 234
8395	$\frac{7}{16} \times 1\frac{1}{8}$	1.10	232
8396	$1\frac{1}{8} \times 2\frac{1}{4}$	4.15	232
8397	$\frac{3}{4} \times 5$	6.00	232
8398	$\frac{3}{8} \times 1\frac{1}{8}$	1.10	232
8420	$\frac{3}{4} \times 2\frac{1}{4}$	2.75	232
8422	$\frac{1}{2} \times \frac{3}{4}$	1.00	232
8430	$\frac{3}{4} \times 1\frac{3}{8}$	1.50	233
8432	$\frac{1}{2} \times \frac{3}{4}$	1.00	233 & 234
8441	$1\frac{1}{8} \times 2$	3.75	234
8443	$\frac{3}{4} \times 4\frac{1}{8}$	4.75	234
8444	$\frac{3}{4} \times 4\frac{1}{8}$	4.75	234
8446	$\frac{3}{4} \times 2\frac{3}{8}$		235
8449	$1\frac{5}{8} \times 2\frac{5}{8}$		235
8840	$1\frac{1}{8} \times 4\frac{1}{4}$	8.25	233
8850	$\frac{3}{4} \times 2\frac{3}{8}$	2.75	233
8851	$1\frac{5}{8} \times 2\frac{1}{8}$	6.90	233
8865	$\frac{3}{4} \times 4\frac{1}{8}$	4.75	234
8890	$\frac{5}{16} \times 2\frac{1}{4}$	1.75	235
8891	$\frac{5}{16} \times 1\frac{1}{8}$	1.00	235
8900	$1\frac{1}{8} \times 1\frac{1}{8}$		235
8901	$1\frac{3}{8} \times 1\frac{3}{8}$		235
8902	$1\frac{5}{8} \times 1\frac{5}{8}$		235
8903	$1\frac{5}{8} \times 1\frac{5}{8}$		235
8904	$\frac{3}{4} \times 1\frac{3}{4}$	2.00	235
8905	$1\frac{3}{8} \times 1\frac{3}{8}$		235
8906	$1\frac{3}{8} \times 9\frac{1}{4}$	10.00	235

See succeeding page for price on Special Mould-
ing not shown in this Catalog.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

STANDARD MOULDING LIST FOR FIGURING PRICE ON SPECIAL MOULDINGS NOT IN THIS CATALOG

List Prices Per 100 Lineal Feet

Width Inches	3/4 inch Thick	1 1/8 inch Thick	1 3/8 inch Thick	1 3/4 inch Thick	2 1/4 inch Thick	2 3/4 inch Thick
7/8	\$1.00					
1 1/8	1.25	\$2.05				
1 1/4	1.50	2.50				
1 3/8	1.75	2.90				
1 1/2	1.75	2.90	\$3.50			
1 3/4	2.00	3.30	4.00	\$5.50		
2	2.25	3.70	4.50	6.20		
2 1/4	2.50	4.15	5.00	6.90	\$13.75	
2 1/2	2.75	4.55	5.50	7.55	15.15	
2 3/4	3.00	4.95	6.00	8.25	16.50	\$19.80
3	3.25	5.35	6.50	8.95	17.90	21.45
3 1/4	3.50	5.80	7.00	9.65	19.25	23.10
3 1/2	3.75	6.20	7.50	10.30	20.65	24.75
3 5/8	4.00	6.60	8.00	11.00	22.00	26.40
3 3/4	4.25	6.60	8.00	11.00	22.00	26.40
4	4.50	7.45	9.00	12.40	24.75	29.70
4 1/4	4.75	7.85	9.50	13.05	26.15	31.35
4 1/2	5.00	8.25	10.00	13.75	27.50	33.00
5	5.50	9.10	11.00	15.15	30.25	36.30
5 1/4	6.00	9.50	12.00	16.50	33.00	39.60
5 1/2	6.00	9.90	12.00	16.50	33.00	39.60
5 3/4	6.50	10.75	13.00	17.90	33.75	42.90
6	6.50	10.75	13.00	17.90	35.75	42.90
6 1/4	7.00	11.55	14.00	19.25	38.50	46.20
6 1/2	7.00	11.55	14.00	19.25	38.50	46.20
7	8.00	13.20	16.00	22.00	44.00	52.80
7 1/4	8.00	13.20	16.00	22.00	44.00	52.80
8 1/4	9.50	15.70	19.00	26.15	52.25	62.70
8 3/4	9.50	15.70	19.00	26.15	52.25	62.70
9 1/4	10.00	16.50	20.00	27.50	55.00	66.00
10 1/2	12.00	19.80	24.00	33.00	66.00	79.20
11 1/4	12.00	19.80	24.00	33.00	66.00	79.20

STOPS

STOPS

Thickness	Width	List Price	Thickness	Width	List Price
3/8 in.	x 7/8 in.	\$1.00	1/2 in.	x 7/8 in.	\$1.00
3/8 in.	x 1 1/8 in.	1.00	1/2 in.	x 1 1/8 in.	1.25
3/8 in.	x 1 1/4 in.	1.10	1/2 in.	x 1 1/4 in.	1.50
3/8 in.	x 1 3/8 in.	1.10	1/2 in.	x 1 3/8 in.	1.50
3/8 in.	x 1 1/2 in.	1.40	1/2 in.	x 1 1/2 in.	2.00
3/8 in.	x 1 3/4 in.	1.40	1/2 in.	x 1 3/4 in.	2.00
3/8 in.	x 2 in.	1.60	1/2 in.	x 2 in.	2.25
3/8 in.	x 2 1/4 in.	1.80	1/2 in.	x 2 1/4 in.	2.50
3/8 in.	x 2 1/2 in.	2.00	1/2 in.	x 2 1/2 in.	2.75

CASING AND BASE

CASING AND BASE

Thickness	Width	List Price	Thickness	Width	List Price
3/4 in.	x 3 1/2 in.	\$4.20	3/4 in.	x 6 in.	\$7.00
3/4 in.	x 3 5/8 in.	4.20	3/4 in.	x 6 1/4 in.	7.00
3/4 in.	x 3 3/4 in.	4.50	3/4 in.	x 6 1/2 in.	8.00
3/4 in.	x 4 in.	4.50	3/4 in.	x 7 in.	8.00
3/4 in.	x 4 1/4 in.	5.00	3/4 in.	x 7 1/4 in.	8.00
3/4 in.	x 4 1/2 in.	5.25	3/4 in.	x 8 1/4 in.	9.00
3/4 in.	x 5 in.	6.00	3/4 in.	x 8 3/4 in.	10.00
3/4 in.	x 5 1/4 in.	6.00	3/4 in.	x 9 1/4 in.	10.00
3/4 in.	x 5 1/2 in.	6.50	3/4 in.	x 10 1/2 in.	12.00
3/4 in.	x 5 3/4 in.	6.50	3/4 in.	x 11 1/4 in.	13.00

NOTE

A—3/4-inch head casing, side casing, apron, base and jamb stock are figured on the 3/4-inch casing and base list.
 B—Rabbeted moulding—such as No. 8389 and No. 8420, add list 25 cents.
 C—Grooved plate rail, for each inch or fraction in width, add list 25 cents.
 D—Wider than listed sizes, combine the largest equal lists, the finished sizes of which equal the required width.
 E—For moulding wider than 9 1/4 inches in Birch, Gum, Oak, Sycamore and Walnut and 11 1/4 inches in other woods, add for gluing up, figuring up to 12 inches one glue joint; over 12 inches, up to 18 inches, two glue joints; over 18 inches up to 24 inches, three glue joints, and so on.

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

INDEX

	Page
Angle Beads.....	151
Art Glass.....	203-207
Astragals.....	58, 235
Balusters, Turned Porch.....	208
Balusters, Stair.....	168
Baluster Stock.....	235
Barn Sash.....	23
Base Angle Beads.....	151
Base Blocks.....	151
Base Corners.....	151
Beads, Base and Corner.....	151
Beam Finish.....	158
Blocks, Base.....	151
Bookcase Colonnades.....	179-181
Brackets, Bungalow.....	212-213
Brackets, Porch.....	212-213
Brackets, Stair Rail.....	169
Buffets.....	201
Bungalow Brackets.....	212-213
Bungalow Windows.....	31- 38
Cabinets, Medicine.....	198
Cap Heads.....	151
Cap Trim for Doors and Windows.....	151-157
Care of Veneered Doors.....	149
Casement Frames.....	215
Casement Sash.....	45
Cases, Drawer.....	199
Cases, Linen.....	199
Cases, Medicine.....	198
Cellar Sash.....	24
China Closets.....	200
China Closet Doors.....	56- 57
Closets, China, Linen and Pantry.....	199-200
Colonnades.....	176-181
Columns, Porch.....	208-210
Corner Beads.....	151
Cornice Room Moulding.....	158
Crown Doors.....	126-129
Cupboards.....	200
Cupboard Doors.....	56- 57
Dimension Shingles.....	224
Directions for ordering.....	6
Doors—	
Astragals.....	58, 235
Combination Panel.....	67- 70
China Closet.....	56- 57
Crown, Front or Glass.....	126-129
Cupboard.....	56- 57
Dining Room.....	115-116
Extras and Rules.....	59- 61
Factory.....	123
Four Panel O. G.....	51- 52
Fir.....	62-66, 112-114
Five Cross Panel O. G.....	53- 55
Five Cross Panel B. & C.....	54, 62
Frames.....	124-125, 216-223
French.....	115-116
Front or Glass.....	71-118, 126-129
Garage.....	123
Grained.....	110-111
Hall.....	115-116
Hardwood.....	126-148
Hardwood, care of.....	149
Inlay.....	140-142
IXL Front or Glass.....	71- 98
Living Room.....	115-116
Mirror.....	66
Painted.....	52
Princess, Front or Glass.....	112-114
Rival, Front or Glass.....	101-109
Rules and Extras.....	59- 61
Sanitary.....	139-148
Side Lights.....	99-100, 130
Side Light Openings.....	124-125
Slab.....	139-148
Stable.....	123
Stickings and Astragals.....	58
Store.....	117-118
Trim.....	151-157
Veneered.....	126-148
Veneered, Care of.....	149
Warehouse.....	123
Drawer Cases.....	199
Drawer, Sink.....	198
Drain or Drip Boards.....	198
Ends, Rafter.....	213

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

INDEX—Continued	Page
Embossed Mouldings.....	151
Entrances, Front.....	124-125
Extras—	
Door.....	59- 61
Sash.....	48- 50
Factory Doors.....	123
Factory Windows.....	19- 22
Figured and Wire Glass.....	202
Finish, Doors and Windows.....	151-157
Flooring, Hardwood.....	182
Folding Sash.....	45
Frames—	
Casement Sash.....	215
Door.....	124-125, 216-223
Entrance.....	124-125
Folding Sash.....	215
Gable.....	44
Inside Door.....	223
Window.....	214-221
French Doors.....	115-116
French Windows.....	46- 47
Front Doors—	
Crown.....	126-129
Grained.....	110-111
IXL.....	71- 98
Princess.....	112-114
Rival.....	101-109
Front Entrances.....	124-125
Fronts, Store.....	119-122
Gable Frames.....	44
Gable Sash.....	44
Garage Doors.....	123
Glass—	
Figured and Wire.....	202
Leaded Clear.....	203-204
Leaded Colored.....	205-206
Leaded Bevel Plate.....	207
Prism, set in hard metal.....	203
Glossary of Trade Terms.....	7- 10
Grading Rules.....	11
Gutter, Fir V.....	224
Hall Seats.....	175
Hardwood Doors.....	126-148
Hardwood Doors, Care of.....	149
Hardwood Flooring.....	182
Hot Bed Sash.....	23
Inlay Doors.....	140-142
IXL Front or Glass Doors.....	71- 98
Interior Finish.....	151-157
Inside Door Frames.....	223
Jambs, Inside Door.....	223
Leaded Art Glass.....	203-207
Legs, Sink and Table.....	198
Linen Closet and Cases.....	199
Mantels—	
Hardwood.....	183-189
Grates and Trimmings.....	190-196
Softwoods.....	197
Shelves.....	197
Medicine Cases.....	198
Mirror Doors.....	66
Mouldings—	
Beam Finish.....	158
Embossed or Pressed.....	151
Plate Rail.....	159
Room Cornice.....	158
Standard or House Patterns.....	226-238
Newels, Porch.....	208-210
Newels, Stair.....	166
Official Grades of Sash and Doors.....	11
Ordering, Directions for.....	6
Paper, Building.....	225
Pickets.....	224
Plate Rail.....	159
Porch Work—	
Balusters, Turned.....	208
Baluster Stock.....	235
Brackets.....	212-213
Columns.....	208-210
Newels.....	208-210
Rails.....	211
Pressed Moulding.....	151
Princess, Front or Glass Doors.....	112-114
Queen Anne Bungalow Windows.....	31- 38
Rafter Ends.....	213
Railing—	
Plate.....	159
Porch.....	211

ST. LOUIS SASH AND DOOR WORKS

ST. LOUIS, U. S. A.

INDEX—Continued

	Page
Stair.....	167-169
Rival, Front or Glass Doors.....	101-109
Rolling Partitions.....	150
Roofing Material.....	225
Sash—	
Barn.....	23
Bungalow.....	31- 38
Casement.....	45
Cellar.....	24
China Closet.....	15, 45, 57
Church.....	40
Circle Head.....	39
Cottage Front.....	29- 30
Cupboard.....	15, 45, 57
Extras.....	48- 50
Factory.....	19- 22
Folding.....	45
Gable.....	44
Gothic Head.....	40
Hot Bed.....	23
Oriel.....	29- 30
Queen Anne or Bungalow.....	31- 38
Peak Head.....	40
Segment.....	39
Single.....	26- 28
Stall.....	23
Transom.....	25, 43
Sash Cord.....	42
Sash Weights.....	42
Seats—	
Hall.....	175
Window.....	174
Shingles.....	224
Side Lights.....	99-100, 130
Side Light Openings.....	124-125
Sink Trimmings.....	198
Stable Doors.....	123
Stairwork—	
Acorn Rail End.....	169
Balusters.....	168
Combination Designs.....	171-173
Crooks.....	165
Directions for Ordering.....	164-165
Ground Plans.....	164
Newels.....	166
Rail.....	167-169
Rail Bolts.....	169
Rail Brackets.....	169
Rail Wall Plates.....	169
Stringers, Face and Wall.....	170
Treads and Risers.....	170
Store Doors.....	117-118
Store Fronts.....	119-122
Table Legs.....	198
Thresholds.....	224
Trade Terms, Glossary of.....	7- 10
Transoms.....	25, 43
Trim for Doors and Windows.....	151-157
Veneered Doors.....	126-148
Veneered Doors, Care of.....	149
Wainscoting.....	160-161
Wall Board.....	162-163, 173
Wall Paneling.....	160-161
Wall Plates.....	169
Wall Rail Brackets.....	169
Warehouse Doors.....	123
Weights, Sash.....	42
Window Seats.....	174
Windows—	
2 and 4 lights.....	12- 16
8 and 12 lights.....	17- 18
15 and 18 lights.....	19- 20
20 and 24 lights.....	20- 21
30, 32 and 36 lights.....	21- 22
Bungalow.....	31- 38
Church.....	40
Circle Head.....	39
Cottage Front.....	29- 30
Extras.....	48- 50
Factory.....	19- 22
Frames.....	214-221
French.....	46- 47
Gothic.....	40
Pantry.....	12
Peak Head.....	40
Queen Anne or Bungalow.....	31- 38
Segment Head.....	39
Trim.....	151-157

THE FRANKLIN COMPANY
ARTISTS - ENGRAVERS - PRINTERS
SASH AND DOOR CATALOG DEPARTMENT
CHICAGO

